Author Index to Volume 56*

July-December 2002

A

Abe M (*see* Irisawa et al). 2002;56:249–53
Abe T (*see* Katsumi et al). 2002;56:762–4 (Case report)
Abraham NS, Barkun JS, Barkun AN. Palliation of malignant biliary obstruction: a prospective trial examining impact on quality of life. 2002;56:835–41
Abraham NS, Barkun A, LaRocque M, Fallone C, Mayrand S, Baffis V, Cohen A, Daly D, Daoud H, Joseph L. Predicting which patients can undergo upper endoscopy comfortably without conscious sedation. 2002;56:180–9
Acosta A (*see* Vignote et al). 2002;56:579–82 (Case report)
Adler DG, Sorbi D, Burgart LJ, Wang L, Harmsen WS, Gostout CJ. Endoscopic identification and quantification of aberrant crypt foci in the human colon. 2002;56:657–62
Affi A (*see* Sedlack et al). 2002;56:543–7
Agarwal B (*see* Farrell et al). 2002;56:681–7
Agawa H, Matsushita M, Nishio A, Takakuwa H. Gastric glomus tumor. 2002;56:903 (At the focal point)
Agrawai S (*see* Mustafa et al). 2002;56:937–9 (Case report)
Agress H Jr (*see* Felig et al). 2002;56:734 (At the focal point)
Ahuja V, Garg PK, Tandon RK. White bile: a "clear" misnomer. 2002;56:783 (Letter response)
Aithal GP, Chen RYM, Cunningham JT, Durkalski V, Kim EY, Patel RS, Wallace MB, Hawes RH, Hoffman BJ. Accuracy of EUS for detection of intraductal papillary mucinous tumor of the pancreas. 2002;56:701–7
Akai T (*see* Sashiyama et al). 2002;56:141–5 (Brief report)
Akaraviputh T (*see* Seewald et al). 2002;56:916–9 (New methods & materials)
Akerkar G (*see* McQuaid and Akerkar). 2002;56:610 (Letter response)
Al-Antably Y (*see* Kaw et al). 2002;56:61–5
Alazmi WM, Rosen CM, De La Ossa MM, Willis I, Barkin JS. Bile duct hamartomas. 2002;56:565–6 (At the focal point)
Alberti-Flor JJ. Percutaneous-endoscopic suturing of gastrocutaneous fistula: report of 2 cases. 2002;56:751–3 (Case report)
Alder SC (*see* DiSario et al). 2002;56:244–8
Almagro UA (*see* Saeian et al). 2002;56:472–8
Alsolaiman MM (*see* Nawras et al). 2002;56:426–30 (New methods & materials)
Alvisi V (*see* Rossi et al). 2002;56:714–19
Amaris J. Intraductal mucinous papillary tumor and pyloric gland adenoma of the pancreas. 2002;56:441–4 (Case report)
Amaris J (*see* Prat et al). 2002;56:202–8
Andersen PK (*see* Saleh et al). 2002;56:529–34
Anderson MA, Scheiman JM. Initial experience with an electronic radial array echoendoscope: randomized comparison with a mechanical sector scanning echoendoscope in humans. 2002;56:573–7 (New methods & materials)
Ando T (*see* Okugawa et al). 2002;56:366–71
Andriulli A, Clemente R, Solmi L, Terruzzi V, Suriani R, Sigillito A, Leandro G, Leo P, De Maio G, Perri F. Gabexate or somatostatin administration before ERCP in patients at high risk for post-ERCP pancreatitis: a multicenter, placebo-controlled, randomized clinical trial. 2002;56:488–95
Antonietti M (*see* Soussan et al). 2002;56:213–17
Arakawa T (*see* Shiba et al). 2002;56:522–8
Archimandritis A (*see* Sougioultzis et al). 2002;56:162–3 (Letter)
Arendt T (*see* Plath et al). 2002;56:944–6 (Brief report)
Ariyama J (*see* Sai et al). 2002;56:929–32 (Case report)
Armengol-Miro JR (*see* Waye et al). 2002;56:461–2 (Perspectives)
Aronson N, Flamm CR, Bohn RL, Mark DH, Speroff T. Evidence-based assessment: patient, procedure, or operator factors associated with ERCP complications. 2002;56:S294–302
Aronson N (*see* Flamm et al). 2002;56:S161–4, S218–25
Aronson N (*see* Mark et al). 2002;56:S190–5, S249–54
Asaka M (*see* Shimizu et al). 2002;56:387–90
Ashida T (*see* Fujiya et al). 2002;56:535–42
Askin MP, Waye JD, Fiedler L, Harpaz N. Tattoo of colonic neoplasms in 113 patients with a new sterile carbon compound. 2002;56:339–42
Aspinall AI (*see* Beck et al). 2002;56:598–600 (Brief report)
Atkin WS (*see* Brooker et al). 2002;56:333–8
Attia F (*see* Kinney et al). 2002;56:209–12
Attia F (*see* Kozarek et al). 2002;56:496–500
Axelrad AM. Telescoping stents. 2002;56:274 (At the focal point)
Ayabe T (*see* Fujiya et al). 2002;56:535–42

B

Bacon BR (*see* Cohen et al). 2002;56:803–9
Baffis V (*see* Abraham et al). 2002;56:180–9
Bains M (*see* Meininger et al). 2002;56:767–70 (Case report)
Baize M (*see* Sanchez Cortes et al). 2002;56:380–6
Bak Y-T (*see* Park et al). 2002;56:785–6 (Letter response)
Ball TJ (*see* Kozarek et al). 2002;56:496–500
Bank S (*see* Singh et al). 2002;56:139–41 (Case report)
Banks PA. Epidemiology, natural history, and predictors of disease outcome in acute and chronic pancreatitis. 2002;56:S226–30
Banks PA (*see* Telford et al). 2002;56:18–24
Barclay RL, Depew WT, Vanner SJ. Carbohydrate-electrolyte rehydration protects against intravascular volume contraction during colonic cleansing with orally administered sodium phosphate. 2002;56:633–8
Barkin JS (*see* Alazmi et al). 2002;56:565–6 (At the focal point)
Barkin JS (*see* Jaca et al). 2002;56:304 (Brief report)
Barkun AN (*see* Abraham et al). 2002;56:180–9
Barkun AN (*see* Abraham et al). 2002;56:835–41
Barkun JS (*see* Abraham et al). 2002;56:835–41
Barletti C (*see* Repici et al). 2002;56:747–50 (Case report)
Baron TH. Direct percutaneous endoscopic jejunostomy through a mature gastrostomy tract. 2002;56:946–7 (Brief report)
Baron TH, Farnell MB, LeRoy AJ. Endoscopic transpapillary gallbladder drainage for closure of calculous gallbladder perforation and cholecystoduodenal fistula. 2002;56:753–5 (Case report)
Baron TH, Harewood GC, Morgan DE, Yates MR. Outcome differences after endoscopic drainage of pancreatic necrosis, acute pancreatic pseudocysts, and chronic pancreatic pseudocysts. 2002;56:7–17
Baron TH (*see* Fan et al). 2002;56:890–4
Baron TH (*see* Fry et al). 2002;56:114 (At the focal point)
Baron TH (*see* Norton et al). 2002;56:239–43
Baron TH (*see* Sanchez and Baron). 2002;56:735 (At the focal point)
Baron TH (*see* Vazquez-Sequeiros et al). 2002;56:372–9
Barr H (*see* Harbord et al). 2002;56:644–51
Barranco B, Eloubeidi MA, Canakis J, Johnson LF, Shore G, Wilcox CM. Bouveret's syndrome. 2002;56:736 (At the focal point)
Beck PL, Aspinall AI, Kilvert VM, Dort J. Blue rubber bleb nevus syndrome. 2002;56:598–600 (Brief report)
Ben-Khelifa H. Gastric lymphoma: Is the worldwide incidence rising? 2002;56:955–6 (Perspectives)
Benninger J (*see* Farnbacher et al). 2002;56:501–6
Bergman JJ (*see* Cheng et al). 2002;56:33–9
Berkelhammer C, Ekambaram A, Silva RG. Low-volume oral colonoscopy bowel preparation: sodium phosphate and magnesium citrate. 2002;56:89–94
Berlin JA (*see* Cohen et al). 2002;56:803–9
Bersani G (*see* Rossi et al). 2002;56:714–19
Bianco MA (*see* Cipolletta et al). 2002;56:467–71
Bichis Canoutas C (*see* DiSario et al). 2002;56:244–8
Biemans JM (*see* Stolk et al). 2002;56:147–9 (Brief report)
Binmoeller KF, Rathod VD. Difficult pancreatic mass FNA: tips for success. 2002;56:S86–91
Bitoun A (*see* Coffin et al). 2002;56:174–9
Blackstone MO (*see* Soetikno et al). 2002;56:48–54
Bleau BL, Gostout CJ, Sherman KE, Shaw MJ, Shaw WV, Keate RF, Bracy WP, Fleischer DE. Recurrent bleeding from peptic ulcer associated with adherent clot: a randomized study comparing endoscopic treatment with medical therapy. 2002;56:1–6
Blomjous FJ (*see* Stolk et al). 2002;56:147–9 (Brief report)
Bocquentin M (*see* Prat et al). 2002;56:202–8
Bohn RL (*see* Aronson et al). 2002;56:S294–302
Boku N (*see* Fu et al). 2002;56:272–3 (At the focal point)
Boku N (*see* Muto et al). 2002;56:517–21
Borlaza RF (*see* Eloubeidi et al). 2002;56:417 (At the focal point)
Bornman PC (*see* Waye et al). 2002;56:607–8 (Perspectives)
Bouhnik Y (*see* Coffin et al). 2002;56:174–9
Bower A (*see* Brodsky et al). 2002;56:849–51
Bown SG (*see* Harbord et al). 2002;56:644–51
Boyce HW. Endoscopic diagnosis and classification of reflux esophagitis: are we there yet? 2002;56:775–8 (Editorial)
Bracy WP (*see* Bleau et al). 2002;56:1–6
Brand B (*see* Seewald et al). 2002;56:916–9 (New methods & materials)
Brand S, Wang TD, Schomacker KT, Poneros JM, Lauwers GY, Compton CC, Pedrosa MC, Nishioka NS. Detection of high-grade dysplasia in Barrett's esophagus by spectroscopy measurement of 5-aminolevulinic acid-induced protoporphyrin IX fluorescence. 2002;56:479–87
Brandabur JJ (*see* Kozarek et al). 2002;56:496–500
Brandwein SL (*see* Chuttani et al). 2002;56:116–22 (New methods & materials)
Brandwein SL (*see* Farrell et al). 2002;56:681–7
Brann OS (*see* Schafer et al). 2002;56:957–8 (Letter response)
Brazer S (*see* McGrath and Brazer). 2002;56:163–4 (Letter)
Brentnall TA (*see* Kimmey et al). 2002;56:S82–6
Brock P (*see* Plath et al). 2002;56:944–6 (Brief report)
Brodsky JA, Marks JM, Malm JA, Bower A, Ponsky JL. Sphincter of Oddi injection with botulinum toxin is as effective as endobiliary stent in resolving cystic duct leaks in a canine model. 2002;56:849–51
Bronner MP (*see* Kimmey et al). 2002;56:S82–6
Brooker JC, Saunders BP, Shah SG, Thapar CJ, Thomas HJW, Atkin WS, Cardwell CR, Williams CB. Total colonic dye-spray increases the detection of diminutive adenomas during routine colonoscopy: a randomized controlled trial. 2002;56:333–8
Brooker JC (*see* Shah et al). 2002;56:195–201, 568–73 (New methods & materials)
Brooks J (*see* Devereaux et al). 2002;56:397–401
Brown RD (*see* Moparty et al). 2002;56:436–8 (Case report)
Brown RD (*see* Venu and Brown). 2002;56:785–86 (Letter)
Brown RD (*see* Venu et al). 2002;56:582–4 (Case report)
Bruewer M (*see* Tuebergen et al). 2002;56:587–9 (Case report)

**July, pp. 1-164; August, pp. 165-324; September, pp. 325-466; October, pp. 467-612; October Supplement, pp. S1-S152; November, pp. 613-788; December, pp. 789-984; December Supplement, pp. S153-S302.*

Brugge WR (*see* Farrell and Brugge). 2002;56: 450–2 (Case report)
Brugge WR (*see* Mallery et al). 2002;56:218–24
Bruninga K (*see* Komanduri et al). 2002;56:577–9 (Case report)
Bruno MJ (*see* Cheng et al). 2002;56:33–9
Buffet C (*see* Prat et al). 2002;56:202–8, 909–15 (New methods & materials)
Burgart LJ (*see* Adler et al). 2002;56:657–62
Burgart LJ (*see* Norton et al). 2002;56:95–9
Byrd DR (*see* Kimmey et al). 2002;56:S82–6
Byrne A (*see* Heneghan et al). 2002;56:422–6 (New methods & materials)
Byung KS (*see* Park et al). 2002;56:785–6 (Letter response)

C

Caletti G, Fusaroli P, Togliani T. EUS in malt lymphoma. 2002;56:S21–6
Caletti G (*see* Waye et al). 2002;56:159–61 (Perspectives)
Canakis J (*see* Barranco et al). 2002;56:736 (At the focal point)
Canon CL (*see* Eloubeidi et al). 2002;56:417 (At the focal point)
Canto MI. Barrett's esophagus and early esophageal cancer. 2002;56:S66–8
Cardwell CR (*see* Brooker et al). 2002;56:333–8
Carr-Locke DL. Overview of the role of ERCP in the management of diseases of the biliary tract and the pancreas. 2002;56:S157–60
Carr-Locke DL. Therapeutic role of ERCP in the management of suspected common bile duct stones. 2002;56:S170–4
Carr-Locke DL (*see* Telford et al). 2002;56:18–24
Carr-Locke DL (*see* Vandervoort et al). 2002;56: 652–6
Cass OW (*see* Wright et al). 2002;56:225–32
Catalano MF (*see* Nawras et al). 2002;56:426–30 (New methods & materials)
Cathignol D (*see* Prat et al). 2002;56:909–15 (New methods & materials)
Centeno BA (*see* Mallery et al). 2002;56:218–24
Cestari R (*see* Ravelli et al). 2002;56:321–3 (Letter response)
Cha S-B (*see* Lee et al). 2002;56:589–91 (Case report)
Chak A. EUS in submucosal tumors. 2002;56:S43–8
Chan ACW (*see* Lee et al). 2002;56:361–5, 629–32
Chan FKL (*see* Lee et al). 2002;56:842–8
Chan K-C (*see* Lee et al). 2002;56:629–32
Chan RCY (*see* Leung et al). 2002;56:72–7
Chan S-C, Law S, Chu K-M. Iatrogenic Chilaiditi's syndrome. 2002;56:447–9 (Case report)
Chang H-S, Yang S-K, Myung S-J, Jung H-Y, Hong W-S, Kim JH, Min YI, Ha HK, Kim JC, Yu CS, Kim HC, Kim J-S. The role of colonoscopy in the diagnosis of appendicitis in patients with atypical presentations. 2002;56:343–8
Chang H-S (*see* Lee et al). 2002;56:25–32
Chang KJ. Maximizing the yield of EUS-guided fine-needle aspiration. 2002;56:S28–34
Chang KJ (*see* Soetikno et al). 2002;56:136–9 (Case report)
Chang Y (*see* Mallery et al). 2002;56:218–24
Chang Y-T, Wu M-S, Huang C-C, Lin J-T. Amebic liver abscess with a hepatogastric fistula. 2002; 56:906 (At the focal point)
Chappo J (*see* de Bellis et al). 2002;56:552–61 (Review article), 720–30 (Review article)
Chappo J (*see* Devereaux et al). 2002;56:397–401
Chaves D (*see* Sakai et al). 2002;56:612 (Letter response)
Chayama K (*see* Nagata et al). 2002;56:299–303 (Case report)
Chen H-Y, Lee C-H, Hsieh C-H. Bile peritonitis after EUS-guided fine-needle aspiration. 2002; 56:594–6 (Brief report)
Chen RYM (*see* Aithal et al). 2002;56:701–7
Cheng AF (*see* Leung et al). 2002;56:72–7
Cheng JLS, Bruno MJ, Bergman JJ, Rauws EA, Tytgat GN, Huibregtse K. Endoscopic palliation of patients with biliary obstruction caused by nonresectable hilar cholangiocarcinoma: efficacy of self-expandable metallic Wallstents. 2002;56:33–9
Cheon YK (*see* Lee et al). 2002;56:83–8
Cheon YK (*see* Moon et al). 2002;56:873–9
Chicano M (*see* Vignote et al). 2002;56:579–82 (Case report)
Chilovi F, Farris P. Bouveret's syndrome. 2002;56: 112 (At the focal point)
Chin A (*see* Leung and Chin). 2002;56:732 (At the focal point)
Chirravuri V (*see* Moparty et al). 2002;56:436–8 (Case report)
Chiu H-H, Jao YTFN, Mo L-R. Double pylorus. 2002;56:271 (At the focal point)
Chiu H-H, Jao YTFN, Mo L-R. Recurrent sigmoid volvulus. 2002;56:419–20 (At the focal point)
Cho JY (*see* Lee et al). 2002;56:83–8
Cho JY (*see* Moon et al). 2002;56:873–9
Cho NH (*see* Hong et al). 2002;56:756–8 (Case report)
Cho S-H (*see* Lee et al). 2002;56:589–91 (Case report)
Cho YD (*see* Lee et al). 2002;56:83–8
Cho YD (*see* Moon et al). 2002;56:873–9
Choi H (*see* Lee et al). 2002;56:589–91 (Case report)
Choi H (*see* Saeian et al). 2002;56:472–8
Choi K-Y (*see* Lee et al). 2002;56:589–91 (Case report)
Choi M-G (*see* Lee et al). 2002;56:589–91 (Case report)
Chopita N (*see* Waye et al). 2002;56:607–8 (Perspectives)
Choudari CP, Nickl NJ, Fogel E, Lehman GA, Sherman S. Hereditary pancreatitis: clinical presentation, ERCP findings, and outcome of endoscopic therapy. 2002;56:66–71
Choung R-S (*see* Jeen et al). 2002;56:731 (At the focal point)
Choury AD (*see* Prat et al). 2002;56:202–8
Chu K-M (*see* Chan et al). 2002;56:447–9 (Case report)
Chun H-J (*see* Jeen et al). 2002;56:731 (At the focal point)
Chung I-S (*see* Lee et al). 2002;56:589–91 (Case report)
Chung JB (*see* Hong et al). 2002;56:756–8 (Case report)
Chung JP (*see* Hong et al). 2002;56:756–8 (Case report)
Chung SCS (*see* Lee et al). 2002;56:361–5, 629–32, 842–8
Chung SCS (*see* Waye et al). 2002;56:159–61 (Perspectives)
Church JM. Warm water irrigation for dealing with spasm during colonoscopy: simple, inexpensive, and effective. 2002;56:672–4
Chuttani R, Kozarek R, Critchlow J, Lo S, Pleskow D, Brandwein S, Lembo T. A novel endoscopic full-thickness plicator for treatment of GERD: an animal model study. 2002;56:116–22 (New methods & materials)
Chuttani R (*see* Farrell et al). 2002;56:681–7
Ciaccia D (*see* Devereaux et al). 2002;56:397–401
Çilesiz I, Fockens P, Kerindongo R, Faber D, Tytgat G, ten Kate F, van Leeuwen T. Comparative optical coherence tomography imaging of human esophagus: how accurate is localization of the muscularis mucosae? 2002;56:852–7
Cipolletta L, Bianco MA, Rotondano G, Marmo R, Meucci C, Piscopo R. Argon plasma coagulation prevents variceal recurrence after band ligation of esophageal varices: preliminary results of a prospective randomized trial. 2002;56:467–71
Cirocco WC. Sessile polyps containing invasive carcinoma mandate colectomy for cure in patients fit for surgery. 2002;56:319–20 (Letter)
Clain JE (*see* Ginès et al). 2002;56:291–6 (Case study)
Clain JE (*see* Schwartz et al). 2002;56:868–72
Clain JE (*see* Sedlack et al). 2002;56:543–7
Clain JB (*see* Vazquez-Sequeiros et al). 2002;56: 372–9
Clarke E (*see* Goulding et al). 2002;56:305–6 (Brief report)
Clemente R (*see* Andriulli et al). 2002;56:488–95
Coffin B, Pocard M, Panis Y, Riche F, Lainé M-J, Bitoun A, Lémann M, Bouhnik Y, Valleur P. Erythromycin improves the quality of EGD in patients with acute upper GI bleeding: a randomized controlled study. 2002;56:174–9
Cohen A (*see* Abraham et al). 2002;56:180–9
Cohen J (*see* Osborn et al). 2002;56:122–8 (New methods & materials)
Cohen S, Bacon BR, Berlin JA, Fleischer D, Hecht GA, Loehrer PJ, McNair AE Jr, Mulholland M, Norton NJ, Rabeneck L, Ransohoff DF, Sonnenberg A, Vannier MW, . National Institutes of Health State-of-the-Science Conference statement. 2002;56:803–9
Compton CC (*see* Brand et al). 2002;56:479–87
Conio M, Rajan E, Sorbi D, Norton I, Herman L, Filiberti R, Gostout CJ. Comparative performance in the porcine esophagus of different solutions used for submucosal injection. 2002;56:513–16
Connor J (*see* Willey et al). 2002;56:810–6
Conwell DL (*see* Willey et al). 2002;56:810–6
Coopersmith H (*see* Singh et al). 2002;56:139–41 (Case report)
Corless CL (*see* Hunt et al). 2002;56:445–7 (Case report)
Costamagna G, Mutignani M, Tringali A, Perri V. Treatment of Zenker's diverticulum with the help of a plastic hood attached to the endoscope. 2002;56:611–12 (Letter)
Costamagna G (*see* Mutignani et al). 2002;56:233–8
Costamagna G (*see* Waye et al). 2002;56:159–61 (Perspectives), 607–8 (Perspectives)
Cotto-Cumba C (*see* Lustberg et al). 2002;56:935–7 (Case report)
Cotton PB. Income and outcome metrics for the objective evaluation of ERCP and alternative methods. 2002;56:S283–90
Coyle WJ (*see* Hyun and Coyle). 2002;56:905 (At the focal point)
Crabtree DK (*see* Sweeney et al). 2002;56:596–7 (Brief report)
Cramer H (*see* de Bellis et al). 2002;56:552–61 (Review article), 720–30 (Review article)
Critchlow J (*see* Chuttani et al). 2002;56:116–22 (New methods & materials)
Cunningham JT (*see* Aithal et al). 2002;56:701–7

D

Dai Q (*see* Miller et al). 2002;56:284–91 (New methods & materials)
Daly D (*see* Abraham et al). 2002;56:180–9
Daoud H (*see* Abraham et al). 2002;56:180–9
Darwin PE (*see* Lustberg et al). 2002;56:935–7 (Case report)
Dawes RFH (*see* Harbord et al). 2002;56:644–51
De Angelis C (*see* Repici et al). 2002;56:747–50 (Case report)
de Bellis M, Sherman S, Fogel EL, Cramer H, Chappo J, McHenry L Jr, Watkins JL, Lehman GA. Tissue sampling at endoscopic retrograde cholangiopancreatography in suspected malignant biliary strictures (Part 1). 2002;56:552–61 (Review article)
de Bellis M, Sherman S, Fogel EL, Cramer H, Chappo J, McHenry L Jr, Watkins JL, Lehman GA. Tissue sampling at ERCP in suspected malignant biliary strictures (Part 2). 2002;56:720–30 (Review article)
de Garmo P (*see* Shumaker et al). 2002;56:391–6
de Jong AE (*see* Stolk et al). 2002;56:147–9 (Brief report)
De La Ossa MM (*see* Alazmi et al). 2002;56:565–6 (At the focal point)
De Maio G (*see* Andriulli et al). 2002;56:488–95
DeFabritiis G (*see* Rossi et al). 2002;56:714–19
Delhaye M (*see* Sanchez Cortes et al). 2002;56:380–6
Delvaux M (*see* Gay G et al). 2002;56:758–62 (Case report)
Demir H (*see* Özçay et al). 2002;56:321 (Letter)
Depew WT (*see* Barclay et al). 2002;56:633–8
Depew WT (*see* Hookey et al). 2002;56:895–902 (Review article)

Desai D (*see* Jaca et al). 2002;56:304 (Brief report)
Devereaux BM, LeBlanc JK, Yousif E, Kesler K, Brooks J, Mathur P, Sandler A, Chappo J, Lehman GA, Sherman S, Gress F, Ciaccia D. Clinical utility of EUS-guided fine-needle aspiration of mediastinal masses in the absence of known pulmonary malignancy. 2002;56:397–401
Devière J (*see* François et al). 2002;56:128–33 (New methods & materials)
Devière J (*see* Longheval and Devière). 2002;56:584–7 (Case report)
Devière J (*see* Sanchez Cortes et al). 2002;56:380–6
Diederich S (*see* Tuebergen et al). 2002;56:587–9 (Case report)
Dill BP (*see* Dill and Dill). 2002;56:784 (Letter)
Dill JE, Dill BP. Microlithiasis and pancreatitis. 2002;56:784 (Letter)
DiSario JA, Pedersen PJ, Bichis, Canoutas C, Alder SC, Fang JC. Incision of recurrent distal esophageal (Schatzki) ring after dilation. 2002;56:244–8
Dohi N (*see* Gono et al). 2002;56:563 (At the focal point)
Dort J (*see* Beck et al). 2002;56:598–600 (Brief report)
Drahenberg C (*see* Lustberg et al). 2002;56:935–7 (Case report)
Ducot B (*see* Prat et al). 2002;56:202–8
Ducrotté P (*see* Soussan et al). 2002;56:213–17
Dumot JA (*see* Willey et al). 2002;56:810–6
Durkalski V (*see* Aithal et al). 2002;56:701–7

E

Ekambaram A (*see* Berkelhammer et al). 2002;56:89–94
Elmaagd KA (*see* Siqueira et al). 2002;56:40–7
Eloubeidi MA, Borlaza RF, Canon CL, Wilcox CM. Aorto-esophageal fistula. 2002;56:417 (At the focal point)
Eloubeidi MA (*see* Barranco et al). 2002;56:736 (At the focal point)
Eloubeidi MA (*see* Iseman et al). 2002;56:907 (At the focal point)
Elta GH. Women are different from men. 2002;56:308–9 (Editorial)
Erikson LW Jr (*see* Venu et al). 2002;56:582–4 (Case report)
Esaki M, Matsumoto T, Nakamura S, Kawasaki M, Iwai K, Hirakawa K, Tarumi K-i, Yao T, Iida M. GI involvement in Henoch-Schönlein purpura. 2002;56:920–3 (Case study)
Esaki M (*see* Hizawa et al). 2002;56:764–7 (Case report)
Esaki M (*see* Matsumoto et al). 2002;56:354–60
Esber E (*see* Rerknimitr et al). 2002;56:885–9
Eustace JA (*see* Yoo et al). 2002;56:675–80
Eysselein V (*see* Harbord et al). 2002;56:644–51

F

Faber D (*see* Çilesiz et al). 2002;56:852–7
Faigel DO (*see* Shumaker et al). 2002;56:391–6
Faigel DO (*see* Zovich and Faigel). 2002;56:465 (Letter)
Fallah A (*see* Fallah and Fallah). 2002;56:115 (At the focal point)
Fallah MA, Fallah A. Bleeding Dieulafoy's lesion. 2002;56:115 (At the focal point)
Fallone C (*see* Abraham et al). 2002;56:180–9
Fan AC, Baron TH, Rumalla A, Harewood GC. Comparison of direct percutaneous endoscopic jejunostomy and PEG with jejunal extension. 2002;56:890–4
Fang JC (*see* DiSario et al). 2002;56:244–8
Fang T-H (*see* Ren et al). 2002;56:296–8 (Case report)
Fantry GT (*see* Lustberg et al). 2002;56:935–7 (Case report)
Farca A (*see* Waye et al). 2002;56:159–61 (Perspectives)
Farnbacher MJ, Schoen C, Rabenstein T, Benninger J, Hahn EG, Schneider HT. Pancreatic duct stones in chronic pancreatitis: criteria for treatment intensity and success. 2002;56:501–6
Farnell MB (*see* Baron et al). 2002;56:753–5 (Case report)
Farraye FA (*see* Huang et al). 2002;56:272 (At the focal point)
Farrell JJ, Brugge WR. EUS-guided fine-needle aspiration of a renal mass: an alternative method for diagnosis of malignancy. 2002;56:450–2 (Case report)
Farrell JJ (*see* Telford et al). 2002;56:18–24
Farrell RJ, Agarwal B, Brandwein SL, Underhill J, Chuttani R, Pleskow DK. Intraductal US is a useful adjunct to ERCP for distinguishing malignant from benign biliary strictures. 2002;56:681–7
Farrell RJ, Pleskow DK. Difficulties encountered when using ERCP-based tissue sampling techniques to establish a diagnosis. 2002;56:464–5 (Letter response)
Farris P (*see* Chilovi and Farris). 2002;56:112 (At the focal point)
Fassler I (*see* Gay G et al). 2002;56:758–62 (Case report)
Fedail SS. Esophageal varices in Sudan. 2002;56:781–2 (Perspectives)
Felig DM, Sedarat A, Agress H Jr, Waintraub SE. Colonic adenomas detected by ^{18}F-FDG PET. 2002;56:734 (At the focal point)
Ferrari AP Jr (*see* Vandervoort et al). 2002;56:652–6
Fickling W, Wallace MB. EUS in lung cancer. 2002;56:S18–21
Fiedler L (*see* Askin et al). 2002;56:339–42
Filho FM (*see* Sakai et al). 2002;56:612 (Letter response)
Filiberti R (*see* Conio et al). 2002;56:513–16
Fischbach W, Goebeler-Kolve M-E, Greiner A. Diagnostic accuracy of EUS in the local staging of primary gastric lymphoma: results of a prospective, multicenter study comparing EUS with histopathologic stage. 2002;56:696–700
Flamm CR, Mark DH, Aronson N. Evidence-based assessment of ERCP approaches to managing pancreaticobiliary malignancies. 2002;56:S218–25
Flamm CR, Mark DH, Aronson N. Evidence-based review of endoscopic retrograde cholangiopancreatography: introduction and description of systematic review methods. 2002;56:S161–4
Flamm CR (*see* Aronson et al). 2002;56:S294–302
Flamm CR (*see* Mark et al). 2002;56:S190–5, S249–54
Fleischer DE. Capsule endoscopy: The voyage is fantastic—will it change what we do? 2002;56:452–6 (Editorial)
Fleischer DE (*see* Bleau et al). 2002;56:1–6
Fleischer DE (*see* Cohen et al). 2002;56:803–9
Fockens P. EUS in drainage of pancreatic pseudocysts. 2002;56:S93–7
Fockens P (*see* Çilesiz et al). 2002;56:852–7
Fogel EL (*see* de Bellis et al). 2002;56:552–61 (Review article), 720–30 (Review article)
Fogel EL (*see* Choudari et al). 2002;56:66–71
Fogel EL (*see* Rerknimitr et al). 2002;56:885–9
Fölsch UR (*see* Hellmig et al). 2002;56:565 (At the focal point)
Forbes GM (*see* Pang et al). 2002;56:402–6
Foschia F (*see* Mutignani et al). 2002;56:233–8
Fox BM (*see* Sumanac et al). 2002;56:190–4
Fox VL, Nurko S, Furuta GT. Eosinophilic esophagitis: it's not just kid's stuff. 2002;56:260–70 (Review article)
France R (*see* Kozarek et al). 2002;56:496–500
François E, Kahaleh M, Giovannini M, Matos C, Devière J. EUS-guided pancreaticogastrostomy. 2002;56:128–33 (New methods & materials)
Freeman ML. Adverse outcomes of ERCP. 2002;56:S273–82
Freeman ML (*see* Kimmey and Freeman). 2002;56:S153
Freeman ML (*see* Wright et al). 2002;56:225–32
Friedland S, Yu A, Rouse RV, Wong D, Nino-Murcia M, Soetikno RM. Gastric pancreatic rest leading to pyogenic liver abscess. 2002;56:438–40 (Case report)
Fritsch J (*see* Prat et al). 2002;56:202–8, 909–15 (New methods & materials)
Fritscher-Ravens A, Mosse CA, Mills TN, Mukherjee D, Park P-O, Swain P. A through-the-scope device for suturing and tissue approximation under EUS control. 2002;56:737–42 (New methods & materials)
Fry LC, Howell CA, Mönkemüller KE. Use of a super-stiff Amplatz guidewire to intubate the duodenum with a duodenoscope. 2002;56:773–4 (Brief report)
Fry LC, Linder JD, Mönkemüller KE. Cholangitis as a result of hydrophilic guidewire fracture. 2002;56:943–4 (Brief report)
Fry LC, Mönkemüller KE, Baron TH. Sclerosing cholangitis caused by *Clonorchis sinensis*. 2002;56:114 (At the focal point)
Fu K-I, Muto M, Mera K, Sano Y, Nagashima F, Tahara M, Boku N, Ohtsu A, Kanomata N, Ochiai A, Yoshida S. Carcinoma coexisting with esophageal leiomyoma. 2002;56:272–3 (At the focal point)
Fujii M, Okabayashi Y, Tateiwa S, Okamoto Y, Sakai T, Ochi F, Sugano M, Oshiro K. Vanishing gastric tumor. 2002;56:421 (At the focal point)
Fujimori T (*see* Iwasaki et al). 2002;56:111 (At the focal point)
Fujimoto S (*see* Ninomiya et al). 2002;56:926–9 (Case report)
Fujita M (*see* Shimizu et al). 2002;56:387–90
Fujita R (*see* Ninomiya et al). 2002;56:926–9 (Case report)
Fujiwara Y (*see* Shiba et al). 2002;56:522–8
Fujiya K (*see* Fujiya et al). 2002;56:535–42
Fujiya M, Saitoh Y, Nomura M, Maemoto A, Fujiya K, Watari J, Ashida T, Ayabe T, Obara T, Kohgo Y. Minute findings by magnifying colonoscopy are useful for the evaluation of ulcerative colitis. 2002;56:535–42
Fukushima M (*see* Unno et al). 2002;56:880–4
Fulcher AS. MRCP and ERCP in the diagnosis of common bile duct stones. 2002;56:S78–82
Funami Y (*see* Sashiyama et al). 2002;56:141–5 (Brief report)
Furuta GT (*see* Fox et al). 2002;56:260–70 (Review article)
Fusaroli P (*see* Caletti et al). 2002;56:S21–6

G

Gandehok J (*see* Miller et al). 2002;56:284–91 (New methods & materials)
Garg PK (*see* Ahuja et al). 2002;56:783 (Letter response)
Gay G, Delvaux M, Fassler I, Laurent V, Peter A. Localization of colonic origin of obscure bleeding with the capsule endoscope: a case report. 2002;56:758–62 (Case report)
Geller A (*see* Norton et al). 2002;56:239–43
Gelrud D (*see* Gress et al). 2002;56:864–7
Gerdes H (*see* Meininger et al). 2002;56:767–70 (Case report)
Gibbons RP (*see* Kozarek et al). 2002;56:496–500
Ginès A, Vazquez-Sequeiros E, Soria MT, Clain JE, Wiersema MJ. Usefulness of EUS-guided fine needle aspiration (EUS-FNA) in the diagnosis of functioning neuroendocrine tumors. 2002;56:291–6 (Case study)
Ginsberg GG (*see* Loren et al). 2002;56:742–6 (New methods & materials)
Giovannini M (*see* François et al). 2002;56:128–33 (New methods & materials)
Giovannini M (*see* Harbord et al). 2002;56:644–51
Gluck M, Jiranek GC, Low DE, Kozarek RA. Spontaneous intramural rupture of the esophagus: clinical presentation and endoscopic findings. 2002;56:134–6 (Case report)
Gluck M (*see* Kozarek et al). 2002;56:496–500
Goebeler-Kolve M-E (*see* Fischbach et al). 2002;56:696–700
Goh K-L (*see* Waye et al). 2002;56:461–2 (Perspectives)
Gómez F (*see* Vignote et al). 2002;56:579–82 (Case report)
Gono T, Matsuda M, Dohi N, Sekijima Y, Tada T, Sakashita K, Koike K, Kadosaka S, Ikeda S-i. Gastroduodenal lesions in primary AL amyloidosis. 2002;56:563 (At the focal point)

Goodman S (*see* Kram et al). 2002;56:564–5 (At the focal point)
Gorini B (*see* Rossi et al). 2002;56:714–19
Gostout CJ (*see* Adler et al). 2002;56:657–62
Gostout CJ (*see* Bleau et al). 2002;56:1–6
Gostout CJ (*see* Conio et al). 2002;56:513–16
Gostout CJ (*see* Norton et al). 2002;56:95–9, 239–43
Gostout CJ (*see* Vazquez-Sequeiros et al). 2002;56:372–9
Goto H, Ohta S, Yamaguchi Y, Yukioka T, Matsuda H, Shimazaki S. Prospective evaluation of hemoclip application with injection of epinephrine in hypertonic saline solution for hemostasis in unstable patients with shock caused by upper GI bleeding. 2002;56:78–82
Gottlieb K (*see* Gress et al). 2002;56:864–7
Goulding C, O'Hanlon DM, Clarke E, Kennedy M, Lennon J. Primary amyloidosis of the stomach: EUS appearances. 2002;56:305–6 (Brief report)
Grainek IM (*see* Tang et al). 2002;56:924–6 (Case report)
Greiner A (*see* Fischbach et al). 2002;56:696–700
Grendell J (*see* Gress et al). 2002;56:864–7
Gress F, Michael H, Gelrud D, Patel P, Gottlieb K, Singh F, Grendell J. EUS-guided fine-needle aspiration of the pancreas: evaluation of pancreatitis as a complication. 2002;56:864–7
Gress F (*see* Devereaux et al). 2002;56:397–401
Groth S (*see* Seewald et al). 2002;56:916–9 (New methods & materials)
Grotkamp J (*see* Wehrmann et al). 2002;56:817–24
Gupta P, Rao SSC. Attenuation of isolated pyloric pressure waves in gastroparesis in response to botulinum toxin injection: a case report. 2002;56:770–2 (Brief report)

H

Ha HK (*see* Chang et al). 2002;56:343–8
Hahn EG (*see* Farnbacher et al). 2002;56:501–6
Hahn EG (*see* Schwab et al). 2002;56:858–63
Hahn PF (*see* Mallery et al). 2002;56:218–24
Hamamoto M, Nakanishi Y, Morimoto N, Inoue H, Tatukawa M, Nakata S, Kawai Y, Kurihara N, Ookuchi S, Shizuku T, Yamamoto S, Hamamoto S, Kazumori H, Kinoshita Y. A new water instillation method for colonoscopy without sedation as performed by endoscopists-in-training. 2002;56:825–8
Hamamoto S (*see* Hamamoto et al). 2002;56:825–8
Hamano H (*see* Unno et al). 2002;56:880–4
Hamilton FA. A day in court for ERCP: a plea answered. 2002;56:S154–6
Hamza SH (*see* Iseman et al). 2002;56:907 (At the focal point)
Hara M (*see* Miller et al). 2002;56:284–91 (New methods & materials)
Harada A (*see* Tatsumi et al). 2002;56:418 (At the focal point)
Harbord M, Dawes RFH, Barr H, Giovannini M, Viens P, Eysselein V, Mishra L, Orenberg EK, Bown SG. Palliation of patients with dysphagia due to advanced esophageal cancer by endoscopic injection of cisplatin/epinephrine injectable gel. 2002;56:644–51
Harewood GC (*see* Baron et al). 2002;56:7–17
Harewood GC (*see* Fan et al). 2002;56:890–4
Harewood GC (*see* Schwartz et al). 2002;56:100–9 (Review article)
Harewood GC (*see* Wiersema et al). 2002;56:275–8 (New methods & materials)
Harmsen WS (*see* Adler et al). 2002;56:657–62
Harpaz N (*see* Askin et al). 2002;56:339–42
Harris M (*see* Yoo et al). 2002;56:675–80
Harrison PM (*see* Heneghan et al). 2002;56:422–6 (New methods & materials)
Harsányi L (*see* Taller et al). 2002;56:318–19 (Letter response)
Haruma K (*see* Nagata et al). 2002;56:299–303 (Case report)
Hassall E (*see* Waye et al). 2002;56:461–2 (Perspectives)
Hasse N (*see* Plath et al). 2002;56:944–6 (Brief report)
Hawes RH. Diagnostic and therapeutic uses of ERCP in pancreatic and biliary tract malignancies. 2002;56:S201–5
Hawes RH. New approaches in interventional EUS. 2002;56:S62–5
Hawes RH (*see* Aithal et al). 2002;56:701–7
Hecht GA (*see* Cohen et al). 2002;56:803–9
Heidenreich PA (*see* Soetikno et al). 2002;56:48–54
Hellmig S, Stüber E, Katsoulis S, Fölsch UR. Bismuth subsalicylate in the cecum. 2002;56:565 (At the focal point)
Heneghan MA, Byrne A, Harrison PM. An open pilot study of the effects of a human fibrin glue for endoscopic treatment of patients with acute bleeding from gastric varices. 2002;56:422–6 (New methods & materials)
Herman L (*see* Conio et al). 2002;56:513–16
Hershberger J (*see* Raju et al). 2002;56:145–7 (Brief report)
Hervé S (*see* Soussan et al). 2002;56:213–17
Higuchi K (*see* Shiba et al). 2002;56:522–8
Hirakawa K (*see* Esaki et al). 2002;56:920–3 (Case study)
Hirakawa K (*see* Matsumoto et al). 2002;56:354–60
Hirata I (*see* Shimamoto et al). 2002;56:416 (At the focal point)
Hironaka S (*see* Muto et al). 2002;56:517–21
Hiura M (*see* Tabaru et al). 2002;56:420 (At the focal point)
Hizawa K, Esaki M, Iwai K, Yao T, Sato H, Matsumoto T, Iida M. EUS in the diagnosis of diffuse esophageal leiomyomatosis. 2002;56:764–7 (Case report)
Hizawa K (*see* Matsumoto et al). 2002;56:354–60
Ho KV (*see* Wai et al). 2002;56:548–51
Hochain P (*see* Soussan et al). 2002;56:213–17
Hoffman BJ. EUS-guided celiac plexus block/neurolysis. 2002;56:S26–8
Hoffman BJ (*see* Aithal et al). 2002;56:701–7
Hofmeister EK (*see* Norton et al). 2002;56:95–9
Hollis-Perry KM (*see* Schafer et al). 2002;56:957–8 (Letter response)
Hong SP, Park SW, Lee SJ, Chung JP, Song SY, Chung JB, Kang JK, Cho NH. Bile duct wall metastasis from micropapillary variant transitional cell carcinoma of the urinary bladder mimicking primary hilar cholangiocarcinoma. 2002;56:756–8 (Case report)
Hong W-S (*see* Chang et al). 2002;56:343–8
Hookey LC, Depew WT, Vanner S. The safety profile of oral sodium phosphate for colonic cleansing before colonoscopy in adults. 2002;56:895–902 (Review article)
Horváth E (*see* Taller et al). 2002;56:318–19 (Letter response)
Hoshino T (*see* Sashiyama et al). 2002;56:141–5 (Brief report)
Hosokawa M (*see* Shimizu et al). 2002;56:387–90
Houghton J, Kim KH. False-negative rapid urease test in acute upper GI bleeding: is human plasma alone responsible? 2002;56:163 (Letter response)
Howell CA (*see* Fry et al). 2002;56:773–4 (Brief report)
Hsieh C-H (*see* Chen et al). 2002;56:594–6 (Brief report)
Huang C, Lichtenstein DR, Farraye FA. Ureterosigmoidostomy. 2002;56:272 (At the focal point)
Huang C-Y (*see* Ren et al). 2002;56:296–8 (Case report)
Huang J-C (*see* Ren et al). 2002;56:296–8 (Case report)
Hughes M (*see* Vandervoort et al). 2002;56:652–6
Hui C-K, Lai K-C, Yuen M-F, Ng MM-T, Lam S-K, Lai C-L. Role of cholecystectomy in preventing recurrent cholangitis. 2002;56:55–60
Hui Y (*see* Lee et al). 2002;56:842–8
Huibregtse K (*see* Cheng et al). 2002;56:33–9
Hung C-C (*see* Chang et al). 2002;56:906 (At the focal point)
Hunt GC, Corless CL, Terry AB, Katon RM. Embryonal rhabdomyosarcoma in a 3-year-old child diagnosed at ERCP: case report and review. 2002;56:445–7 (Case report)
Hunt RH (*see* Sumanac et al). 2002;56:190–4
Hwang CY (*see* Lee et al). 2002;56:25–32
Hyun CB, Coyle WJ. Giant gastric lipoma. 2002;56:905 (At the focal point)
Hyun J-H (*see* Jeen et al). 2002;56:731 (At the focal point)

I

Ido K (*see* Yamamoto et al). 2002;56:507–12
Iida M (*see* Esaki et al). 2002;56:920–3 (Case study)
Iida M (*see* Hizawa et al). 2002;56:764–7 (Case report)
Iida M (*see* Matsumoto et al). 2002;56:354–60
Ikeda S-i (*see* Gono et al). 2002;56:563 (At the focal point)
Ikenaga M (*see* Morita et al). 2002;56:663–71
Iliás L (*see* Taller et al). 2002;56:318–19 (Letter response)
Inoue H (*see* Hamamoto et al). 2002;56:825–8
Inui K, Yoshino J, Okushima K, Miyoshi H, Nakamura Y. Intraductal EUS. 2002;56:S58–62
Irisawa A, Shibukawa G, Obara K, Saito A, Takagi T, Shishido H, Odajima H, Abe M, Sugino T, Suzuki T, Kasukawa R, Sato Y. Collateral vessels around the esophageal wall in patients with portal hypertension: comparison of EUS imaging and microscopic findings at autopsy. 2002;56:249–53
Iseman DT, Hamza SH, Eloubeidi MA. Pseudomembranous (*Clostridium difficile*) colitis. 2002;56:907 (At the focal point)
Ishida H (*see* Katsumi et al). 2002;56:762–4 (Case report)
Ishihara T (*see* Okugawa et al). 2002;56:366–71
Ishioka S (*see* Sakai et al). 2002;56:612 (Letter response)
Itani A (*see* Shiba et al). 2002;56:522–8
Ito M (*see* Morita et al). 2002;56:663–71
Iwai K (*see* Esaki et al). 2002;56:920–3 (Case study)
Iwai K (*see* Hizawa et al). 2002;56:764–7 (Case report)
Iwasaki Y, Tagaya N, Tomita S, Fujimori T, Kubota K. Primary ileal mucinous adenocarcinoma. 2002;56:111 (At the focal point)
Iwashita A (*see* Yao et al). 2002;56:279–84 (New methods & materials)

J

Jaca IJ, Desai D, Barkin JS. Paroxysmal supraventricular tachycardia after administration of glucagon during upper endoscopy. 2002;56:304 (Brief report)
Jafri SF (*see* Raju et al). 2002;56:145–7 (Brief report)
Jao YTFN (*see* Chiu et al). 2002;56:271 (At the focal point), 419–20 (At the focal point)
Jao YTFN (*see* Tseng et al). 2002;56:733 (At the focal point)
Jeen Y-T, Choung R-S, Chun H-J, Kim C-D, Ryu H-S, Hyun J-H. Small intestine Burkitt's lymphoma. 2002;56:731 (At the focal point)
Jensen DM (*see* Tang et al). 2002;56:924–926 (Case report)
Ji H (*see* Mortele et al). 2002;56:S206–12
Jiranek GC (*see* Gluck et al). 2002;56:134–6 (Case report)
Johannes RS (*see* Telford et al). 2002;56:18–24
Johnson LF (*see* Barranco et al). 2002;56:736 (At the focal point)
Jondal ML (*see* Vazquez-Sequeiros et al). 2002;56:372–9
Jondal ML (*see* Wiersema et al). 2002;56:275–8 (New methods & materials)
Joo YH (*see* Park et al). 2002;56:904–5 (At the focal point)
Jose-Ganc A (*see* Waye et al). 2002;56:607–8 (Perspectives)
Joseph L (*see* Abraham et al). 2002;56:180–9
Jørgensen HL (*see* Saleh et al). 2002;56:529-34
Juliani E (*see* Repici et al). 2002;56:747–50 (Case report)
Jung H-Y (*see* Chang et al). 2002;56:343–8

K

Kadosaka S (*see* Gono et al). 2002;56:563 (At the focal point)
Kahaleh M (*see* François et al). 2002;56:128–33 (New methods & materials)
Kahrilas PJ (*see* Pandolfino et al). 2002;56:639–43
Kaiho T (*see* Sashiyama et al). 2002;56:141–5 (Brief report)
Kalayci C (*see* Rerknimitr et al). 2002;56:885–9
Kalloo AN. Overview of differential diagnoses of abdominal pain. 2002;56:S255–7
Kalloo AN (*see* Yoo et al). 2002;56:675–80
Kamio T (*see* Yokomine et al). 2002;56:908 (At the focal point)
Kamiya J (*see* Murata et al). 2002;56:688–95
Kaneko Y (*see* Yamamoto et al). 2002;56:507–12
Kang JK (*see* Hong et al). 2002;56:756–8 (Case report)
Kang JY (*see* Wai et al). 2002;56:548–51
Kanomata N (*see* Fu et al). 2002;56:272–3 (At the focal point)
Kantsevoy S (*see* Yoo et al). 2002;56:675–80
Kastenberg D. Comparison of sodium phosphate tablets to PEG solution for colonoscopy. 2002;56:611 (Letter response)
Kasukawa R (*see* Irisawa et al). 2002;56:249–53
Kato M (*see* Shimizu et al). 2002;56:387–90
Kato Y (*see* Ninomiya et al). 2002;56:926–9 (Case report)
Katon RM (*see* Hunt et al). 2002;56:445–7 (Case report)
Katsoulis S (*see* Hellmig et al). 2002;56:565 (At the focal point)
Katsu K-i (*see* Shimamoto et al). 2002;56:416 (At the focal point)
Katsumi N, Yamaguchi Y, Yamato T, Morozumi K, Abe T, Ishida H, Takahashi S. Multiple ulcerative lesions of the stomach: a rare case of eosinophilic gastroenteritis. 2002;56:762–4 (Case report)
Kaw M, Al-Antably Y, Kaw P. Management of gallstone pancreatitis: cholecystectomy or ERCP and endoscopic sphincterotomy. 2002;56:61–5
Kaw P (*see* Kaw et al). 2002;56:61–5
Kawai Y (*see* Hamamoto et al). 2002;56:825–8
Kawasaki M (*see* Esaki et al). 2002;56:920–3 (Case study)
Kawata H (*see* Yamamoto et al). 2002;56:507–12
Kazami A (*see* Ninomiya et al). 2002;56:926–9 (Case report)
Kazumori H (*see* Hamamoto et al). 2002;56:825–8
Keate RF (*see* Bleau et al). 2002;56:1–6
Kelsey PB (*see* Telford et al). 2002;56:18–24
Kennedy M (*see* Goulding et al). 2002;56:305–6 (Brief report)
Kerindongo R (*see* Çilesiz et al). 2002;56:852–7
Kesler K (*see* Devereaux et al). 2002;56:397–401
Kida M (*see* Tanabe et al). 2002;56:708–13
Kilvert VM (*see* Beck et al). 2002;56:598–600 (Brief report)
Kim B-W (*see* Lee et al). 2002;56:589–91 (Case report)
Kim BS (*see* Moon et al). 2002;56:873–9
Kim C-D (*see* Jeen et al). 2002;56:731 (At the focal point)
Kim EK (*see* Park et al). 2002;56:904–5 (At the focal point)
Kim EY (*see* Aithal et al). 2002;56:701–7
Kim HC (*see* Chang et al). 2002;56:343–8
Kim HJ (*see* Park et al). 2002;56:785–6 (Letter response)
Kim J-S (*see* Chang et al). 2002;56:343–8
Kim JC (*see* Chang et al). 2002;56:343–8
Kim JH (*see* Chang et al). 2002;56:343–8
Kim JK (*see* Miller et al). 2002;56:284–91 (New methods & materials)
Kim JO (*see* Lee et al). 2002;56:83–8
Kim JO (*see* Moon et al). 2002;56:873–9
Kim JS (*see* Park et al). 2002;56:785–6 (Letter response)
Kim K-M (*see* Lee et al). 2002;56:589–91 (Case report)
Kim KH (*see* Houghton and Kim). 2002;56:163 (Letter response)
Kim M-H (*see* Lee et al). 2002;56:25–32
Kim TH (*see* Park et al). 2002;56:904–5 (At the focal point)
Kim TK (*see* Lee et al). 2002;56:25–32
Kim YS (*see* Lee et al). 2002;56:83–8
Kim YS (*see* Moon et al). 2002;56:873–9
Kimmey MB, Bronner MP, Byrd DR, Brentnall TA. Screening and surveillance for hereditary pancreatic cancer. 2002;56:S82–6
Kimmey MB, Freeman ML. Preface. 2002;56:S153
Kimura H, Kinoshita S, Takahashi I. Gastric metastases from accessory breast cancer. 2002;56:566–7 (At the focal point)
Kinney TP, Kozarek RA, Raltz S, Attia F. Contamination of single-use biopsy forceps: a prospective in vitro analysis. 2002;56:209–12
Kinoshita S (*see* Kimura et al). 2002;56:566–7 (At the focal point)
Kinoshita Y (*see* Hamamoto et al). 2002;56:825–8
Kitadai Y (*see* Nagata et al). 2002;56:299–303 (Case report)
Kitakata H (*see* Oka et al). 2002;56:939–42 (Case report)
Kluge A (*see* Wehrmann et al). 2002;56:817–24
Ko C-W (*see* Lee et al). 2002;56:629–32
Ko C-W (*see* Poon et al). 2002;56:307 (Brief report)
Ko CW, Lee SP. Epidemiology and natural history of common bile duct stones and prediction of disease. 2002;56:S165–9
Kochhar R, Makharia GK. Usefulness of intralesional triamcinolone in treatment of benign esophageal strictures. 2002;56:829–34
Kochman ML. EUS in pancreatic cancer. 2002;56:S6–12
Kochman ML (*see* Loren et al). 2002;56:742–6 (New methods & materials)
Kochman ML (*see* Zeldin and Kochman). 2002;56:562–3 (At the focal point)
Kohchi I (*see* Ninomiya et al). 2002;56:926–9 (Case report)
Kohgo Y (*see* Fujiya et al). 2002;56:535–42
Koike K (*see* Gono et al). 2002;56:563 (At the focal point)
Koinuma K (*see* Togashi et al). 2002;56:320–1 (Letter response)
Koizumi K (*see* Ninomiya et al). 2002;56:926–9 (Case report)
Koizumi W (*see* Tanabe et al). 2002;56:708–13
Komanduri S, Bruninga K, Losurdo J, Zaidi S. Fatal mycotic endocarditis from a primary esophageal aspergilloma. 2002;56:577–9 (Case report)
Komorowski RA (*see* Saeian et al). 2002;56:472–8
Konishi F (*see* Togashi et al). 2002;56:320–1 (Letter response)
Koslowski P (*see* Kozarek et al). 2002;56:496–500
Kozarek RA, Brandabur JJ, Ball TJ, Gluck M, Patterson DJ, Attia F, France R, Traverso LW, Koslowski P, Gibbons RP. Clinical outcomes in patients who undergo extracorporeal shock wave lithotripsy for chronic calcific pancreatitis. 2002;56:496–500
Kozarek RA. Role of ERCP in acute pancreatitis. 2002;56:S231–6
Kozarek RA (*see* Chuttani et al). 2002;56:116–22 (New methods & materials)
Kozarek RA (*see* Gluck et al). 2002;56:134–6 (Case report)
Kozarek RA (*see* Kinney et al). 2002;56:209–12
Kram MT, Olsen DA, May LD, Goodman S. Hemorrhagic colitis caused by amyloid. 2002;56:564–5 (At the focal point)
Kubokawa Y (*see* Sai et al). 2002;56:929–32 (Case report)
Kubota K (*see* Iwasaki et al). 2002;56:111 (At the focal point)
Kuga T (*see* Shiba et al). 2002;56:522–8
Kurahara K (*see* Matsumoto et al). 2002;56:354–60
Kurihara N (*see* Hamamoto et al). 2002;56:825–8

L

Laasch H-U, Martin DF. Endoscopic tunnel vision. 2002;56:317–18 (Letter)
Ladabaum U (*see* Pepin and Ladabaum). 2002;56:325–32
Lafon C (*see* Prat et al). 2002;56:909–15 (New methods & materials)
Lai ACW (*see* Lee et al). 2002;56:842–8
Lai C-L (*see* Hui et al). 2002;56:55–60
Lai C-w (*see* Lee et al). 2002;56:361–5
Lai K-C (*see* Hui et al). 2002;56:55–60
Lai PB-S (*see* Poon et al). 2002;56:307 (Brief report)
Lainé M-J (*see* Coffin et al). 2002;56:174–9
Lam S-K (*see* Hui et al). 2002;56:55–60
Lam Y-h (*see* Lee et al). 2002;56:361–5
LaRocque M (*see* Abraham et al). 2002;56:180–9
Lau JYW (*see* Lee et al). 2002;56:361–5
Lau W-Y (*see* Poon et al). 2002;56:307 (Brief report)
Laurent V (*see* Gay G et al). 2002;56:758–62 (Case report)
Lauwers GY (*see* Brand et al). 2002;56:479–87
Law BKB (*see* Lee et al). 2002;56:361–5
Law S (*see* Chan et al). 2002;56:447–9 (Case report)
Layden TJ (*see* Moparty et al). 2002;56:436–8 (Case report)
Le Moine O (*see* Sanchez Cortes et al). 2002;56:380–6
Leandro G (*see* Andriulli et al). 2002;56:488–95
LeBlanc JK (*see* Devereaux et al). 2002;56:397–401
Lee B-I, Kim B-W, Kim K-M, Song H-J, Cho S-H, Choi H, Choi M-G, Choi K-Y, Chung I-S, Cha S-B, Sun H-S, Park D-H. Esophageal lymphangiomatosis: a case report. 2002;56:589–91 (Case report)
Lee C-H (*see* Chen et al). 2002;56:594–6 (Brief report)
Lee CH (*see* Park et al). 2002;56:785–6 (Letter response)
Lee DWH, Chan ACW, Lam Y-h, Ng EKW, Lau JYW, Law BKB, Lai C-w, Sung JJY, Chung SCS. Biliary decompression by nasobiliary catheter or biliary stent in acute suppurative cholangitis: a prospective randomized trial. 2002;56:361–5
Lee DWH, Chan ACW, Sze T-S, Ko C-W, Poon C-M, Chan K-C, Sin K-s, Chung SCS. Patient-controlled sedation *versus* intravenous sedation for colonoscopy in elderly patients: a prospective randomized controlled trial. 2002;56:629–32
Lee F-Y (*see* Poon et al). 2002;56:307 (Brief report)
Lee JD (*see* Park et al). 2002;56:904–5 (At the focal point)
Lee JH (*see* Park et al). 2002;56:904–5 (At the focal point)
Lee JS (*see* Lee et al). 2002;56:83–8
Lee JS (*see* Moon et al). 2002;56:873–9
Lee LA (*see* Yoo et al). 2002;56:675–80
Lee MS, Cho JY, Cheon YK, Ryu CB, Moon JH, Cho YD, Kim JO, Kim YS, Lee JS, Shim CS. Use of detachable snares and elastic bands for endoscopic control of bleeding from large gastric varices. 2002;56:83–8
Lee MS (*see* Moon et al). 2002;56:873–9
Lee SJ (*see* Hong et al). 2002;56:756–8 (Case report)
Lee SK (*see* Lee et al). 2002;56:25–32
Lee SP (*see* Ko and Lee). 2002;56:S165–9
Lee SS, Kim M-H, Lee SK, Kim TK, Seo DW, Park JS, Hwang CY, Chang HS, Min YI. MR cholangiography *versus* cholangioscopy for evaluation of longitudinal extension of hilar cholangiocarcinoma. 2002;56:25–32
Lee TS (*see* Park et al). 2002;56:904–5 (At the focal point)
Lee YT, Lai ACW, Hui Y, Wu JCW, Leung VKS, Chan FKL, Chung SCS, Sung JJY. EUS in the management of uninvestigated dyspepsia. 2002;56:842–8
Lee YT (*see* Sung et al). 2002;56:S35–43
Lefevre F (*see* Mark et al). 2002;56:S190–5
Lehman GA. Role of ERCP and other endoscopic modalities in chronic pancreatitis. 2002;56:S237–40
Lehman GA. What are the determinants of success in utilization of ERCP in the setting of pancreatic and biliary diseases? 2002;56:S291–3
Lehman GA (*see* Choudari et al). 2002;56:66–71
Lehman GA (*see* de Bellis et al). 2002;56:552–61 (Review article), 720–30 (Review article)
Lehman GA (*see* Devereaux et al). 2002;56:397–401
Lehman GA (*see* Rerknimitr et al). 2002;56:885–9

Lémann M (*see* Coffin et al). 2002;56:174–9
Lembcke B (*see* Wehrmann et al). 2002;56:817–24
Lembo T (*see* Chuttani et al). 2002;56:116–22 (New methods & materials)
Lemoine F (*see* Soussan et al). 2002;56:213–17
Lennon J (*see* Goulding et al). 2002;56:305–6 (Brief report)
Leo P (*see* Andriulli et al). 2002;56:488–95
Leong RWL (*see* Sung et al). 2002;56:S35–43
LeRoy AJ (*see* Baron et al). 2002;56:753–5 (Case report)
Leung JWC, Chin A. Amebic colitis. 2002;56:732 (At the focal point)
Leung JWC, Liu Y-I, Chan RCY, Ling TKW, Cheng AF. Effects of adherence factors and human bile on bacterial attachment and biliary stent blockage: an in vitro study. 2002;56:72–7
Leung JWC (*see* Schutz and Leung). 2002;56:150–2 (Editorial)
Leung VKS (*see* Lee et al). 2002;56:842–8
Levine SA (*see* Norton et al). 2002;56:95–9
Levy MJ. Microlithiasis and pancreatitis. 2002;56:484–5 (Letter response)
Levy MJ (*see* Schwartz et al). 2002;56:868–72
Levy MJ (*see* Shamoun et al). 2002;56:430–5 (New methods & materials)
Levy MJ (*see* Vazquez-Sequeiros et al). 2002;56:372–9
Levy MJ (*see* Wiersema et al). 2002;56:275–8 (New methods & materials)
Lewis BS, Swain P. Capsule endoscopy in the evaluation of patients with suspected small intestinal bleeding: results of a pilot study. 2002;56:349–53
Lichtenstein DR (*see* Huang et al). 2002;56:272 (At the focal point)
Lichtenstein DR (*see* Telford et al). 2002;56:18–24
Lichtenstein DR (*see* Vandervoort et al). 2002;56:652–6
Liebe S (*see* Plath et al). 2002;56:944–6 (Brief report)
Lightdale CJ. Advances in endoscopic ultrasound: 13th International Symposium. 2002;56:S1
Lim SG (*see* Wai et al). 2002;56:548–51
Lin J-T (*see* Chang et al). 2002;56:906 (At the focal point)
Lin OS (*see* Soetikno et al). 2002;56:48–54
Linder JD (*see* Fry et al). 943–4 (Brief report)
Ling TKW (*see* Leung et al). 2002;56:72–7
Liu Y-I (*see* Leung et al). 2002;56:72–7
Llorens P, Saenz R. The Chilean Society of Gastroenterology and The Chilean Digestive Endoscopic Association: a brief history. 2002;56:161–2 (Perspectives)
Lo S (*see* Chuttani et al). 2002;56:116–22 (New methods & materials)
Loehrer PJ (*see* Cohen et al). 2002;56:803–9
Longheval G, Devière J. Recurrent acute pancreatitis and duodenal stenosis. 2002;56:584–7 (Case report)
Loren DE, Seghal CM, Ginsberg GG, Kochman ML. Computer-assisted analysis of lymph nodes detected by EUS in patients with esophageal carcinoma. 2002;56:742–6 (New methods & materials)
Losurdo J (*see* Komanduri et al). 2002;56:577–9 (Case report)
Low DE (*see* Gluck et al). 2002;56:134–6 (Case report)
Lustberg AM, Fantry GT, Cotto-Cumba C, Drahenberg C, Darwin PE. Hyperbaric oxygen treatment for intractable diarrhea caused by pneumatosis coli. 2002;56:935–7 (Case report)

M

Maalak A (*see* Sanchez Cortes et al). 2002;56:380–6
Madariaga JR (*see* Siqueira et al). 2002;56:40–7
Maemoto A (*see* Fujiya et al). 2002;56:535–42
Makharia GK (*see* Kochhar and Makharia). 2002;56:829–34
Malik A (*see* Miller et al). 2002;56:284–91 (New methods & materials)
Mallery JS, Centeno BA, Hahn PF, Chang Y, Warshaw AL, Brugge WR. Pancreatic tissue sampling guided by EUS, CT/US, and surgery: a comparison of sensitivity and specificity. 2002;56:218–24
Malm JA (*see* Brodsky et al). 2002;56:849–51
Mark DH, Flamm CR, Aronson N. Evidence-based assessment of diagnostic modalities for common bile duct stones. 2002;56:S249–54
Mark DH, Lefevre F, Flamm CR, Aronson N. Evidence-based assessment of ERCP in the treatment of pancreatitis. 2002;56:S190–5
Mark DH (*see* Aronson et al). 2002;56:S294–302
Mark DH (*see* Flamm et al). 2002;56:S161–4, S218–25
Marks J. Colonoscopically applied clips to treat postoperative fecal fistula. 2002;56:163 (Letter)
Marks JM (*see* Brodsky et al). 2002;56:849–51
Marmo R (*see* Cipolletta et al). 2002;56:467–71
Marrero JA, Scheiman JM. Prevention of recurrent variceal bleeding: As easy as A.P.C.? 2002;56:600–3 (Editorial)
Marshall JK (*see* Sumanac et al). 2002;56:190–4
Martin DF (*see* Laasch and Martin). 2002;56:317–18 (Letter)
Martini J (*see* Siqueira et al). 2002;56:40–7
Master SS (*see* Savides and Master). 2002;56:S12–8
Mathur P (*see* Devereaux et al). 2002;56:397–401
Matos C (*see* François et al). 2002;56:128–33 (New methods & materials)
Matos C (*see* Sanchez Cortes et al). 2002;56:380–6
Matsubara T (*see* Ninomiya et al). 2002;56:926–9 (Case report)
Matsuda H (*see* Goto et al). 2002;56:78–82
Matsuda M (*see* Gono et al). 2002;56:563 (At the focal point)
Matsui T (*see* Yao et al). 2002;56:279–84 (New methods & materials)
Matsumoto T, Hizawa K, Esaki M, Kurahara K, Mizuno M, Hirakawa K, Yao T, Iida M. Comparison of EUS and magnifying colonoscopy for assessment of small colorectal cancers. 2002;56:354–60
Matsumoto T (*see* Esaki et al). 2002;56:920–3 (Case study)
Matsumoto T (*see* Hizawa et al). 2002;56:764–7 (Case report)
Matsumoto T (*see* Tatsumi et al). 2002;56:418 (At the focal point)
Matsumoto T (*see* Yokomine et al). 2002;56:908 (At the focal point)
Matsushita M (*see* Agawa et al). 2002;56:903 (At the focal point)
Matsuura N (*see* Morita et al). 2002;56:663–71
Matzen P (*see* Saleh et al). 2002;56:529–34
May D (*see* Raju et al). 2002;56:145–7 (Brief report)
May LD (*see* Kram et al). 2002;56:564–5 (At the focal point)
Mayrand S (*see* Abraham et al). 2002;56:180–9
McGrath K, Brazer S. Combined antegrade and retrograde dilation: a new endoscopic technique in the management of complex esophageal obstruction. 2002;56:163–4 (Letter)
McHenry L Jr (*see* de Bellis et al). 2002;56:552–61 (Review article), 720–30 (Review article)
McLoughlin C (*see* Olds et al). 2002;56:407–15 (Review article)
McLoughlin R (*see* Olds et al). 2002;56:407–15 (Review article)
McNair AE Jr (*see* Cohen et al). 2002;56:803–9
McQuaid KR, Akerkar G. Better tolerance for colonoscopy or intolerance to virtual colonoscopy? 2002;56:610 (Letter response)
Meininger M, Bains M, Yusuf S, Gerdes H. Esophageal intramural hematoma: a painful condition that may mimic an esophageal mass. 2002;56:767–70 (Case report)
Melo de Lima D (*see* Prat et al). 2002;56:909–15 (New methods & materials)
Mendoza G (*see* Seewald et al). 2002;56:916–9 (New methods & materials)
Mera K (*see* Fu et al). 2002;56:272–3 (At the focal point)
Meucci C (*see* Cipolletta et al). 2002;56:467–71
Michael H (*see* Gress et al). 2002;56:864–7
Michaud DS. The epidemiology of pancreatic, gallbladder, and other biliary tract cancers. 2002;56:S195–200
Miller A (*see* Miller et al). 2002;56:284–91 (New methods & materials)
Miller ES, Kim JK, Gandehok J, Hara M, Dai Q, Malik A, Miller A, Miller L. A new device for measuring esophageal variceal pressure. 2002;56:284–91 (New methods & materials)
Miller L (*see* Miller et al). 2002;56:284–91 (New methods & materials)
Mills TN (*see* Fritscher-Ravens et al). 2002;56:737–42 (New methods & materials)
Min YI (*see* Chang et al). 2002;56:343–8
Min YI (*see* Lee et al). 2002;56:25–32
Minelli L (*see* Ravelli et al). 2002;56:321–3 (Letter response)
Miño G (*see* Vignote et al). 2002;56:579–82 (Case report)
Minoli G (*see* Radaelli and Minoli). 2002;56:463 (Letter)
Mishra L (*see* Harbord et al). 2002;56:644–51
Mitomi H (*see* Tanabe et al). 2002;56:708–13
Miyake Y (*see* Morita et al). 2002;56:663–71
Miyazaki S-i (*see* Sashiyama et al). 2002;56:141–5 (Brief report)
Miyoshi H (*see* Inui et al). 2002;56:S58–62
Mizuno M (*see* Matsumoto et al). 2002;56:354–60
Mo L-R (*see* Chiu et al). 2002;56:271 (At the focal point), 419–20 (At the focal point)
Mo L-R (*see* Tseng et al). 2002;56:733 (At the focal point)
Monden M (*see* Morita et al). 2002;56:663–71
Mondragon RM (*see* Schafer et al). 2002;56:957–8 (Letter response)
Mönkemüller KE (*see* Fry et al). 2002;56:114 (At the focal point), 773–4 (Brief report), 948–50 (Case report), 950–2 (Brief report)
Montes H (*see* Vandervoort et al). 2002;56:652–6
Moon JH, Cho YD, Cheon YK, Ryu CB, Kim YS, Kim JO, Cho JY, Kim YS, Lee JS, Lee MS, Shim CS, Kim BS. Wire-guided intraductal US in the assessment of bile duct strictures with Mirizzi syndrome-like features at ERCP. 2002;56:873–9
Moon JH (*see* Lee et al). 2002;56:83–8
Moparty RK, Brown RD, Layden TJ, Chirravuri V, Wiley T, Venu RP. Dissolution of blood clots in the biliary ducts with a thrombolytic agent infused through nasobiliary catheter. 2002;56:436–8 (Case report)
Morgan DE (*see* Baron et al). 2002;56:7–17
Morimoto N (*see* Hamamoto et al). 2002;56:825–8
Morita T, Tomita N, Ohue M, Sekimoto M, Yamamoto H, Ohnishi T, Tada M, Ikenaga M, Miyake Y, Sakita I, Tamaki Y, Matsuura N, Ito M, Monden M. Molecular analysis of diminutive, flat, depressed colorectal lesions: are they precursors of polypoid adenoma or early stage carcinoma? 2002;56:663–71
Mork JN. Comparison of sodium phosphate tablets to PEG solution for colonoscopy. 2002;56:610–11 (Letter)
Morozumi K (*see* Katsumi et al). 2002;56:762–4 (Case report)
Mortele KJ, Ji H, Ros PR. CT and magnetic resonance imaging in pancreatic and biliary tract malignancies. 2002;56:S206–12
Mosse CA (*see* Fritscher-Ravens et al). 2002;56:737–42 (New methods & materials)
Moura EGH (*see* Sakai et al). 2002;56:612 (Letter response)
Mühldorfer S (*see* Schwab et al). 2002;56:858–63
Mukherjee D (*see* Fritscher-Ravens et al). 2002;56:737–42 (New methods & materials)
Mulholland M (*see* Cohen et al). 2002;56:803–9
Mumtaz R, Shah IA, Ramirez FC. Brunner's gland hamartoma simulating a pancreatic mass with duodenal obstruction. 2002;56:932–4 (Case report)
Murakami S (*see* Tanabe et al). 2002;56:708–13
Murata T, Nagasaka T, Kamiya J, Nimura Y, Wakai K, Yoshida K, Nakashima N. P53 labeling index in

cholangioscopic biopsies is useful for determining spread of bile duct carcinomas. 2002;56:688–95
Musso A (*see* Repici et al). 2002;56:747–50 (Case report)
Mustafa M, Sandhir S, Agrawai S. Endoscopic diagnosis of biliary *Pneumocystis carinii*. 2002;56: 937–9 (Case report)
Mutignani M, Shah SK, Foschia F, Pandolfi M, Perri V, Costamagna G. Transnasal extraction of residual biliary stones by Seldinger technique and nasobiliary drain. 2002;56:233–8
Mutignani M (*see* Costamagna et al). 2002;56: 611–12 (Letter)
Muto M, Hironaka S, Nakane M, Boku N, Ohtsu A, Yashida S. Association of multiple Lugol-voiding lesions with synchronous and metachronous esophageal squamous cell carcinoma in patients with head and neck cancer. 2002;56:517–21
Muto M (*see* Fu et al). 2002;56:272–3 (At the focal point)
Muto T (*see* Ninomiya et al). 2002;56:926–9 (Case report)
Myung S-J (*see* Chang et al). 2002;56:343–8

N

Nabeya Y (*see* Sashiyama et al). 2002;56:141–5 (Brief report)
Nagaba S (*see* Tanabe et al). 2002;56:708–13
Nagasaka T (*see* Murata et al). 2002;56:688–95
Nagashima F (*see* Fu et al). 2002;56:272–3 (At the focal point)
Nagata S, Tanaka S, Haruma K, Kitadai Y, Yoshihara M, Shimamoto F, Chayama K. Advanced colorectal carcinoma smaller than 10 mm in maximum diameter with special reference to clinicopathologic and molecular features: a report of 3 cases. 2002;56: 299–303 (Case report)
Nakai H (*see* Tanabe et al). 2002;56:708–13
Nakajima Y (*see* Sashiyama et al). 2002;56:141–5 (Brief report)
Nakamura K (*see* Shiba et al). 2002;56:522–8
Nakamura S (*see* Esaki et al). 2002;56:920–3 (Case study)
Nakamura Y (*see* Inui et al). 2002;56:S58–62
Nakane M (*see* Muto et al). 2002;56:517–21
Nakanishi Y (*see* Hamamoto et al). 2002;56:825–8
Nakashima N (*see* Murata et al). 2002;56:688–95
Nakata S (*see* Hamamoto et al). 2002;56:825–8
Narayani RI, Young GS. Recurrent proximal esophageal stricture associated with dysplasia in squamous cell papillomatosis. 2002;56:591–4 (Case report)
Narita R (*see* Tabaru et al). 2002;56:420 (At the focal point)
Nawras AT, Catalano MF, Alsolaiman MM, Rosenblatt ML. Overtube-assisted ERCP in patients with altered gastric and esophageal anatomy. 2002;56:426–30 (New methods & materials)
Ng EKW (*see* Lee et al). 2002;56:361–5
Ng MM-T (*see* Hui et al). 2002;56:55–60
Nguyen PT (*see* Soetikno et al). 2002;56:136–9 (Case report)
Nickl NJ (*see* Choudari et al). 2002;56:66–71
Nimura Y (*see* Murata et al). 2002;56:688–95
Nino-Murcia M (*see* Friedland et al). 2002;56: 438–40 (Case report)
Ninomiya I, Sakai Y, Koizumi K, Kohchi I, Kazami A, Fujimoto S, Matsubara T, Muto T, Yanagisawa A, Kato Y, Fujita R. Synchronous colon cancers associated with a submucosal hematoma. 2002; 56:926–9 (Case report)
Nishida H (*see* Tatsumi et al). 2002;56:418 (At the focal point)
Nishio A (*see* Agawa et al). 2002;56:903 (At the focal point)
Nishioka NS (*see* Brand et al). 2002;56:479–87
Nomura M (*see* Fujiya et al). 2002;56:535–42
Norton ID, Gostout CJ, Baron TH, Geller A, Petersen BT, Wiersema MJ. Safety and outcome of endoscopic snare excision of the major duodenal papilla. 2002;56:239–43
Norton ID, Wang L, Levine SA, Burgart LJ, Hofmeister EK, Rumalla A, Gostout CJ, Petersen BT. Efficacy of colonic submucosal saline solution injection for the reduction of iatrogenic thermal injury. 2002;56:95–9
Norton ID (*see* Conio et al). 2002;56:513–16
Norton ID (*see* Sedlack et al). 2002;56:543–7
Norton ID (*see* Shamoun et al). 2002;56:430–5 (New methods & materials)
Norton ID (*see* Vazquez-Sequeiros et al). 2002;56: 372–9
Norton NJ (*see* Cohen et al). 2002;56:803–9
Novis B (*see* Waye et al). 2002;56:461–2 (Perspectives)
Nowak A (*see* Waye et al). 2002;56:159–61 (Perspectives)
Nørregaard P (*see* Saleh et al). 2002;56:529-34 529–34
Nurko S (*see* Fox et al). 2002;56:260–70 (Review article)
Nusko G (*see* Schwab et al). 2002;56:858–63

O

Obara K (*see* Irisawa et al). 2002;56:249–53
Obara T (*see* Fujiya et al). 2002;56:535–42
Ochi F (*see* Fujii et al). 2002;56:421 (At the focal point)
Ochiai A (*see* Fu et al). 2002;56:272–3 (At the focal point)
Ochiai T (*see* Sashiyama et al). 2002;56:141–5 (Brief report)
Ochmann S (*see* Tuebergen et al). 2002;56:587–9 (Case report)
Odajima H (*see* Irisawa et al). 2002;56:249–53
O'Hanlon DM (*see* Goulding et al). 2002;56:305–6 (Brief report)
Ohnishi T (*see* Morita et al). 2002;56:663–71
Ohta S (*see* Goto et al). 2002;56:78–82
Ohta T (*see* Oka et al). 2002;56:939–42 (Case report)
Ohtsu A (*see* Fu et al). 2002;56:272–3 (At the focal point)
Ohtsu A (*see* Muto et al). 2002;56:517–21
Ohue M (*see* Morita et al). 2002;56:663–71
Oida M (*see* Tanabe et al). 2002;56:708–13
Oishi T (*see* Yao et al). 2002;56:279–84 (New methods & materials)
Oka R, Okai T, Kitakata H, Ohta T. Heterotopic pancreas with calcification: a lesion mimicking leiomyosarcoma of the stomach. 2002;56:939–42 (Case report)
Okabayashi Y (*see* Fujii et al). 2002;56:421 (At the focal point)
Okai T (*see* Oka et al). 2002;56:939–42 (Case report)
Okamoto Y (*see* Fujii et al). 2002;56:421 (At the focal point)
Okazaki H (*see* Shiba et al). 2002;56:522–8
Okazaki Y (*see* Sashiyama et al). 2002;56:141–5 (Brief report)
Okazumi S-i (*see* Sashiyama et al). 2002;56:141–5 (Brief report)
Okugawa T, Tsuyuguchi T, Sudhamshu KC, Ando T, Ishihara T, Yamaguchi T, Yugi H, Saisho H. Peroral cholangioscopic treatment of hepatolithiasis: long-term results. 2002;56:366–71
Okushima K (*see* Inui et al). 2002;56:S58–62
Olds G, McLoughlin R, McLoughlin C, Sivak MV Jr. Celiac disease for the endoscopist. 2002;56: 407–15 (Review article)
Olsen DA (*see* Kram et al). 2002;56:564–5 (At the focal point)
Olyaee M (*see* Raju et al). 2002;56:145–7 (Brief report)
Ookuchi S (*see* Hamamoto et al). 2002;56:825–8
Orenberg EK (*see* Harbord et al). 2002;56:644–51
Osborn IP, Cohen J, Soper RJ, Roth LA. Laryngeal mask airway—a novel method of airway protection during ERCP: comparison with endotracheal intubation. 2002;56:122–8 (New methods & materials)
Oshiro K (*see* Fujii et al). 2002;56:421 (At the focal point)
O'Toole D (*see* Palazzo and O'Toole). 2002;56: S49–57
Otsuki M (*see* Tabaru et al). 2002;56:420 (At the focal point)
Özçay F, Demir H, Saltik IN. Low sensitivity of endoscopic markers in children with celiac disease. 2002;56:321 (Letter)

P

Pagano N (*see* Repici et al). 2002;56:747–50 (Case report)
Palazzo L, O'Toole D. EUS in common bile duct stones. 2002;56:S49–57
Palazzo R (*see* Singh et al). 2002;56:139–41 (Case report)
Pandolfi M (*see* Mutignani et al). 2002;56:233–8
Pandolfino JE, Vakil NB, Kahrilas PJ. Comparison of inter- and intraobserver consistency for grading of esophagitis by expert and trainee endoscopists. 2002;56:639–43
Pang J, Perry P, Ross A, Forbes GM. Bacteria-free rinse water for endoscope disinfection. 2002;56: 402–6
Panis Y (*see* Coffin et al). 2002;56:174–9
Park D-H (*see* Lee et al). 2002;56:589–91 (Case report)
Park J-J, Kim HJ, Yeon JE, Kim JS, Byun KS, Bak Y-T, Lee CH. Endoscopic drainage of pancreatic abscesses: a word of caution. 2002;56:785–6 (Letter response)
Park JS (*see* Lee et al). 2002;56:25–32
Park P-O (*see* Fritscher-Ravens et al). 2002;56: 737–42 (New methods & materials)
Park SW (*see* Hong et al). 2002;56:756–8 (Case report)
Park YS, Lee JD, Kim TH, Joo YH, Lee JH, Lee TS, Kim EK. Gastric mucormycosis. 2002;56:904–5 (At the focal point)
Pasricha PJ. There is no role for ERCP in unexplained abdominal pain of pancreatic or biliary origin. 2002;56:S267–72
Pastika BJ (*see* Venu et al). 2002;56:582–4 (Case report)
Patel P (*see* Gress et al). 2002;56:864–7
Patel RS (*see* Aithal et al). 2002;56:701–7
Patterson DJ (*see* Kozarek et al). 2002;56:496–500
Patterson DR. Retinal ophthalmologic eye damage and instrument light sources. 2002;56:956–7 (Letter)
Pedersen PJ (*see* DiSario et al). 2002;56:244–8
Pedrosa MC (*see* Brand et al). 2002;56:479–87
Pelletier G (*see* Prat et al). 2002;56:202–8, 909–15 (New methods & materials)
Penman ID, Shen EF. EUS in advanced esophageal cancer. 2002;56:S2–6
Pepin C, Ladabaum U. The yield of lower endoscopy in patients with constipation: survey of a university hospital, a public county hospital, and a Veterans Administration medical center. 2002;56:325–32
Perri F (*see* Andriulli et al). 2002;56:488–95
Perri V (*see* Costamagna et al). 2002;56:611–12 (Letter)
Perri V (*see* Mutignani et al). 2002;56:233–8
Perry P (*see* Pang et al). 2002;56:402–6
Petelin JB. Surgical management of common bile duct stones. 2002;56:S183–9
Peter A (*see* Gay G et al). 2002;56:758–62 (Case report)
Petersen BT (*see* Norton et al). 2002;56:95–9, 239–43
Petersen BT (*see* Vazquez-Sequeiros et al). 2002;56: 372–9
Petersen JM. Surgical clip choledocholithiasis. 2002;56:113 (At the focal point)
Petruff C (*see* Varadarajulu et al). 2002;56:170–3
Pineau BC, Vining DJ. Better tolerance for colonoscopy or intolerance to virtual colonoscopy? 2002;56:609–10 (Letter)
Piscopo R (*see* Cipolletta et al). 2002;56:467–71
Plath F, Brock P, Hasse N, Liebe S, Arendt T. Vegetable stalk a nidus for gallstone formation in a patient with a juxtapapillary duodenal diverticulum. 2002;56:944–6 (Brief report)

Pleskow DK (*see* Chuttani et al). 2002;56:116–22 (New methods & materials)
Pleskow DK (*see* Farrell and Pleskow). 2002;56: 464–5 (Letter response)
Pleskow DK (*see* Farrell et al). 2002;56:681–7
Pocard M (*see* Coffin et al). 2002;56:174–9
Pollino V (*see* Rossi et al). 2002;56:714–19
Poneros JM (*see* Brand et al). 2002;56:479–87
Ponsky JL (*see* Brodsky et al). 2002;56:849–51
Poon C-M, Lee F-Y, Ko C-W, Lai PB-S, Lau W-Y. A rare complication of intra-abdominal hematoma after ERCP. 2002;56:307 (Brief report)
Poon C-M (*see* Lee et al). 2002;56:629–32
Pooran N (*see* Singh et al). 2002;56:139–41 (Case report)
Poyato A (*see* Vignote et al). 2002;56:579–82 (Case report)
Prat F, Amaris J, Ducot B, Bocquentin M, Fritsch J, Choury AD, Pelletier G, Buffet C. Nifedipine for prevention of post-ERCP pancreatitis: a prospective, double-blind randomized study. 2002;56:202–8
Prat F, Lafon C, Melo de Lima D, Theilliere Y, Fritsch J, Pelletier G, Buffet C, Cathignol D. Endoscopic treatment of cholangiocarcinoma and carcinoma of the duodenal papilla by intraductal high-intensity US: results of a pilot study. 2002;56:909–15 (New methods & materials)
Pugliese V, Saccomanno S. Difficulties encountered when using ERCP-based tissue sampling techniques to establish a diagnosis. 2002;56:465 (Letter response)

R

Rabeneck L (*see* Cohen et al). 2002;56:803–9
Rabenstein T (*see* Farnbacher et al). 2002;56:501–6
Rabinovitz M (*see* Siqueira et al). 2002;56:40–7
Radaelli F, Minoli G. Colonoscopy preparation: Is there still room for senna? 2002;56:463 (Letter)
Radespiel-Tröger M (*see* Schwab et al). 2002;56: 858–63
Rajan E (*see* Conio et al). 2002;56:513–16
Raju GS, Olyaee M, Jafri SF, Hershberger J, May D. Stridor: a complication of PEG placement. 2002;56:145–7 (Brief report)
Raltz S (*see* Kinney et al). 2002;56:209–12
Ramirez FC (*see* Mumtaz et al). 2002;56:932–4 (Case report)
Ramsey WH (*see* Varadarajulu et al). 2002;56: 170–3
Ransohoff DF (*see* Cohen et al). 2002;56:803–9
Rao SSC (*see* Gupta and Rao). 2002;56:770–2 (Brief report)
Rathod VD (*see* Binmoeller and Rathod). 2002;56: S86–91
Rauws EA (*see* Cheng et al). 2002;56:33–9
Ravelli AM, Tobanelli P, Minelli L, Villanacci V, Cestari R. Low sensitivity of endoscopic markers in children with celiac disease. 2002;56:321–3 (Letter response)
Ravich WJ (*see* Yoo et al). 2002;56:675–80
Rawlinson J (*see* Sumanac et al). 2002;56:190–4
Reber HA. Surgery for acute and chronic pancreatitis. 2002;56:S246–8
Reggio D (*see* Repici et al). 2002;56:747–50 (Case report)
Ren P-L, Huang J-C, Shin J-S, Huang C-Y, Fang T-H. Jejunojejunogastric intussusception: a rare intussusception in an adult patient after gastric surgery. 2002;56:296–8 (Case report)
Repici A, Romagnoli R, Reggio D, Salizzoni M, Barletti C, Juliani E, Zatteri R, De Angelis C, Musso A, Pagano N, Rizzetto MSaracco G, . Successful closure of a postsurgical benign esophagomediastinal fistula by temporary placement of a polyester, expandable stent: case report and review. 2002;56:747–50 (Case report)
Rerknimitr R, Fogel EL, Kalayci C, Esber E, Lehman GA, Sherman S. Microbiology of bile in patients with cholangitis or cholestasis with and without plastic biliary endoprosthesis. 2002;56:885–9
Ricci G (*see* Rossi et al). 2002;56:714–19
Riche F (*see* Coffin et al). 2002;56:174–9
Riphaus A (*see* Wehrmann et al). 2002;56:817–24
Rizzetto M (*see* Repici et al). 2002;56:747–50 (Case report)
Rodriguez FJ (*see* Vignote et al). 2002;56:579–82 (Case report)
Roig GV-G. Hepatic fascioliasis in the Americas: a new challenge for therapeutic endoscopy. 2002;56:315–17 (Perspectives)
Romagnoli R (*see* Repici et al). 2002;56:747–50 (Case report)
Ros PR (*see* Mortele et al). 2002;56:S206–12
Rosen CM (*see* Alazmi et al). 2002;56:565–6 (At the focal point)
Rosenblatt ML (*see* Nawras et al). 2002;56:426–30 (New methods & materials)
Ross A (*see* Pang et al). 2002;56:402–6
Rossi A, Bersani G, Ricci G, DeFabritiis G, Pollino V, Suzzi A, Gorini B, Alvisi V. ASGE guidelines for the appropriate use of upper endoscopy: association with endoscopic findings. 2002;56:714–19
Roston AD (*see* Vandervoort et al). 2002;56:652–6
Roth BE (*see* Tang et al). 2002;56:924–6 (Case report)
Roth LA (*see* Osborn et al). 2002;56:122–8 (New methods & materials)
Rotondano G (*see* Cipolletta et al). 2002;56:467–71
Rouse RV (*see* Friedland et al). 2002;56:438–40 (Case report)
Rumalla A (*see* Fan et al). 2002;56:890–4
Rumalla A (*see* Norton et al). 2002;56:95–9
Ruymann FW (*see* Vandervoort et al). 2002;56: 652–6
Ryu CB (*see* Lee et al). 2002;56:83–8
Ryu CB (*see* Moon et al). 2002;56:873–9
Ryu H-S (*see* Jeen et al). 2002;56:731 (At the focal point)

S

Saccomanno S (*see* Pugliese and Saccomanno). 2002;56:465 (Letter response)
Saegusa H (*see* Unno et al). 2002;56:880–4
Saeian K, Staff DM, Vasilopoulos S, Townsend WF, Almagro UA, Komorowski RA, Choi H, Shaker R. Unsedated transnasal endoscopy accurately detects Barrett's metaplasia and dysplasia. 2002; 56:472–8
Saenz R (*see* Llorens and Saenz). 2002;56:161–2 (Perspectives)
Sahai AV. EUS and chronic pancreatitis. 2002;56: S76–81
Sai JK, Ariyama J, Suyama M, Kubokawa Y, Sato N. Occult regurgitation of pancreatic juice into the biliary tract: diagnosis with secretin injection magnetic resonance cholangiopancreatography. 2002;56:929–32 (Case report)
Saigenji K (*see* Tanabe et al). 2002;56:708–13
Saisho H (*see* Okugawa et al). 2002;56:366–71
Saito A (*see* Irisawa et al). 2002;56:249–53
Saitoh Y (*see* Fujiya et al). 2002;56:535–42
Sakai P, Ishioka S, Filho FM, Chaves D, Moura EGH. Treatment of Zenker's diverticulum with the help of a plastic hood attached to the endoscope. 2002;56:612 (Letter response)
Sakai T (*see* Fujii et al). 2002;56:421 (At the focal point)
Sakai Y (*see* Ninomiya et al). 2002;56:926–9 (Case report)
Sakashita K (*see* Gono et al). 2002;56:563 (At the focal point)
Sakita I (*see* Morita et al). 2002;56:663–71
Saleh MMA, Nørregaard P, Jørgensen HL, Andersen PK, Matzen P. Preoperative endoscopic stent placement before pancreaticoduodenectomy: a meta-analysis of the effect on morbidity and mortality. 2002;56:529–34
Salena B (*see* Sumanac et al). 2002;56:190–4
Salizzoni M (*see* Repici et al). 2002;56:747–50 (Case report)
Saltik IN (*see* Özçay et al). 2002;56:321 (Letter)
Saltzman JR (*see* Telford et al). 2002;56:18–24
Sanchez Cortes E, Maalak A, Le Moine O, Baize M, Delhaye M, Matos C, Devière J. Endoscopic cystenterostomy of nonbulging pancreatic fluid collections. 2002;56:380–6
Sanchez W, Baron TH. Palliative colonic stent placement. 2002;56:735 (At the focal point)
Sandhir S (*see* Mustafa et al). 2002;56:937–9 (Case report)
Sandler A (*see* Devereaux et al). 2002;56:397–401
Sano Y (*see* Fu et al). 2002;56:272–3 (At the focal point)
Saracco G (*see* Repici et al). 2002;56:747–50 (Case report)
Sashiyama H, Miyazaki S-i, Okazaki Y, Kaiho T, Nakajima Y, Hoshino T, Akai T, Nabeya Y, Funami Y, Shimada H, Okazumi S-i, Ochiai T. Esophageal bronchogenic cyst successfully excised by endoscopic mucosal resection. 2002;56:141–5 (Brief report)
Sato H (*see* Hizawa et al). 2002;56:764–7 (Case report)
Sato N (*see* Sai et al). 2002;56:929–32 (Case report)
Sato Y (*see* Irisawa et al). 2002;56:249–53
Satoh K (*see* Yamamoto et al). 2002;56:507–12
Saunders BP (*see* Brooker et al). 2002;56:333–8
Saunders BP (*see* Shah et al). 2002;56:195–201, 568–73 (New methods & materials)
Savides TJ, Master SS. EUS in rectal cancer. 2002;56:S12–8
Savoye G (*see* Soussan et al). 2002;56:213–17
Schafer TW, Hollis-Perry KM, Mondragon RM, Brann OS. Esophageal biopsy: apples and oranges. 2002;56:957–8 (Letter response)
Scheiman JM (*see* Anderson and Scheiman). 2002; 56:573–7 (New methods & materials)
Scheiman JM (*see* Marrero and Scheiman). 2002;56:600–3 (Editorial)
Schneider HT (*see* Farnbacher et al). 2002;56:501–6
Schoen C (*see* Farnbacher et al). 2002;56:501–6
Schoen RE (*see* Siqueira et al). 2002;56:40–7
Schomacker KT (*see* Brand et al). 2002;56:479–87
Schultz A (*see* Wehrmann et al). 2002;56:817–24
Schutz SM, Leung JWC. Pancreatic endotherapy for pseudocysts and fluid collections. 2002;56: 150–2 (Editorial)
Schwab D, Mühldorfer S, Nusko G, Radespiel-Tröger M, Hahn EG, Strauss R. Endoscopic placement of nasojejunal tubes: a randomized, controlled, prospective trial comparing suitability and technical success for two different tubes. 2002;56:858–63
Schwartz DA, Harewood GC, Wiersema MJ. EUS for rectal disease. 2002;56:100–9 (Review article)
Schwartz DA, Unni KK, Levy MJ, Clain JE, Wiersma MJ. The rate of false-positive results with EUS-guided fine-needle aspiration. 2002;56:868–72
Scoyni R (*see* Singh et al). 2002;56:139–41 (Case report)
Sedarat A (*see* Felig et al). 2002;56:734 (At the focal point)
Sedlack R, Affi A, Vazquez-Sequeiros E, Norton ID, Clain JE, Wiersema MJ. Utility of EUS in the evaluation of cystic pancreatic lesions. 2002;56: 543–7
Seewald S, Groth S, Sriram PVJ, Xikun H, Akaraviputh T, Mendoza G, Brand B, Seitz U, Thonke F, Soehendra N. Endoscopic treatment of biliary leakage with n-butyl-2 cyanoacrylate. 2002;56:916–9 (New methods & materials)
Seghal CM (*see* Loren et al). 2002;56:742–6 (New methods & materials)
Seitz U (*see* Seewald et al). 2002;56:916–9 (New methods & materials)
Sekijima Y (*see* Gono et al). 2002;56:563 (At the focal point)
Sekimoto M (*see* Morita et al). 2002;56:663–71
Senninger N (*see* Tuebergen et al). 2002;56:587–9 (Case report)
Seo DW (*see* Lee et al). 2002;56:25–32
Shah IA (*see* Mumtaz et al). 2002;56:932–4 (Case report)
Shah SG, Brooker JC, Williams CB, Thapar C, Suzuki N, Saunders BP. The variable stiffness

colonoscope: assessment of efficacy by magnetic endoscope imaging. 2002;56:195–201
Shah SG, Thomas-Gibson S, Brooker JC, Suzuki N, Williams CB, Thapar C, Saunders BP. Use of video and magnetic endoscope imaging for rating competence at colonoscopy: validation of a measurement tool. 2002;56:568–73 (New methods & materials)
Shah SG (*see* Brooker et al). 2002;56:333–8
Shah SK (*see* Mutignani et al). 2002;56:233–8
Shaker R (*see* Saeian et al). 2002;56:472–8
Shamoun DK, Norton ID, Levy MJ, Vazquez-Sequeiros E, Wiersema MJ. Use of a phased vector array ultrasound catheter for EUS. 2002;56:430–5 (New methods & materials)
Shaw MJ (*see* Bleau et al). 2002;56:1–6
Shaw WV (*see* Bleau et al). 2002;56:1–6
Shen EF (*see* Penman and Shen). 2002;56:S2–6
Sherman KE (*see* Bleau et al). 2002;56:1–6
Sherman S. What is the role of ERCP in the setting of abdominal pain of pancreatic or biliary origin (suspected sphincter of Oddi dysfunction)? 2002;56:S258–66
Sherman S (*see* Choudari et al). 2002;56:66–71
Sherman S (*see* de Bellis et al). 2002;56:552–61 (Review article), 720–30 (Review article)
Sherman S (*see* Devereaux et al). 2002;56:397–401
Sherman S (*see* Rerknimitr et al). 2002;56:885–9
Shiba M, Higuchi K, Nakamura K, Itani A, Kuga T, Okazaki H, Fujiwara Y, Arakawa T. Efficacy and safety of balloon-occluded endoscopic injection sclerotherapy as a prophylactic treatment for high-risk gastric fundal varices: a prospective, randomized, comparative clinical trial. 2002;56:522–8
Shibukawa G (*see* Irisawa et al). 2002;56:249–53
Shields SJ (*see* Telford et al). 2002;56:18–24
Shim CS (*see* Lee et al). 2002;56:83–8
Shim CS (*see* Moon et al). 2002;56:873–9
Shimada H (*see* Sashiyama et al). 2002;56:141–5 (Brief report)
Shimamoto C, Hirata I, Umegaki E, Takiuchi H, Katsu K-i. Metastatic malignant melanoma. 2002;56:416 (At the focal point)
Shimamoto F (*see* Nagata et al). 2002;56:299–303 (Case report)
Shimazaki S (*see* Goto et al). 2002;56:78–82
Shimizu Y, Tsukagoshi H, Fujita M, Hosokawa M, Kato M, Asaka M. Long-term outcome after endoscopic mucosal resection in patients with esophageal squamous cell carcinoma invading the muscularis mucosae or deeper. 2002;56:387–90
Shin J-S (*see* Ren et al). 2002;56:296–8 (Case report)
Shishido H (*see* Irisawa et al). 2002;56:249–53
Shizuku T (*see* Hamamoto et al). 2002;56:825–8
Shore G (*see* Barranco et al). 2002;56:736 (At the focal point)
Shudo R, Yazaki Y, Yamada H, Sugawara K, Takahashi K. Infection with a black *Pseudoterranova decipiens*. 2002;56:110 (At the focal point)
Shumaker DA, de Garmo P, Faigel DO. Potential impact of preoperative EUS on esophageal cancer management and cost. 2002;56:391–6
Sigillito A (*see* Andriulli et al). 2002;56:488–95
Silva RG (*see* Berkelhammer et al). 2002;56:89–94
Silverman W (*see* Siqueira et al). 2002;56:40–7
Sin K-s (*see* Lee et al). 2002;56:629–32
Singh F (*see* Gress et al). 2002;56:864–7
Singh P, Scoyni R, Pooran N, Visvalingam V, Palazzo R, Coopersmith H, Stark B, Bank S. Aortic valve replacement: a last resort for aortic stenosis-associated refractory GI bleeding. 2002;56:139–41 (Case report)
Siqueira E, Schoen RE, Silverman W, Martini J, Rabinovitz M, Weissfeld JL, Elmaagd KA, Madariaga JR, Slivka A. Detecting cholangiocarcinoma in patients with primary sclerosing cholangitis. 2002;56:40–7
Sivak MV Jr. EUS in bile duct stones: How does it compare with ERCP? 2002;56:S175–7
Sivak MV Jr. Evidence-based endoscopy. 2002;56:948–50 (Editorial)
Sivak MV Jr (*see* Olds et al). 2002;56:407–15 (Review article)
Sjölund K (*see* Tóth et al). 2002;56:254–9
Slivka A (*see* Siqueira et al). 2002;56:40–7
Slivka A (*see* Vandervoort et al). 2002;56:652–6
Soehendra N (*see* Seewald et al). 2002;56:916–9 (New methods & materials)
Soetikno RM, Lin OS, Heidenreich PA, Young HS, Blackstone MO. Increased risk of colorectal neoplasia in patients with primary sclerosing cholangitis and ulcerative colitis: a meta-analysis. 2002;56:48–54
Soetikno RM, Nguyen PT, Chang KJ. EUS in combination with fine-needle injection celiac plexus neurolysis from within a Wallstent stent. 2002;56:136–9 (Case report)
Soetikno RM (*see* Friedland et al). 2002;56:438–40 (Case report)
Soetikno RM (*see* Vandervoort et al). 2002;56:652–6
Solmi L (*see* Andriulli et al). 2002;56:488–95
Somogyi L (*see* Sweeney et al). 2002;56:596–7 (Brief report)
Song H-J (*see* Lee et al). 2002;56:589–91 (Case report)
Song SY (*see* Hong et al). 2002;56:756–8 (Case report)
Sonnenberg A (*see* Cohen et al). 2002;56:803–9
Soper RJ (*see* Osborn et al). 2002;56:122–8 (New methods & materials)
Sorbi D (*see* Adler et al). 2002;56:657–62
Sorbi D (*see* Conio et al). 2002;56:513–16
Soria MT (*see* Ginès et al). 2002;56:291–6 (Case study)
Sougioultzis S, Tzivras M, Archimandritis A. False-negative rapid urease test in acute upper GI bleeding: is human plasma alone responsible? 2002;56:162–3 (Letter)
Soussan EB, Savoye G, Hochain P, Hervé S, Antonietti M, Lemoine F, Ducrotté P. Acute esophageal necrosis: a 1-year prospective study. 2002;56:213–17
Speer T (*see* Waye et al). 2002;56:607–8 (Perspectives)
Speroff T (*see* Aronson et al). 2002;56:S294–302
Sriram PVJ (*see* Seewald et al). 2002;56:916–9 (New methods & materials)
Staff DM (*see* Saeian et al). 2002;56:472–8
Stark B (*see* Singh et al). 2002;56:139–41 (Case report)
Stergiou N (*see* Wehrmann et al). 2002;56:817–24
Stevenson GW (*see* Sumanac et al). 2002;56:190–4
Stolk MF, de Jong AE, van Ramshorst B, Biemans JM, Blomjous FJ, Timmer R. Intestinal bleeding due to a stromal tumor in a Meckel's diverticulum. 2002;56:147–9 (Brief report)
Strasberg SM. ERCP and surgical intervention in pancreatic and biliary malignancies. 2002;56:S213–7
Strauss R (*see* Schwab et al). 2002;56:858–63
Stüber E (*see* Hellmig et al). 2002;56:565 (At the focal point)
Sudhamshu KC (*see* Okugawa et al). 2002;56:366–71
Sugano K (*see* Yamamoto et al). 2002;56:507–12
Sugano M (*see* Fujii et al). 2002;56:421 (At the focal point)
Sugawara K (*see* Shudo et al). 2002;56:110 (At the focal point)
Sugino T (*see* Irisawa et al). 2002;56:249–53
Suko H (*see* Yokomine et al). 2002;56:908 (At the focal point)
Sumanac K, Zealley I, Fox BM, Rawlinson J, Salena B, Marshall JK, Stevenson GW, Hunt RH. Minimizing postcolonoscopy abdominal pain by using CO2 insufflation: a prospective, randomized, double blind, controlled trial evaluating a new commercially available CO2 delivery system. 2002;56:190–4
Sun H-S (*see* Lee et al). 2002;56:589–91 (Case report)
Sunada K (*see* Yamamoto et al). 2002;56:507–12
Sung JJY, Lee YT, Leong RWL. EUS in portal hypertension. 2002;56:S35–43
Sung JJY (*see* Lee et al). 2002;56:361–5, 842–8
Suriani R (*see* Andriulli et al). 2002;56:488–95
Suyama M (*see* Sai et al). 2002;56:929–32 (Case report)
Suzuki N (*see* Shah et al). 2002;56:195–201, 568–73 (New methods & materials)
Suzuki T (*see* Irisawa et al). 2002;56:249–53
Suzzi A (*see* Rossi et al). 2002;56:714–19
Swain P (*see* Fritscher-Ravens et al). 2002;56:737–42 (New methods & materials)
Swain P (*see* Lewis and Swain). 2002;56:349–53
Sweeney JT, Crabtree DK, Yassin R, Somogyi L. Metastatic uterine leiomyosarcoma involving the pancreas diagnosed by EUS with fine-needle aspiration. 2002;56:596–7 (Brief report)
Sze T-S (*see* Lee et al). 2002;56:629–32

T

Tabaru A, Hiura M, Narita R, Otsuki M. Gastric polypoid signet ring cell carcinoma. 2002;56:420 (At the focal point)
Tada M (*see* Morita et al). 2002;56:663–71
Tada S (*see* Yokomine et al). 2002;56:908 (At the focal point)
Tada T (*see* Gono et al). 2002;56:563 (At the focal point)
Tagaya N (*see* Iwasaki et al). 2002;56:111 (At the focal point)
Tahara M (*see* Fu et al). 2002;56:272–3 (At the focal point)
Takagi T (*see* Irisawa et al). 2002;56:249–53
Takahashi I (*see* Kimura et al). 2002;56:566–7 (At the focal point)
Takahashi K (*see* Shudo et al). 2002;56:110 (At the focal point)
Takahashi S (*see* Katsumi et al). 2002;56:762–4 (Case report)
Takakuwa H (*see* Agawa et al). 2002;56:903 (At the focal point)
Takiuchi H (*see* Shimamoto et al). 2002;56:416 (At the focal point)
Taller A, Horváth E, Iliás L, Harsányi L. Endoscopic tunnel vision. 2002;56:318–19 (Letter response)
Tamaki Y (*see* Morita et al). 2002;56:663–71
Tanabe S, Koizumi W, Mitomi H, Nakai H, Murakami S, Nagaba S, Kida M, Oida M, Saigenji K. Clinical outcome of endoscopic aspiration mucosectomy for early stage gastric cancer. 2002;56:708–13
Tanaka S (*see* Nagata et al). 2002;56:299–303 (Case report)
Tandon RK (*see* Ahuja et al). 2002;56:783 (Letter response)
Tang S-j, Jensen DM, Grainek IM, Roth BE. Portal hypertensive enteropathy in a patient with polycystic liver disease: a unique endoscopic finding. 2002;56:924–6 (Case report)
Tani T (*see* Tatsumi et al). 2002;56:418 (At the focal point)
Tarumi K-i (*see* Esaki et al). 2002;56:920–3 (Case study)
Tatebe A (*see* Tatsumi et al). 2002;56:418 (At the focal point)
Tateiwa S (*see* Fujii et al). 2002;56:421 (At the focal point)
Tatsumi Y, Tani T, Harada A, Matsumoto T, Nishida H, Tatebe A. Rectal ulcer mimicking mucosal prolapse syndrome. 2002;56:418 (At the focal point)
Tatukawa M (*see* Hamamoto et al). 2002;56:825–8
Telford JJ, Farrell JJ, Saltzman JR, Shields SJ, Banks PA, Lichtenstein DR, Johannes RS, Kelsey PB, Carr-Locke DL. Pancreatic stent placement for duct disruption. 2002;56:18–24
ten Kate F (*see* Çilesiz et al). 2002;56:852–7
Terruzzi V (*see* Andriulli et al). 2002;56:488–95
Terry AB (*see* Hunt et al). 2002;56:445–7 (Case report)
Tham TCK (*see* Vandervoort et al). 2002;56:652–6
Thapar C (*see* Shah et al). 2002;56:195–201, 568–73 (New methods & materials)
Thapar CJ (*see* Brooker et al). 2002;56:333–8
Theilliere Y (*see* Prat et al). 2002;56:909–15 (New methods & materials)
Thomas-Gibson S (*see* Shah et al). 2002;56:568–73 (New methods & materials)
Thomas HJW (*see* Brooker et al). 2002;56:333–8

Thonke F (*see* Seewald et al). 2002;56:916–9 (New methods & materials)
Thorlacius H (*see* Tóth et al). 2002;56:254–9
Thorsson O (*see* Tóth et al). 2002;56:254–9
Thuluvath PJ (*see* Yoo et al). 2002;56:675–80
Timmer R (*see* Stolk et al). 2002;56:147–9 (Brief report)
Tobanelli P (*see* Ravelli et al). 2002;56:321–3 (Letter response)
Togashi K, Konishi F, Koinuma K. Sessile polyps containing invasive carcinoma mandate colectomy for cure in patients fit for surgery. 2002;56:320–1 (Letter response)
Togliani T (*see* Caletti et al). 2002;56:S21–6
Tomita N (*see* Morita et al). 2002;56:663–71
Tomita S (*see* Iwasaki et al). 2002;56:111 (At the focal point)
Tóth E, Sjölund K, Thorsson O, Thorlacius H. Evaluation of gastric acid secretion at endoscopy with a modified Congo red test. 2002;56:254–9
Townsend WF (*see* Saeian et al). 2002;56:472–8
Traverso LW (*see* Kozarek et al). 2002;56:496–500
Tringali A (*see* Costamagna et al). 2002;56:611–12 (Letter)
Tseng L-J, Jao YTFN, Mo L-R. Signet ring cell carcinoma of major papilla. 2002;56:733 (At the focal point)
Tsukagoshi H (*see* Shimizu et al). 2002;56:387–90
Tsuyuguchi T (*see* Okugawa et al). 2002;56:366–71
Tuebergen D, Diederich S, Ochmann S, Bruewer M, Senninger N. Successful treatment of an aorto-gastric-bronchial fistula after esophagectomy by placement of double stents. 2002;56:587–9 (Case report)
Turner MA. Role of US and CT in pancreatitis. 2002;56:S241–5
Tytgat GNJ (*see* Cheng et al). 2002;56:33–9
Tytgat GNJ (*see* Çilesiz et al). 2002;56:852–857
Tytgat GNJ (*see* Waye et al). 2002;56:159–61 (Perspectives)
Tzivras M (*see* Sougioultzis et al). 2002;56:162–3 (Letter)

U

Uehara M (*see* Yokomine et al). 2002;56:908 (At the focal point)
Umegaki E (*see* Shimamoto et al). 2002;56:416 (At the focal point)
Underhill J (*see* Farrell et al). 2002;56:681–7
Unni KK (*see* Schwartz et al). 2002;56:868–72
Unno H, Saegusa H, Fukushima M, Hamano H. Usefulness of endoscopic observation of the main duodenal papilla in the diagnosis of sclerosing pancreatitis. 2002;56:880–4

V

Vakil NB (*see* Pandolfino et al). 2002;56:639–43
Valleur P (*see* Coffin et al). 2002;56:174–9
Van Dam J. EUS in cystic lesions of the pancreas. 2002;56:S91–3
Van Dam J (*see* Vandervoort et al). 2002;56:652–6
van Leeuwen T (*see* Çilesiz et al). 2002;56:852–7
van Ramshorst B (*see* Stolk et al). 2002;56:147–9 (Brief report)
Vandervoort J, Soetikno RM, Tham TCK, Wong RCK, Ferrari AP Jr, Montes H, Roston AD, Slivka A, Lichtenstein DR, Ruymann FW, Van Dam J, Hughes M, Carr-Locke DL, . Risk factors for complications after performance of ERCP. 2002;56:652–6
Vanner SJ (*see* Barclay et al). 2002;56:633–8
Vanner SJ (*see* Hookey et al). 2002;56:895–902 (Review article)
Vannier MW (*see* Cohen et al). 2002;56:803–9
Varadarajulu S, Petruff C, Ramsey WH. Patient preferences for gender of endoscopists. 2002;56:170–3
Vargo JJ (*see* Willey et al). 2002;56:810–6
Vasilopoulos S (*see* Saeian et al). 2002;56:472–8
Vazquez-Sequeiros E, Baron TH, Clain JB, Gostout CJ, Norton ID, Petersen BT, Levy MJ, Jondal ML, Wiersema MJ. Evaluation of indeterminate bile duct strictures by intraductal ultrasonography. 2002;56:372–9
Vazquez-Sequeiros E (*see* Ginès et al). 2002;56:291–6 (Case study)
Vazquez-Sequeiros E (*see* Sedlack et al). 2002;56:543–7
Vazquez-Sequeiros E (*see* Shamoun et al). 2002;56:430–5 (New methods & materials)
Vazquez-Sequeiros E (*see* Wiersema et al). 2002;56:275–8 (New methods & materials)
Venu RP, Brown RD. Endoscopic drainage of pancreatic abscesses: a word of caution. 2002;56:785–6 (Letter)
Venu RP, Brown RD, Pastika BJ, Erikson LW Jr. The buried bumper syndrome: a simple management approach in two patients. 2002;56:582–4 (Case report)
Venu RP (*see* Moparty et al). 2002;56:436–8 (Case report)
Verma S (*see* Yoo et al). 2002;56:675–80
Viens P (*see* Harbord et al). 2002;56:644–51
Vignote ML, Chicano M, Rodriguez FJ, Acosta A, Gómez F, Poyato A, Miño G. Multiple lymphomatous polyposis of the GI tract: report of a case and review. 2002;56:579–82 (Case report)
Villanacci V (*see* Ravelli et al). 2002;56:321–3 (Letter response)
Vining DJ (*see* Pineau and Vining). 2002;56:609–10 (Letter)
Visvalingam V (*see* Singh et al). 2002;56:139–41 (Case report)

W

Wai CT, Yeoh TG, Ho KV, Kang JY, Lim SG. Diagnostic yield of upper endoscopy in Asian patients presenting with dyspepsia. 2002;56:548–51
Waintraub SE (*see* Felig et al). 2002;56:734 (At the focal point)
Wakai K (*see* Murata et al). 2002;56:688–95
Wallace MB (*see* Aithal et al). 2002;56:701–7
Wallace MB (*see* Fickling and Wallace). 2002;56:S18–21
Wang L (*see* Adler et al). 2002;56:657–62
Wang L (*see* Norton et al). 2002;56:95–9
Wang T-H (*see* Waye et al). 2002;56:461–2 (Perspectives)
Wang TD (*see* Brand et al). 2002;56:479–87
Warshaw AL (*see* Mallery et al). 2002;56:218–24
Watari J (*see* Fujiya et al). 2002;56:535–42
Watkins JL (*see* de Bellis et al). 2002;56:552–61 (Review article), 720–30 (Review article)
Waye JD, Armengol-Miro JR, Goh K-L, Hassall E, Novis B, Wang T-H. Small bowel endoscopy. 2002;56:461–2 (Perspectives)
Waye JD, Bornman PC, Chopita N, Costamagna G, Jose-Ganc A, Speer T. ERCP training and experience. 2002;56:607–8 (Perspectives)
Waye JD, Caletti G, Costamagna G, Chung SCS, Farca A, Nowak A, Tytgat GNJ. Hemostasis of upper GI bleeding. 2002;56:159–61 (Perspectives)
Waye JD (*see* Askin et al). 2002;56:339–42
Wehrmann T, Grotkamp J, Stergiou N, Riphaus A, Kluge A, Lembcke B, Schultz A. Electroencephalogram monitoring facilitates sedation with propofol for routine ERCP: a randomized, controlled trial. 2002;56:817–24
Weissfeld JL (*see* Siqueira et al). 2002;56:40–7
Wiersema LM (*see* Wiersema et al). 2002;56:275–8 (New methods & materials)
Wiersema MJ. Difficulties encountered when using ERCP-based tissue sampling techniques to establish a diagnosis. 2002;56:463–4 (Letter)
Wiersema MJ, Levy MJ, Harewood GC, Vazquez-Sequeiros E, Jondal ML, Wiersema LM. Initial experience with EUS-guided trucut needle biopsies of perigastric organs. 2002;56:275–8 (New methods & materials)
Wiersema MJ (*see* Ginès et al). 2002;56:291–6 (Case study)
Wiersema MJ (*see* Norton et al). 2002;56:239–43
Wiersema MJ (*see* Schwartz et al). 2002;56:100–9 (Review article)
Wiersema MJ (*see* Sedlack et al). 2002;56:543–7
Wiersema MJ (*see* Shamoun et al). 2002;56:430–5 (New methods & materials)
Wiersema MJ (*see* Vazquez-Sequeiros et al). 2002;56:372–9
Wiersma MJ (*see* Schwartz et al). 2002;56:868–72
Wilcox CM (*see* Barranco et al). 2002;56:736 (At the focal point)
Wilcox CM (*see* Eloubeidi et al). 2002;56:417 (At the focal point)
Wiley T (*see* Moparty et al). 2002;56:436–8 (Case report)
Willey J, Vargo JJ, Connor J, Dumot JA, Conwell DL, Zuccaro G. Quantitative assessment of psychomotor recovery after sedation and analgesia for outpatient EGD. 2002;56:810–6
Williams CB (*see* Brooker et al). 2002;56:333–8
Williams CB (*see* Shah et al). 2002;56:195–201, 568–73 (New methods & materials)
Willis I (*see* Alazmi et al). 2002;56:565–6 (At the focal point)
Wong D (*see* Friedland et al). 2002;56:438–40 (Case report)
Wong RCK (*see* Vandervoort et al). 2002;56:652–6
Wright BE, Cass OW, Freeman ML. ERCP in patients with long-limb Roux-en-Y gastrojejunostomy and intact papilla. 2002;56:225–32
Wu JCW (*see* Lee et al). 2002;56:842–8
Wu M-S (*see* Chang et al). 2002;56:906 (At the focal point)

X

Xikun H (*see* Seewald et al). 2002;56:916–9 (New methods & materials)

Y

Yamada H (*see* Shudo et al). 2002;56:110 (At the focal point)
Yamaguchi T (*see* Okugawa et al). 2002;56:366–71
Yamaguchi Y (*see* Goto et al). 2002;56:78–82
Yamaguchi Y (*see* Katsumi et al). 2002;56:762–4 (Case report)
Yamamoto H, Kawata H, Sunada K, Satoh K, Kaneko Y, Ido K, Sugano K. Success rate of curative endoscopic mucosal resection with circumferential mucosal incision assisted by submucosal injection of sodium hyaluronate. 2002;56:507–12
Yamamoto H (*see* Morita et al). 2002;56:663–71
Yamamoto S (*see* Hamamoto et al). 2002;56:825–8
Yamato T (*see* Katsumi et al). 2002;56:762–4 (Case report)
Yanagisawa A (*see* Ninomiya et al). 2002;56:926–9 (Case report)
Yang S-K (*see* Chang et al). 2002;56:343–8
Yao K, Oishi T, Matsui T, Yao T, Iwashita A. Novel magnified endoscopic findings of microvascular architecture in intramucosal gastric cancer. 2002;56:279–84 (New methods & materials)
Yao T (*see* Esaki et al). 2002;56:920–3 (Case study)
Yao T (*see* Hizawa et al). 2002;56:764–7 (Case report)
Yao T (*see* Matsumoto et al). 2002;56:354–60
Yao T (*see* Yao et al). 2002;56:279–84 (New methods & materials)
Yarze JC. White bile: a "clear" misnomer. 2002;56:782–3 (Letter)
Yashida S (*see* Muto et al). 2002;56:517–21
Yassin R (*see* Sweeney et al). 2002;56:596–7 (Brief report)
Yasuda K. EUS in the detection of early gastric cancer. 2002;56:S68–75
Yates MR (*see* Baron et al). 2002;56:7–17
Yazaki Y (*see* Shudo et al). 2002;56:110 (At the focal point)
Yeoh TG (*see* Wai et al). 2002;56:548–51
Yeon JE (*see* Park et al). 2002;56:785–6 (Letter response)
Yokomine K, Tada S, Uehara M, Suko H, Kamio T, Matsumoto T. Rectal carcinoid with lymph node metastasis. 2002;56:908 (At the focal point)
Yoo HY, Eustace JA, Verma S, Zhang L, Harris M, Kantsevoy S, Lee LA, Kalloo AN, Ravich WJ, Thuluvath PJ. Accuracy and reliability of the endo-

scopic classification of portal hypertensive gastropathy. 2002;56:675–80
Yoshida K (*see* Murata et al). 2002;56:688–95
Yoshida S (*see* Fu et al). 2002;56:272–3 (At the focal point)
Yoshihara M (*see* Nagata et al). 2002;56:299–303 (Case report)
Yoshino J (*see* Inui et al). 2002;56:S58–62
Young GS (*see* Narayani and Young). 2002;56:591–4 (Case report)
Young HS (*see* Soetikno et al). 2002;56:48–54
Yousif E (*see* Devereaux et al). 2002;56:397–401
Yu A (*see* Friedland et al). 2002;56:438–40 (Case report)
Yu CS (*see* Chang et al). 2002;56:343–8
Yuen M-F (*see* Hui et al). 2002;56:55–60
Yugi H (*see* Okugawa et al). 2002;56:366–71
Yukioka T (*see* Goto et al). 2002;56:78–82
Yusuf S (*see* Meininger et al). 2002;56:767–70 (Case report)

Z

Zaidi S (*see* Komanduri et al). 2002;56:577–9 (Case report)
Zatteri R (*see* Repici et al). 2002;56:747–50 (Case report)
Zealley I (*see* Sumanac et al). 2002;56:190–4
Zeldin GA, Kochman ML. Ligature closure of the esophagus. 2002;56:562–3 (At the focal point)
Zhang L (*see* Yoo et al). 2002;56:675–80
Zimmon DS. Esophageal biopsy: apples and oranges. 2002;56:957–8 (Letter)
Zovich D, Faigel DO. Use of the intramural incision technique to retrieve a fractured biliary tube. 2002;56:465 (Letter)
Zuccaro G (*see* Willey et al). 2002;56:810–6

Subject Index to Volume 56*

July-December 2002

A

Abdominal pain
Overview of differential diagnoses of abdominal pain (Kalloo). 2002;56:S255–7
There is no role for ERCP in unexplained abdominal pain of pancreatic or biliary origin (Pasricha). 2002;56:S267–72
What is the role of ERCP in the setting of abdominal pain of pancreatic or biliary origin (suspected sphincter of Oddi dysfunction)? (Sherman). 2002;56:S258–66
Abscess
Endoscopic drainage of pancreatic abscesses: a word of caution (Venu and Brown) (Letter); (Park et al) (Response). 2002;56:785–6
Achlorhydria
Evaluation of gastric acid secretion at endoscopy with a modified Congo red test (Tóth et al). 2002;56:254–9
Adenocarcinoma
Comparative optical coherence tomography imaging of human esophagus: how accurate is localization of the muscularis mucosae? (Çilesiz et al). 2002;56:852–7
Preoperative endoscopic stent placement before pancreaticoduodenectomy: a meta-analysis of the effect on morbidity and mortality (Saleh et al). 2002;56:529–34
Primary ileal mucinous adenocarcinoma (Iwasaki et al). 2002;56:111 (At the focal point)
Synchronous colon cancers associated with a submucosal hematoma (Ninomiya et al). 2002;56:926–9 (Case report)
Adenoma
Colonic adenomas detected by ^{18}F-FDG PET (Felig et al). 2002;56:734 (At the focal point)
Intraductal mucinous papillary tumor and pyloric gland adenoma of the pancreas (Amaris). 2002;56:441–4 (Case report)
Molecular analysis of diminutive, flat, depressed colorectal lesions: are they precursors of polypoid adenoma or early stage carcinoma? (Morita et al). 2002;56:663–71
Total colonic dye-spray increases the detection of diminutive adenomas during routine colonoscopy: a randomized controlled trial (Brooker et al). 2002;56:333–8
Adhesives
An open pilot study of the effects of a human fibrin glue for endoscopic treatment of patients with acute bleeding from gastric varices (Heneghan et al). 2002;56:422–6 (New methods & materials)
Endoscopic treatment of biliary leakage with n-butyl-2 cyanoacrylate (Seewald et al). 2002;56:916–9 (New methods & materials)

**July, pp. 1-164; August, pp.165-324; September, pp. 325-466; October, pp. 467-612; October Supplement, pp. S1-S152; November, pp. 613-788; December, pp. 789-984; December Supplement, pp. S153-S302.*

Alcohol-induced disorders
Association of multiple Lugol-voiding lesions with synchronous and metachronous esophageal squamous cell carcinoma in patients with head and neck cancer (Muto et al). 2002;56:517–21
Amebiasis
Amebic colitis (Leung and Chin). 2002;56:732 (At the focal point)
Amebic liver abscess with a hepatogastric fistula (Chang et al). 2002;56:906 (At the focal point)
American Society for Gastrointestinal Endoscopy; *see also* Guidelines
Preface (Kimmey and Freeman). 2002;56:S153
Amyloidosis
Gastroduodenal lesions in primary AL amyloidosis (Gono et al). 2002;56:563 (At the focal point)
Hemorrhagic colitis caused by amyloid (Kram et al). 2002;56:564–5 (At the focal point)
Primary amyloidosis of the stomach: EUS appearances (Goulding et al). 2002;56:305–6 (Brief report)
Anastomosis, Roux-en-Y
ERCP in patients with long-limb Roux-en-Y gastrojejunostomy and intact papilla (Wright et al). 2002;56:225–32
Anesthesia recovery period
Quantitative assessment of psychomotor recovery after sedation and analgesia for outpatient EGD (Willey et al). 2002;56:810-6
Anisakiasis
Vanishing gastric tumor (Fujii et al). 2002;56:421 (At the focal point)
Aortic valve stenosis
Aortic valve replacement: a last resort for aortic stenosis-associated refractory GI bleeding (Singh et al). 2002;56:139–41 (Case report)
Appendicitis
The role of colonoscopy in the diagnosis of appendicitis in patients with atypical presentations (Chang et al). 2002;56:343–8
Argon plasma coagulation
Argon plasma coagulation prevents variceal recurrence after band ligation of esophageal varices: preliminary results of a prospective randomized trial (Cipolletta et al). 2002;56:467–71
Efficacy of colonic submucosal saline solution injection for the reduction of iatrogenic thermal injury (Norton et al). 2002;56:95–9
Arteriovenous malformations
Aortic valve replacement: a last resort for aortic stenosis-associated refractory GI bleeding (Singh et al). 2002;56:139–41 (Case report)
ASGE guidelines/technology assessments
Acute colonic pseudo-obstruction (American Society for Gastrointestinal Endoscopy). 2002;56:789–92
ASGE guidelines for the appropriate use of upper endoscopy: association with endoscopic findings (Rossi et al). 2002;56:714–19
Endoscopic anti-reflux procedures (American Society for Gastrointestinal Endoscopy). 2002;56:625–8
Endoscopic enteral nutritional access devices (American Society for Gastrointestinal Endoscopy). 2002;56:796–802
Guidelines for the use of deep sedation and anesthesia for gastrointestinal endoscopy (American Society for Gastrointestinal Endoscopy). 2002;56:613–17
Open access endoscopy (American Society for Gastrointestinal Endoscopy). 2002;56:793–5
Quality Assessment of ERCP (American Society for Gastrointestinal Endoscopy). 2002;56:165–9
The role of endoscopic therapy in the management of variceal hemorrhage (American Society for Gastrointestinal Endoscopy). 2002;56:618–20
Wireless capsule endoscopy (American Society for Gastrointestinal Endoscopy). 2002;56:621–4
Aspergillus
Fatal mycotic endocarditis from a primary esophageal aspergilloma (Komanduri et al). 2002;56:577–9 (Case report)
Autoimmune diseases
Celiac disease for the endoscopist (Olds et al). 2002;56:407–15 (Review article)

B

Bacterial adhesion
Effects of adherence factors and human bile on bacterial attachment and biliary stent blockage: an in vitro study (Leung et al). 2002;56:72–7
Balloon dilatation; *see* Dilatation
Barrett's esophagus
Barrett's esophagus and early esophageal cancer (Canto). 2002;56:S66–8
Detection of high-grade dysplasia in Barrett's esophagus by spectroscopy measurement of 5-aminolevulinic acid-induced protoporphyrin IX fluorescence (Brand et al). 2002;56:479–87
Unsedated transnasal endoscopy accurately detects Barrett's metaplasia and dysplasia (Saeian et al). 2002;56:472–8
Blue rubber bleb nevus syndrome
Blue rubber bleb nevus syndrome (Beck et al). 2002;56:598–600 (Brief report)
Bezoars
Bouveret's syndrome (Chilovi and Farris). 2002;56:112 (At the focal point)
Bile
Bile peritonitis after EUS-guided fine-needle aspiration (Chen et al). 2002;56:594–6 (Brief report)
Microbiology of bile in patients with cholangitis or cholestasis with and without plastic biliary endoprosthesis (Rerknimitr et al). 2002;56:885–9
White bile: a "clear" misnomer (Yarze) (Letter); (Ahuja et al) (Response)". 2002;56:782–3
Bile duct neoplasms
P53 labeling index in cholangioscopic biopsies is useful for determining spread of bile duct carcinomas (Murata et al). 2002;56:688–95
Bile duct obstruction
Evaluation of indeterminate bile duct strictures by intraductal ultrasonography (Vazquez-Sequeiros et al). 2002;56:372–9

Intraductal US is a useful adjunct to ERCP for distinguishing malignant from benign biliary strictures (Farrell et al). 2002;56:681–7
Bile ducts
Bile duct hamartomas (Alazmi et al). 2002;56:565–6 (At the focal point)
Biliary fistula
Endoscopic treatment of biliary leakage with n-butyl-2 cyanoacrylate (Seewald et al). 2002;56:916–9 (New methods & materials)
Sphincter of Oddi injection with botulinum toxin is as effective as endobiliary stent in resolving cystic duct leaks in a canine model (Brodsky et al). 2002;56:849–51
Biliary tract
Occult regurgitation of pancreatic juice into the biliary tract: diagnosis with secretin injection magnetic resonance cholangiopancreatography (Sai et al). 2002;56:929–32 (Case report)
Biliary tract diseases
Endoscopic diagnosis of biliary *Pneumocystis carinii* (Mustafa et al). 2002;56:937–9 (Case report)
Overview of the role of ERCP in the management of diseases of the biliary tract and the pancreas (Carr-Locke). 2002;56:S157–60
There is no role for ERCP in unexplained abdominal pain of pancreatic or biliary origin (Pasricha). 2002;56:S267–72
What are the determinants of success in utilization of ERCP in the setting of pancreatic and biliary diseases? (Lehman). 2002;56:S291–3
Biliary tract neoplasms
Bile duct wall metastasis from micropapillary variant transitional cell carcinoma of the urinary bladder mimicking primary hilar cholangiocarcinoma (Hong et al). 2002;56:756–8 (Case report)
CT and magnetic resonance imaging in pancreatic and biliary tract malignancies (Mortele et al). 2002;56:S206–12
Diagnostic and therapeutic uses of ERCP in pancreatic and biliary tract malignancies (Hawes). 2002;56:S201–5
Endoscopic palliation of patients with biliary obstruction caused by nonresectable hilar cholangiocarcinoma: efficacy of self-expandable metallic Wallstents (Cheng et al). 2002;56:33–9
ERCP and surgical intervention in pancreatic and biliary malignancies (Strasberg). 2002;56:S213–7
Evidence-based assessment of ERCP approaches to managing pancreaticobiliary malignancies (Flamm et al). 2002;56:S218–25
Intraductal EUS (Inui et al). 2002;56:S58–62
Palliation of malignant biliary obstruction: a prospective trial examining impact on quality of life (Abraham et al). 2002;56:835–41
The epidemiology of pancreatic, gallbladder, and other biliary tract cancers (Michaud). 2002;56:S195–200
Tissue sampling at endoscopic retrograde cholangiopancreatography in suspected malignant biliary strictures (Part 1) (de Bellis et al). 2002;56:552–61 (Review article)
Tissue sampling at ERCP in suspected malignant biliary strictures (Part 2) (de Bellis et al). 2002;56:720–30 (Review article)
Biopsy
Contamination of single-use biopsy forceps: a prospective in vitro analysis (Kinney et al). 2002;56:209–12
Efficacy of colonic submucosal saline solution injection for the reduction of iatrogenic thermal injury (Norton et al). 2002;56:95–9
Esophageal biopsy: apples and oranges (Zimmon) (Letter); (Schafer et al) (Response). 2002;56:957–8
Small bowel endoscopy (Waye et al). 2002;56:461–2 (Perspectives)
Biopsy, needle
Initial experience with EUS-guided trucut needle biopsies of perigastric organs (Wiersema et al). 2002;56:275–8 (New methods & materials)
Bladder exstrophy
Ureterosigmoidostomy (Huang et al). 2002;56:272 (At the focal point)
Botulinum toxins
Attenuation of isolated pyloric pressure waves in gastroparesis in response to botulinum toxin injection: a case report (Gupta and Rao). 2002;56:770–2 (Brief report)
Sphincter of Oddi injection with botulinum toxin is as effective as endobiliary stent in resolving cystic duct leaks in a canine model (Brodsky et al). 2002;56:849–51
Bouveret's syndrome
Bouveret's syndrome (Barranco et al). 2002;56:736 (At the focal point)
Bouveret's syndrome (Chilovi and Farris). 2002;56:112 (At the focal point)
Breast neoplasms
Gastric metastases from accessory breast cancer (Kimura et al). 2002;56:566–7 (At the focal point)
Bronchogenic cyst
Esophageal bronchogenic cyst successfully excised by endoscopic mucosal resection (Sashiyama et al). 2002;56:141–5 (Brief report)
Brunner's glands
Brunner's gland hamartoma simulating a pancreatic mass with duodenal obstruction (Mumtaz et al). 2002;56:932–4 (Case report)

C

Capillaries
Novel magnified endoscopic findings of microvascular architecture in intramucosal gastric cancer (Yao et al). 2002;56:279–84 (New methods & materials)
Capsule endoscopy
Capsule endoscopy: The voyage is fantastic—will it change what we do? (Fleischer). 2002;56:452–6 (Editorial)
Capsule endoscopy in the evaluation of patients with suspected small intestinal bleeding: results of a pilot study (Lewis and Swain). 2002;56:349–53
Localization of colonic origin of obscure bleeding with the capsule endoscope: a case report (Gay G et al). 2002;56:758–62 (Case report)
Small bowel endoscopy (Waye et al). 2002;56:461–2 (Perspectives)
Wireless capsule endoscopy (American Society for Gastrointestinal Endoscopy). 2002;56:621–4
Carbon dioxide
Minimizing postcolonoscopy abdominal pain by using CO_2 insufflation: a prospective, randomized, double blind, controlled trial evaluating a new commercially available CO_2 delivery system (Sumanac et al). 2002;56:190–4
Carcinoid tumor
Rectal carcinoid with lymph node metastasis (Yokomine et al). 2002;56:908 (At the focal point)
Carcinoma
Advanced colorectal carcinoma smaller than 10 mm in maximum diameter with special reference to clinicopathologic and molecular features: a report of 3 cases (Nagata et al). 2002;56:299–303 (Case report)
Bile duct wall metastasis from micropapillary variant transitional cell carcinoma of the urinary bladder mimicking primary hilar cholangiocarcinoma (Hong et al). 2002;56:756–8 (Case report)
Carcinoma coexisting with esophageal leiomyoma (Fu et al). 2002;56:272–3 (At the focal point)
EUS in the detection of early gastric cancer (Yasuda). 2002;56:S68–75
Molecular analysis of diminutive, flat, depressed colorectal lesions: are they precursors of polypoid adenoma or early stage carcinoma? (Morita et al). 2002;56:663–71
Novel magnified endoscopic findings of microvascular architecture in intramucosal gastric cancer (Yao et al). 2002;56:279–84 (New methods & materials)
Sessile polyps containing invasive carcinoma mandate colectomy for cure in patients fit for surgery (Cirocco) (Letter); (Togashi et al) (Response). 2002;56:320–1
Carcinoma, signet ring cell
Gastric polypoid signet ring cell carcinoma (Tabaru et al). 2002;56:420 (At the focal point)
Signet ring cell carcinoma of major papilla (Tseng et al). 2002;56:733 (At the focal point)
Carcinoma, squamous cell
Association of multiple Lugol-voiding lesions with synchronous and metachronous esophageal squamous cell carcinoma in patients with head and neck cancer (Muto et al). 2002;56:517–21
Long-term outcome after endoscopic mucosal resection in patients with esophageal squamous cell carcinoma invading the muscularis mucosae or deeper (Shimizu et al). 2002;56:387–90
Cautery
Argon plasma coagulation prevents variceal recurrence after band ligation of esophageal varices: preliminary results of a prospective randomized trial (Cipolletta et al). 2002;56:467–71
Efficacy of colonic submucosal saline solution injection for the reduction of iatrogenic thermal injury (Norton et al). 2002;56:95–9
Recurrent bleeding from peptic ulcer associated with adherent clot: a randomized study comparing endoscopic treatment with medical therapy (Bleau et al). 2002;56:1–6
Cecum
Bismuth subsalicylate in the cecum (Hellmig et al). 2002;56:565 (At the focal point)
Celiac disease
Celiac disease for the endoscopist (Olds et al). 2002;56:407–15 (Review article)
Low sensitivity of endoscopic markers in children with celiac disease (Özçay et al) (Letter); (Ravelli et al) (Response). 2002;56:321–2
Celiac plexus
EUS-guided celiac plexus block/neurolysis (Hoffman). 2002;56:S26–8
Chilaiditi's syndrome
Iatrogenic Chilaiditi's syndrome (Chan et al). 2002;56:447–9 (Case report)
Chilean Society of Gastroenterology
The Chilean Society of Gastroenterology and The Chilean Digestive Endoscopic Association: a brief history (Llorens and Saenz). 2002;56:161–2 (Perspectives)
Cholangiocarcinoma
Detecting cholangiocarcinoma in patients with primary sclerosing cholangitis (Siqueira et al). 2002;56:40–7
Endoscopic palliation of patients with biliary obstruction caused by nonresectable hilar cholangiocarcinoma: efficacy of self-expandable metallic Wallstents (Cheng et al). 2002;56:33–9
Endoscopic treatment of cholangiocarcinoma and carcinoma of the duodenal papilla by intraductal high-intensity US: results of a pilot study (Prat et al). 2002;56:909–15 (New methods & materials)
MR cholangiography versus cholangioscopy for evaluation of longitudinal extension of hilar cholangiocarcinoma (Lee et al). 2002;56:25–32
Cholangiography
MR cholangiography versus cholangioscopy for evaluation of longitudinal extension of hilar cholangiocarcinoma (Lee et al). 2002;56:25–32
Cholangiopancreatography, endoscopic retrograde (ERCP)
A day in court for ERCP: a plea answered (Hamilton). 2002;56:S154–6
A rare complication of intra-abdominal hematoma after ERCP (Poon et al). 2002;56:307 (Brief report)
Adverse outcomes of ERCP (Freeman). 2002;56:S273–82
Cholangitis as a result of hydrophilic guidewire fracture (Fry et al). 2002;56:943–4 (Brief report)

Clinical outcomes in patients who undergo extracorporeal shock wave lithotripsy for chronic calcific pancreatitis (Kozarek et al). 2002;56:496–500
Diagnostic and therapeutic uses of ERCP in pancreatic and biliary tract malignancies (Hawes). 2002;56:S201–5
Difficulties encountered when using ERCP-based tissue sampling techniques to establish a diagnosis (Wiersema) (Letter); (Farrell and Pleskow; Pugliese and Saccomanno) (Response). 2002;56:463–5
Electroencephalogram monitoring facilitates sedation with propofol for routine ERCP: a randomized, controlled trial (Wehrmann et al). 2002;56:817–24
Endoscopic treatment of biliary leakage with n-butyl-2 cyanoacrylate (Seewald et al). 2002;56:916–9 (New methods & materials)
Epidemiology, natural history, and predictors of disease outcome in acute and chronic pancreatitis (Banks). 2002;56:S226–30
Epidemiology and natural history of common bile duct stones and prediction of disease (Ko and Lee). 2002;56:S165–9
ERCP and surgical intervention in pancreatic and biliary malignancies (Strasberg). 2002;56:S213–7
ERCP in patients with long-limb Roux-en-Y gastrojejunostomy and intact papilla (Wright et al). 2002;56:225–32
ERCP training and experience (Waye et al). 2002;56:607–8 (Perspectives)
EUS in bile duct stones: How does it compare with ERCP? (Sivak). 2002;56:S175–7
Evidence-based assessment: patient, procedure, or operator factors associated with ERCP complications (Aronson et al). 2002;56:S294–302
Evidence-based assessment of diagnostic modalities for common bile duct stones (Mark et al). 2002;56:S38–43
Evidence-based assessment of ERCP approaches to managing pancreaticobiliary malignancies (Flamm et al). 2002;56:S218–25
Evidence-based assessment of ERCP in the treatment of pancreatitis (Mark et al). 2002;56:S98–102
Evidence-based endoscopy (Sivak). 2002;56:948–50 (Editorial)
Evidence-based review of endoscopic retrograde cholangiopancreatography: introduction and description of systematic review methods (Flamm et al). 2002;56:S161–4
Gabexate or somatostatin administration before ERCP in patients at high risk for post-ERCP pancreatitis: a multicenter, placebo-controlled, randomized clinical trial (Andriulli et al). 2002;56:488–95
Hereditary pancreatitis: clinical presentation, ERCP findings, and outcome of endoscopic therapy (Choudari et al). 2002;56:66–71
Income and outcome metrics for the objective evaluation of ERCP and alternative methods (Cotton). 2002;56:S283–90
Laryngeal mask airway—a novel method of airway protection during ERCP: comparison with endotracheal intubation (Osborn et al). 2002;56:122–8 (New methods & materials)
Management of gallstone pancreatitis: cholecystectomy or ERCP and endoscopic sphincterotomy (Kaw et al). 2002;56:61–5
MRCP and ERCP in the diagnosis of common bile duct stones (Fulcher). 2002;56:S178–82
National Institutes of Health State-of-the-Science Conference statement (Cohen et al). 2002;56:803–9
Nifedipine for prevention of post-ERCP pancreatitis: a prospective, double-blind randomized study (Prat et al). 2002;56:202–8
Overtube-assisted ERCP in patients with altered gastric and esophageal anatomy (Nawras et al). 2002;56:426–30 (New methods & materials)
Overview of differential diagnoses of abdominal pain (Kalloo). 2002;56:S255–7
Overview of the role of ERCP in the management of diseases of the biliary tract and the pancreas (Carr-Locke). 2002;56:S157–60
Preface (Kimmey and Freeman). 2002;56:S153
Risk factors for complications after performance of ERCP (Vandervoort et al). 2002;56:652–6
Role of ERCP and other endoscopic modalities in chronic pancreatitis (Lehman). 2002;56:S237–40
Role of ERCP in acute pancreatitis (Kozarek). 2002;56:S231–6
Surgery for acute and chronic pancreatitis (Reber). 2002;56:S246–8
Surgical management of common bile duct stones (Petelin). 2002;56:S183–9
The epidemiology of pancreatic, gallbladder, and other biliary tract cancers (Michaud). 2002;56:S195–200
Therapeutic role of ERCP in the management of suspected common bile duct stones (Carr-Locke). 2002;56:S170–4
There is no role for ERCP in unexplained abdominal pain of pancreatic or biliary origin (Pasricha). 2002;56:S267–72
Tissue sampling at endoscopic retrograde cholangiopancreatography in suspected malignant biliary strictures (Part 1) (de Bellis et al). 2002;56:552–61 (Review article)
Tissue sampling at ERCP in suspected malignant biliary strictures (Part 2) (de Bellis et al). 2002;56:720–30 (Review article)
Use of the intramural incision technique to retrieve a fractured biliary tube (Zovich and Faigel) (Letter). 2002;56:465
What are the determinants of success in utilization of ERCP in the setting of pancreatic and biliary diseases? (Lehman). 2002;56:S291–3
What is the role of ERCP in the setting of abdominal pain of pancreatic or biliary origin (suspected sphincter of Oddi dysfunction)? (Sherman). 2002;56:S258–66
Wire-guided intraductal US in the assessment of bile duct strictures with Mirizzi syndrome-like features at ERCP (Moon et al). 2002;56:873–9
Cholangioscopy
MR cholangiography versus cholangioscopy for evaluation of longitudinal extension of hilar cholangiocarcinoma (Lee et al). 2002;56:25–32
P53 labeling index in cholangioscopic biopsies is useful for determining spread of bile duct carcinomas (Murata et al). 2002;56:688–95
Cholangitis
Biliary decompression by nasobiliary catheter or biliary stent in acute suppurative cholangitis: a prospective randomized trial (Lee et al). 2002;56:361–5
Cholangitis as a result of hydrophilic guidewire fracture (Fry et al). 2002;56:943–4 (Brief report)
Detecting cholangiocarcinoma in patients with primary sclerosing cholangitis (Siqueira et al). 2002;56:40–7
Increased risk of colorectal neoplasia in patients with primary sclerosing cholangitis and ulcerative colitis: a meta-analysis (Soetikno et al). 2002;56:48–54
Microbiology of bile in patients with cholangitis or cholestasis with and without plastic biliary endoprosthesis (Rerknimitr et al). 2002;56:885–9
Role of cholecystectomy in preventing recurrent cholangitis (Hui et al). 2002;56:55–60
Cholangitis, sclerosing
Sclerosing cholangitis caused by *Clonorchis sinensis* (Fry et al). 2002;56:114 (At the focal point)
Cholecystectomy
EUS in common bile duct stones (Palazzo and O'Toole). 2002;56:S49–57
Management of gallstone pancreatitis: cholecystectomy or ERCP and endoscopic sphincterotomy (Kaw et al). 2002;56:61–5
Role of cholecystectomy in preventing recurrent cholangitis (Hui et al). 2002;56:55–60
Surgical management of common bile duct stones (Petelin). 2002;56:S183–9
Choledocholithiasis; *see* Common bile duct calculi
Cholelithiasis
Bouveret's syndrome (Barranco et al). 2002;56:736 (At the focal point)
Epidemiology and natural history of common bile duct stones and prediction of disease (Ko and Lee). 2002;56:S165–9
Management of gallstone pancreatitis: cholecystectomy or ERCP and endoscopic sphincterotomy (Kaw et al). 2002;56:61–5
Therapeutic role of ERCP in the management of suspected common bile duct stones (Carr-Locke). 2002;56:S170–4
Transnasal extraction of residual biliary stones by Seldinger technique and nasobiliary drain (Mutignani et al). 2002;56:233–8
Cholelithiasis, intrahepatic
Peroral cholangioscopic treatment of hepatolithiasis: long-term results (Okugawa et al). 2002;56:366–71
Cholestasis
Microbiology of bile in patients with cholangitis or cholestasis with and without plastic biliary endoprosthesis (Rerknimitr et al). 2002;56:885–9
Palliation of malignant biliary obstruction: a prospective trial examining impact on quality of life (Abraham et al). 2002;56:835–41
Choristoma
Gastric pancreatic rest leading to pyogenic liver abscess (Friedland et al). 2002;56:438–40 (Case report)
Heterotopic pancreas with calcification: a lesion mimicking leiomyosarcoma of the stomach (Oka et al). 2002;56:939–42 (Case report)
Cisplatin
Palliation of patients with dysphagia due to advanced esophageal cancer by endoscopic injection of cisplatin/epinephrine injectable gel (Harbord et al). 2002;56:644–51
Clinical competence
Use of video and magnetic endoscope imaging for rating competence at colonoscopy: validation of a measurement tool (Shah et al). 2002;56:568–73 (New methods & materials)
Clips
Colonoscopically applied clips to treat postoperative fecal fistula (Marks) (Letter). 2002;56:163
Hemostasis of upper GI bleeding (Waye et al). 2002;56:159–61 (Perspectives)
Prospective evaluation of hemoclip application with injection of epinephrine in hypertonic saline solution for hemostasis in unstable patients with shock caused by upper GI bleeding (Goto et al). 2002;56:78–82
Surgical clip choledocholithiasis (Petersen). 2002;56:113 (At the focal point)
Clonorchis sinensis
Sclerosing cholangitis caused by *Clonorchis sinensis* (Fry et al). 2002;56:114 (At the focal point)
Clostridium difficile
Pseudomembranous *(Clostridium difficile)* colitis (Iseman et al). 2002;56:907 (At the focal point)
Colectomy
Sessile polyps containing invasive carcinoma mandate colectomy for cure in patients fit for surgery (Cirocco) (Letter); (Togashi et al) (Response). 2002;56:320–1
Colitis
Amebic colitis (Leung and Chin). 2002;56:732 (At the focal point)
Bismuth subsalicylate in the cecum (Hellmig et al). 2002;56:565 (At the focal point)
Hemorrhagic colitis caused by amyloid (Kram et al). 2002;56:564–5 (At the focal point)
Pseudomembranous *(Clostridium difficile)* colitis (Iseman et al). 2002;56:907 (At the focal point)

Colitis, ulcerative
Increased risk of colorectal neoplasia in patients with primary sclerosing cholangitis and ulcerative colitis: a meta-analysis (Soetikno et al). 2002;56:48–54
Minute findings by magnifying colonoscopy are useful for the evaluation of ulcerative colitis (Fujiya et al). 2002;56:535–42
Collateral circulation
Collateral vessels around the esophageal wall in patients with portal hypertension: comparison of EUS imaging and microscopic findings at autopsy (Irisawa et al). 2002;56:249–53
Colonic neoplasms
Colonic adenomas detected by ^{18}F-FDG PET (Felig et al). 2002;56:734 (At the focal point)
Increased risk of colorectal neoplasia in patients with primary sclerosing cholangitis and ulcerative colitis: a meta-analysis (Soetikno et al). 2002;56:48–54
Tattoo of colonic neoplasms in 113 patients with a new sterile carbon compound (Askin et al). 2002;56:339–42
Colonoscopy
A new water instillation method for colonoscopy without sedation as performed by endoscopists-in-training (Hamamoto et al). 2002;56:825–8
Better tolerance for colonoscopy or intolerance to virtual colonoscopy? (Pineau and Vining) (Letter); (McQuaid and Akerkar) (Response). 2002;56:609–10
Carbohydrate-electrolyte rehydration protects against intravascular volume contraction during colonic cleansing with orally administered sodium phosphate (Barclay et al). 2002;56:633–8
Colonoscopy preparation: Is there still room for senna? (Radaelli and Minoli) (Letter). 2002;56:463
Comparison of EUS and magnifying colonoscopy for assessment of small colorectal cancers (Matsumoto et al). 2002;56:354–60
Comparison of sodium phosphate tablets to PEG solution for colonoscopy (Mork) (Letter); (Kastenberg) (Response). 2002;56:610–11
Low-volume oral colonoscopy bowel preparation: sodium phosphate and magnesium citrate (Berkelhammer et al). 2002;56:89–94
Minimizing postcolonoscopy abdominal pain by using CO_2 insufflation: a prospective, randomized, double blind, controlled trial evaluating a new commercially available CO2 delivery system (Sumanac et al). 2002;56:190–4
Minute findings by magnifying colonoscopy are useful for the evaluation of ulcerative colitis (Fujiya et al). 2002;56:535–42
Patient-controlled sedation versus intravenous sedation for colonoscopy in elderly patients: a prospective randomized controlled trial (Lee et al). 2002;56:629–32
Patient preferences for gender of endoscopists (Varadarajulu et al). 2002;56:170–3
The role of colonoscopy in the diagnosis of appendicitis in patients with atypical presentations (Chang et al). 2002;56:343–8
The safety profile of oral sodium phosphate for colonic cleansing before colonoscopy in adults (Hookey et al). 2002;56:895–902 (Review article)
The variable stiffness colonoscope: assessment of efficacy by magnetic endoscope imaging (Shah et al). 2002;56:195–201
The yield of lower endoscopy in patients with constipation: survey of a university hospital, a public county hospital, and a Veterans Administration medical center (Pepin and Ladabaum). 2002;56:325–32
Total colonic dye-spray increases the detection of diminutive adenomas during routine colonoscopy: a randomized controlled trial (Brooker et al). 2002;56:333–8
Use of video and magnetic endoscope imaging for rating competence at colonoscopy: validation of a measurement tool (Shah et al). 2002;56:568–73 (New methods & materials)
Warm water irrigation for dealing with spasm during colonoscopy: simple, inexpensive, and effective (Church). 2002;56:672–4
Women are different from men (Elta). 2002;56:308–9 (Editorial)
Colorectal neoplasms
Advanced colorectal carcinoma smaller than 10 mm in maximum diameter with special reference to clinicopathologic and molecular features: a report of 3 cases (Nagata et al). 2002;56:299–303 (Case report)
Comparison of EUS and magnifying colonoscopy for assessment of small colorectal cancers (Matsumoto et al). 2002;56:354–60
Endoscopic identification and quantification of aberrant crypt foci in the human colon (Adler et al). 2002;56:657–62
Molecular analysis of diminutive, flat, depressed colorectal lesions: are they precursors of polypoid adenoma or early stage carcinoma? (Morita et al). 2002;56:663–71
Palliative colonic stent placement (Sanchez and Baron). 2002;56:735 (At the focal point)
The yield of lower endoscopy in patients with constipation: survey of a university hospital, a public county hospital, and a Veterans Administration medical center (Pepin and Ladabaum). 2002;56:325–32
Common bile duct calculi
Epidemiology and natural history of common bile duct stones and prediction of disease (Ko and Lee). 2002;56:S165–9
EUS in bile duct stones: How does it compare with ERCP? (Sivak). 2002;56:S175–7
EUS in common bile duct stones (Palazzo and O'Toole). 2002;56:S49–57
Evidence-based assessment of diagnostic modalities for common bile duct stones (Mark et al). 2002;56:S38–43
MRCP and ERCP in the diagnosis of common bile duct stones (Fulcher). 2002;56:S178–82
Role of cholecystectomy in preventing recurrent cholangitis (Hui et al). 2002;56:55–60
Surgical clip choledocholithiasis (Petersen). 2002;56:113 (At the focal point)
Surgical management of common bile duct stones (Petelin). 2002;56:S183–9
Therapeutic role of ERCP in the management of suspected common bile duct stones (Carr-Locke). 2002;56:S170–4
Vegetable stalk a nidus for gallstone formation in a patient with a juxtapapillary duodenal diverticulum (Plath et al). 2002;56:944–6 (Brief report)
Congo red
Evaluation of gastric acid secretion at endoscopy with a modified Congo red test (Tóth et al). 2002;56:254–9
Congresses
Advances in endoscopic ultrasound: 13th International Symposium (Lightdale). 2002;56:S1
National Institutes of Health State-of-the-Science Conference statement (Cohen et al). 2002;56:803–9
Preface (Kimmey and Freeman). 2002;56:S153
Conscious sedation
Electroencephalogram monitoring facilitates sedation with propofol for routine ERCP: a randomized, controlled trial (Wehrmann et al). 2002;56:817–24
Patient-controlled sedation versus intravenous sedation for colonoscopy in elderly patients: a prospective randomized controlled trial (Lee et al). 2002;56:629–32
Predicting which patients can undergo upper endoscopy comfortably without conscious sedation (Abraham et al). 2002;56:180–9
Quantitative assessment of psychomotor recovery after sedation and analgesia for outpatient EGD (Willey et al). 2002;56:810–6
Constipation
The yield of lower endoscopy in patients with constipation: survey of a university hospital, a public county hospital, and a Veterans Administration medical center (Pepin and Ladabaum). 2002;56:325–32
Costs and cost analysis
Potential impact of preoperative EUS on esophageal cancer management and cost (Shumaker et al). 2002;56:391–6
Predicting which patients can undergo upper endoscopy comfortably without conscious sedation (Abraham et al). 2002;56:180–9
Crohn's disease
Recurrent acute pancreatitis and duodenal stenosis (Longheval and Devière). 2002;56:584–7 (Case report)
Cyanoacrylates
Endoscopic treatment of biliary leakage with n-butyl-2 cyanoacrylate (Seewald et al). 2002;56:916–9 (New methods & materials)
Cytology
Difficulties encountered when using ERCP-based tissue sampling techniques to establish a diagnosis (Wiersema) (Letter); (Farrell and Pleskow; Pugliese and Saccomanno) (Response). 2002;56:463–5
Maximizing the yield of EUS-guided fine-needle aspiration (Chang). 2002;56:S28–34
The rate of false-positive results with EUS-guided fine-needle aspiration (Schwartz et al). 2002;56:868–72
Tissue sampling at endoscopic retrograde cholangiopancreatography in suspected malignant biliary strictures (Part 1) (de Bellis et al). 2002;56:552–61 (Review article)
Tissue sampling at ERCP in suspected malignant biliary strictures (Part 2) (de Bellis et al). 2002;56:720–30 (Review article)

D

Diagnostic techniques and procedures
Capsule endoscopy: The voyage is fantastic—will it change what we do? (Fleischer). 2002;56:452–6 (Editorial)
Capsule endoscopy in the evaluation of patients with suspected small intestinal bleeding: results of a pilot study (Lewis and Swain). 2002;56:349–53
Celiac disease for the endoscopist (Olds et al). 2002;56:407–15 (Review article)
Detecting cholangiocarcinoma in patients with primary sclerosing cholangitis (Siqueira et al). 2002;56:40–7
Endoscopic diagnosis and classification of reflux esophagitis: are we there yet? (Boyce). 2002;56:775–8 (Editorial)
Income and outcome metrics for the objective evaluation of ERCP and alternative methods (Cotton). 2002;56:S283–90
The role of colonoscopy in the diagnosis of appendicitis in patients with atypical presentations (Chang et al). 2002;56:343–8
Diarrhea
Hyperbaric oxygen treatment for intractable diarrhea caused by pneumatosis coli (Lustberg et al). 2002;56:935–7 (Case report)
Dieulafoy's lesion
Bleeding Dieulafoy's lesion (Fallah and Fallah). 2002;56:115 (At the focal point)
Dilatation
Combined antegrade and retrograde dilation: a new endoscopic technique in the management of complex esophageal obstruction (McGrath and Brazer) (Letter). 2002;56:163–4
Usefulness of intralesional triamcinolone in treatment of benign esophageal strictures (Kochhar and Makharia). 2002;56:829–34
Disinfection
Bacteria-free rinse water for endoscope disinfection (Pang et al). 2002;56:402–6

Diverticulum
Treatment of Zenker's diverticulum with the help of a plastic hood attached to the endoscope (Costamagna et al) (Letter); (Sakai et al) (Response). 2002;56:611–12
Vegetable stalk a nidus for gallstone formation in a patient with a juxtapapillary duodenal diverticulum (Plath et al). 2002;56:944–6 (Brief report)
Drainage
Biliary decompression by nasobiliary catheter or biliary stent in acute suppurative cholangitis: a prospective randomized trial (Lee et al). 2002; 56:361–5
Endoscopic cystenterostomy of nonbulging pancreatic fluid collections (Sanchez Cortes et al). 2002;56:380–6
Endoscopic drainage of pancreatic abscesses: a word of caution (Venu and Brown) (Letter); (Park et al) (Response). 2002;56:785–6
Endoscopic transpapillary gallbladder drainage for closure of calculous gallbladder perforation and cholecystoduodenal fistula (Baron et al). 2002;56:753–5 (Case report)
EUS in drainage of pancreatic pseudocysts (Fockens). 2002;56:S93–7
Outcome differences after endoscopic drainage of pancreatic necrosis, acute pancreatic pseudocysts, and chronic pancreatic pseudocysts (Baron et al). 2002;56:7–17
Pancreatic endotherapy for pseudocysts and fluid collections (Schutz and Leung). 2002;56:150–2 (Editorial)
Transnasal extraction of residual biliary stones by Seldinger technique and nasobiliary drain (Mutignani et al). 2002;56:233–8
Duodenal neoplasms
Endoscopic treatment of cholangiocarcinoma and carcinoma of the duodenal papilla by intraductal high-intensity US: results of a pilot study (Prat et al). 2002;56:909–15 (New methods & materials)
Duodenal papilla, major
Endoscopic treatment of cholangiocarcinoma and carcinoma of the duodenal papilla by intraductal high-intensity US: results of a pilot study (Prat et al). 2002;56:909–15 (New methods & materials)
Safety and outcome of endoscopic snare excision of the major duodenal papilla (Norton et al). 2002;56:239–43
Signet ring cell carcinoma of major papilla (Tseng et al). 2002;56:733 (At the focal point)
Usefulness of endoscopic observation of the main duodenal papilla in the diagnosis of sclerosing pancreatitis (Unno et al). 2002;56:880–4
Duodenum
GI involvement in Henoch-Schönlein purpura (Esaki et al). 2002;56:920–3 (Case study)
Use of a super-stiff Amplatz guidewire to intubate the duodenum with a duodenoscope (Fry et al). 2002;56:773–4 (Brief report)
Dyes
Association of multiple Lugol-voiding lesions with synchronous and metachronous esophageal squamous cell carcinoma in patients with head and neck cancer (Muto et al). 2002;56:517–21
Tattoo of colonic neoplasms in 113 patients with a new sterile carbon compound (Askin et al). 2002;56:339–42
Total colonic dye-spray increases the detection of diminutive adenomas during routine colonoscopy: a randomized controlled trial (Brooker et al). 2002;56:333–8
Dyspepsia
Diagnostic yield of upper endoscopy in Asian patients presenting with dyspepsia (Wai et al). 2002;56:548–51
EUS in the management of uninvestigated dyspepsia (Lee et al). 2002;56:842–8
Dysphagia
Eosinophilic esophagitis: it's not just kid's stuff (Fox et al). 2002;56:260–70 (Review article)
Incision of recurrent distal esophageal (Schatzki) ring after dilation (DiSario et al). 2002;56:244–8
Palliation of patients with dysphagia due to advanced esophageal cancer by endoscopic injection of cisplatin/epinephrine injectable gel (Harbord et al). 2002;56:644–51
Recurrent proximal esophageal stricture associated with dysplasia in squamous cell papillomatosis (Narayani and Young). 2002;56:591–4 (Case report)

E

Echo-endoscopy; *see* Endoscopic ultrasonography (EUS)
Education
ERCP training and experience (Waye et al). 2002;56:607–8 (Perspectives)
EGD; *see* Esophagogastroduodenoscopy
Electroencephalography
Electroencephalogram monitoring facilitates sedation with propofol for routine ERCP: a randomized, controlled trial (Wehrmann et al). 2002;56:817–24
Endocarditis
Fatal mycotic endocarditis from a primary esophageal aspergilloma (Komanduri et al). 2002; 56:577–9 (Case report)
Endoclips; *see* Clips
Endoscopes
Capsule endoscopy: The voyage is fantastic—will it change what we do? (Fleischer). 2002;56: 452–6 (Editorial)
Capsule endoscopy in the evaluation of patients with suspected small intestinal bleeding: results of a pilot study (Lewis and Swain). 2002;56:349–53
Initial experience with an electronic radial array echoendoscope: randomized comparison with a mechanical sector scanning echoendoscope in humans (Anderson and Scheiman). 2002;56: 573–7 (New methods & materials)
Small bowel endoscopy (Waye et al). 2002;56: 461–2 (Perspectives)
The variable stiffness colonoscope: assessment of efficacy by magnetic endoscope imaging (Shah et al). 2002;56:195–201
Endoscopic mucosal resection
Clinical outcome of endoscopic aspiration mucosectomy for early stage gastric cancer (Tanabe et al). 2002;56:708–13
Comparative performance in the porcine esophagus of different solutions used for submucosal injection (Conio et al). 2002;56:513–16
Esophageal bronchogenic cyst successfully excised by endoscopic mucosal resection (Sashiyama et al). 2002;56:141–5 (Brief report)
Long-term outcome after endoscopic mucosal resection in patients with esophageal squamous cell carcinoma invading the muscularis mucosae or deeper (Shimizu et al). 2002;56: 387–90
Safety and outcome of endoscopic snare excision of the major duodenal papilla (Norton et al). 2002;56:239–43
Success rate of curative endoscopic mucosal resection with circumferential mucosal incision assisted by submucosal injection of sodium hyaluronate (Yamamoto et al). 2002;56:507–12
Endoscopic ultrasonography (EUS)
A through-the-scope device for suturing and tissue approximation under EUS control (Fritscher-Ravens et al). 2002;56:737–42 (New methods & materials)
Accuracy of EUS for detection of intraductal papillary mucinous tumor of the pancreas (Aithal et al). 2002;56:701–7
Advances in endoscopic ultrasound: 13th International Symposium (Lightdale). 2002;56:S1
Barrett's esophagus and early esophageal cancer (Canto). 2002;56:S66–8
Comparison of EUS and magnifying colonoscopy for assessment of small colorectal cancers (Matsumoto et al). 2002;56:354–60
Computer-assisted analysis of lymph nodes detected by EUS in patients with esophageal carcinoma (Loren et al). 2002;56:742–6 (New methods & materials)
Diagnostic accuracy of EUS in the local staging of primary gastric lymphoma: results of a prospective, multicenter study comparing EUS with histopathologic stage (Fischbach et al). 2002; 56:696–700
Difficult pancreatic mass FNA: tips for success (Binmoeller and Rathod). 2002;56:S86–91
EUS and chronic pancreatitis (Sahai). 2002;56: S76–81
EUS for rectal disease (Schwartz et al). 2002;56:100–9 (Review article)
EUS-guided celiac plexus block/neurolysis (Hoffman). 2002;56:S26–8
EUS-guided fine-needle aspiration of a renal mass: an alternative method for diagnosis of malignancy (Farrell and Brugge). 2002;56: 450–2 (Case report)
EUS-guided fine-needle aspiration of the pancreas: evaluation of pancreatitis as a complication (Gress et al). 2002;56:864–7
EUS-guided pancreaticogastrostomy (François et al). 2002;56:128–33 (New methods & materials)
EUS in advanced esophageal cancer (Penman and Shen). 2002;56:S2–6
EUS in bile duct stones: How does it compare with ERCP? (Sivak). 2002;56:S175–7
EUS in combination with fine-needle injection celiac plexus neurolysis from within a Wallstent stent (Soetikno et al). 2002;56:136–9 (Case report)
EUS in common bile duct stones (Palazzo and O'Toole). 2002;56:S49–57
EUS in cystic lesions of the pancreas (Van Dam). 2002;56:S91–3
EUS in drainage of pancreatic pseudocysts (Fockens). 2002;56:S93–7
EUS in lung cancer (Fickling and Wallace). 2002; 56:S18–21
EUS in malt lymphoma (Caletti et al). 2002;56: S21–6
EUS in pancreatic cancer (Kochman). 2002;56: S6–12
EUS in portal hypertension (Sung et al). 2002;56: S35–43
EUS in rectal cancer (Savides and Master). 2002; 56:S12–8
EUS in submucosal tumors (Chak). 2002;56:S43–8
EUS in the detection of early gastric cancer (Yasuda). 2002;56:S68–75
EUS in the diagnosis of diffuse esophageal leiomyomatosis (Hizawa et al). 2002;56:764–7 (Case report)
EUS in the management of uninvestigated dyspepsia (Lee et al). 2002;56:842–8
Initial experience with an electronic radial array echoendoscope: randomized comparison with a mechanical sector scanning echoendoscope in humans (Anderson and Scheiman). 2002;56: 573–7 (New methods & materials)
Initial experience with EUS-guided trucut needle biopsies of perigastric organs (Wiersema et al). 2002;56:275–8 (New methods & materials)
Intraductal EUS (Inui et al). 2002;56:S58–62
Maximizing the yield of EUS-guided fine-needle aspiration (Chang). 2002;56:S28–34
New approaches in interventional EUS (Hawes). 2002;56:S62–5
Pancreatic tissue sampling guided by EUS, CT/US, and surgery: a comparison of sensitivity and specificity (Mallery et al). 2002;56:218–24
Potential impact of preoperative EUS on esophageal cancer management and cost (Shumaker et al). 2002;56:391–6
Primary amyloidosis of the stomach: EUS appearances (Goulding et al). 2002;56:305–6 (Brief report)

Role of ERCP and other endoscopic modalities in chronic pancreatitis (Lehman). 2002;56:S237–40
Screening and surveillance for hereditary pancreatic cancer (Kimmey et al). 2002;56:S82–6
The rate of false-positive results with EUS-guided fine-needle aspiration (Schwartz et al). 2002;56:868–72
Use of a phased vector array ultrasound catheter for EUS (Shamoun et al). 2002;56:430–5 (New methods & materials)
Usefulness of EUS-guided fine needle aspiration (EUS-FNA) in the diagnosis of functioning neuroendocrine tumors (Ginès et al). 2002;56:291–6 (Case study)
Utility of EUS in the evaluation of cystic pancreatic lesions (Sedlack et al). 2002;56:543–7
Endoscopists
Comparison of inter- and intraobserver consistency for grading of esophagitis by expert and trainee endoscopists (Pandolfino et al). 2002;56:639–43
ERCP training and experience (Waye et al). 2002;56:607–8 (Perspectives)
Patient preferences for gender of endoscopists (Varadarajulu et al). 2002;56:170–3
Retinal ophthalmologic eye damage and instrument light sources (Patterson) (Letter). 2002;56:956–7
Use of video and magnetic endoscope imaging for rating competence at colonoscopy: validation of a measurement tool (Shah et al). 2002;56:568–73 (New methods & materials)
Women are different from men (Elta). 2002;56:308–9 (Editorial)
Endoscopy
ASGE guidelines for the appropriate use of upper endoscopy: association with endoscopic findings (Rossi et al). 2002;56:714–19
Evidence-based endoscopy (Sivak). 2002;56:948–50 (Editorial)
Endoscopy Around the World. 2002;56:153–62, 310–17, 457–62, 604–8, 779–82, 959–63
Enteral nutrition
Comparison of direct percutaneous endoscopic jejunostomy and PEG with jejunal extension (Fan et al). 2002;56:890–4
Direct percutaneous endoscopic jejunostomy through a mature gastrostomy tract (Baron). 2002;56:946–7 (Brief report)
Endoscopic placement of nasojejunal tubes: a randomized, controlled, prospective trial comparing suitability and technical success for two different tubes (Schwab et al). 2002;56:858–63
The buried bumper syndrome: a simple management approach in two patients (Venu et al). 2002;56:582–4 (Case report)
Enterocolitis, pseudomembranous
Pseudomembranous *(Clostridium difficile)* colitis (Iseman et al). 2002;56:907 (At the focal point)
Eosinophilia
Eosinophilic esophagitis: it's not just kid's stuff (Fox et al). 2002;56:260–70 (Review article)
Multiple ulcerative lesions of the stomach: a rare case of eosinophilic gastroenteritis (Katsumi et al). 2002;56:762–4 (Case report)
Epinephrine
Hemostasis of upper GI bleeding (Waye et al). 2002;56:159–61 (Perspectives)
Palliation of patients with dysphagia due to advanced esophageal cancer by endoscopic injection of cisplatin/epinephrine injectable gel (Harbord et al). 2002;56:644–51
Prospective evaluation of hemoclip application with injection of epinephrine in hypertonic saline solution for hemostasis in unstable patients with shock caused by upper GI bleeding (Goto et al). 2002;56:78–82
Recurrent bleeding from peptic ulcer associated with adherent clot: a randomized study comparing endoscopic treatment with medical therapy (Bleau et al). 2002;56:1–6
Equipment contamination
Bacteria-free rinse water for endoscope disinfection (Pang et al). 2002;56:402–6
Contamination of single-use biopsy forceps: a prospective in vitro analysis (Kinney et al). 2002;56:209–12
ERCP; *see* Cholangiopancreatography, endoscopic retrograde (ERCP)
Escherichia coli infections
Effects of adherence factors and human bile on bacterial attachment and biliary stent blockage: an in vitro study (Leung et al). 2002;56:72–7
Surgical clip choledocholithiasis (Petersen). 2002;56:113 (At the focal point)
Esophageal and gastric varices
A new device for measuring esophageal variceal pressure (Miller et al). 2002;56:284–91 (New methods & materials)
An open pilot study of the effects of a human fibrin glue for endoscopic treatment of patients with acute bleeding from gastric varices (Heneghan et al). 2002;56:422–6 (New methods & materials)
Argon plasma coagulation prevents variceal recurrence after band ligation of esophageal varices: preliminary results of a prospective randomized trial (Cipolletta et al). 2002;56:467–71
Collateral vessels around the esophageal wall in patients with portal hypertension: comparison of EUS imaging and microscopic findings at autopsy (Irisawa et al). 2002;56:249–53
Efficacy and safety of balloon-occluded endoscopic injection sclerotherapy as a prophylactic treatment for high-risk gastric fundal varices: a prospective, randomized, comparative clinical trial (Shiba et al). 2002;56:522–8
Esophageal varices in Sudan (Fedail). 2002;56:781–2 (Perspectives)
EUS in portal hypertension (Sung et al). 2002;56:S35–43
Ligature closure of the esophagus (Zeldin and Kochman). 2002;56:562–3 (At the focal point)
Prevention of recurrent variceal bleeding: As easy as A.P.C.? (Marrero and Scheiman). 2002;56:600–3 (Editorial)
Use of detachable snares and elastic bands for endoscopic control of bleeding from large gastric varices (Lee et al). 2002;56:83–8
Esophageal cyst
Esophageal bronchogenic cyst successfully excised by endoscopic mucosal resection (Sashiyama et al). 2002;56:141–5 (Brief report)
Esophageal fistula
Aorto-esophageal fistula (Eloubeidi et al). 2002;56:417 (At the focal point)
Esophageal neoplasms
Barrett's esophagus and early esophageal cancer (Canto). 2002;56:S66–8
Carcinoma coexisting with esophageal leiomyoma (Fu et al). 2002;56:272–3 (At the focal point)
Comparative optical coherence tomography imaging of human esophagus: how accurate is localization of the muscularis mucosae? (Çilesiz et al). 2002;56:852–7
Computer-assisted analysis of lymph nodes detected by EUS in patients with esophageal carcinoma (Loren et al). 2002;56:742–6 (New methods & materials)
Detection of high-grade dysplasia in Barrett's esophagus by spectroscopy measurement of 5-aminolevulinic acid-induced protoporphyrin IX fluorescence (Brand et al). 2002;56:479–87
Esophageal lymphangiomatosis: a case report (Lee et al). 2002;56:589–91 (Case report)
EUS in advanced esophageal cancer (Penman and Shen). 2002;56:S2–6
EUS in the diagnosis of diffuse esophageal leiomyomatosis (Hizawa et al). 2002;56:764–7 (Case report)
Long-term outcome after endoscopic mucosal resection in patients with esophageal squamous cell carcinoma invading the muscularis mucosae or deeper (Shimizu et al). 2002;56:387–90
Palliation of patients with dysphagia due to advanced esophageal cancer by endoscopic injection of cisplatin/epinephrine injectable gel (Harbord et al). 2002;56:644–51
Potential impact of preoperative EUS on esophageal cancer management and cost (Shumaker et al). 2002;56:391–6
Unsedated transnasal endoscopy accurately detects Barrett's metaplasia and dysplasia (Saeian et al). 2002;56:472–8
Esophageal stenosis
Usefulness of intralesional triamcinolone in treatment of benign esophageal strictures (Kochhar and Makharia). 2002;56:829–34
Esophagectomy
Successful treatment of an aorto-gastric-bronchial fistula after esophagectomy by placement of double stents (Tuebergen et al). 2002;56:587–9 (Case report)
Esophagitis
Comparison of inter- and intraobserver consistency for grading of esophagitis by expert and trainee endoscopists (Pandolfino et al). 2002;56:639–43
Endoscopic diagnosis and classification of reflux esophagitis: are we there yet? (Boyce). 2002;56:775–8 (Editorial)
Eosinophilic esophagitis: it's not just kid's stuff (Fox et al). 2002;56:260–70 (Review article)
Esophagogastroduodenoscopy (EGD)
ASGE guidelines for the appropriate use of upper endoscopy: association with endoscopic findings (Rossi et al). 2002;56:714–19
Diagnostic yield of upper endoscopy in Asian patients presenting with dyspepsia (Wai et al). 2002;56:548–51
Erythromycin improves the quality of EGD in patients with acute upper GI bleeding: a randomized controlled study (Coffin et al). 2002;56:174–9
EUS in the management of uninvestigated dyspepsia (Lee et al). 2002;56:842–8
GI involvement in Henoch-Schönlein purpura (Esaki et al). 2002;56:920–3 (Case study)
Quantitative assessment of psychomotor recovery after sedation and analgesia for outpatient EGD (Willey et al). 2002;56:810–6
Esophagus
Acute esophageal necrosis: a 1-year prospective study (Soussan et al). 2002;56:213–17
Combined antegrade and retrograde dilation: a new endoscopic technique in the management of complex esophageal obstruction (McGrath and Brazer) (Letter). 2002;56:163–4
Esophageal biopsy: apples and oranges (Zimmon) (Letter); (Schafer et al) (Response). 2002;56:957–8
Esophageal intramural hematoma: a painful condition that may mimic an esophageal mass (Meininger et al). 2002;56:767–70 (Case report)
Incision of recurrent distal esophageal (Schatzki) ring after dilation (DiSario et al). 2002;56:244–8
Ligature closure of the esophagus (Zeldin and Kochman). 2002;56:562–3 (At the focal point)
Overtube-assisted ERCP in patients with altered gastric and esophageal anatomy (Nawras et al). 2002;56:426–30 (New methods & materials)
Spontaneous intramural rupture of the esophagus: clinical presentation and endoscopic findings (Gluck et al). 2002;56:134–6 (Case report)
Evidence-based medicine
Evidence-based assessment: patient, procedure, or operator factors associated with ERCP complications (Aronson et al). 2002;56:S294–302
Evidence-based assessment of diagnostic modalities for common bile duct stones (Mark et al). 2002;56:S38–43
Evidence-based assessment of ERCP approaches to managing pancreaticobiliary malignancies (Flamm et al). 2002;56:S218–25

Evidence-based assessment of ERCP in the treatment of pancreatitis (Mark et al). 2002;56: S98–102
Evidence-based endoscopy (Sivak). 2002;56:948–50 (Editorial)
Evidence-based review of endoscopic retrograde cholangiopancreatography: introduction and description of systematic review methods (Flamm et al). 2002;56:S161–4
Eye injuries
Retinal ophthalmologic eye damage and instrument light sources (Patterson) (Letter). 2002; 56:956–7
Eythromycin
Erythromycin improves the quality of EGD in patients with acute upper GI bleeding: a randomized controlled study (Coffin et al). 2002; 56:174–9

F

Fascioliasis
Hepatic fascioliasis in the Americas: a new challenge for therapeutic endoscopy (Roig). 2002; 56:315–17 (Perspectives)
Fibrinolytic agents
Dissolution of blood clots in the biliary ducts with a thrombolytic agent infused through nasobiliary catheter (Moparty et al). 2002;56:436–8 (Case report)
Fine-needle aspiration
Barrett's esophagus and early esophageal cancer (Canto). 2002;56:S66–8
Bile peritonitis after EUS-guided fine-needle aspiration (Chen et al). 2002;56:594–6 (Brief report)
Clinical utility of EUS-guided fine-needle aspiration of mediastinal masses in the absence of known pulmonary malignancy (Devereaux et al). 2002;56:397–401
Difficult pancreatic mass FNA: tips for success (Binmoeller and Rathod). 2002;56:S86–91
EUS-guided fine-needle aspiration of a renal mass: an alternative method for diagnosis of malignancy (Farrell and Brugge). 2002;56: 450–2 (Case report)
EUS-guided fine-needle aspiration of the pancreas: evaluation of pancreatitis as a complication (Gress et al). 2002;56:864–7
Initial experience with EUS-guided trucut needle biopsies of perigastric organs (Wiersema et al). 2002;56:275–8 (New methods & materials)
Maximizing the yield of EUS-guided fine-needle aspiration (Chang). 2002;56:S28–34
New approaches in interventional EUS (Hawes). 2002;56:S62–5
Pancreatic tissue sampling guided by EUS, CT/US, and surgery: a comparison of sensitivity and specificity (Mallery et al). 2002;56:218–24
The rate of false-positive results with EUS-guided fine-needle aspiration (Schwartz et al). 2002;56:868–72
Usefulness of EUS-guided fine needle aspiration (EUS-FNA) in the diagnosis of functioning neuroendocrine tumors (Ginès et al). 2002;56: 291–6 (Case study)
Fistula
Amebic liver abscess with a hepatogastric fistula (Chang et al). 2002;56:906 (At the focal point)
Aorto-esophageal fistula (Eloubeidi et al). 2002;56:417 (At the focal point)
Colonoscopically applied clips to treat postoperative fecal fistula (Marks) (Letter). 2002;56:163
Double pylorus (Chiu et al). 2002;56:271 (At the focal point)
Endoscopic transpapillary gallbladder drainage for closure of calculous gallbladder perforation and cholecystoduodenal fistula (Baron et al). 2002;56:753–5 (Case report)
EUS for rectal disease (Schwartz et al). 2002;56:100–9 (Review article)
Percutaneous-endoscopic suturing of gastrocutaneous fistula: report of 2 cases (Alberti-Flor). 2002;56:751–3 (Case report)
Successful closure of a postsurgical benign esophagomediastinal fistula by temporary placement of a polyester, expandable stent: case report and review (Repici et al). 2002;56:747–50 (Case report)
Successful treatment of an aorto-gastric-bronchial fistula after esophagectomy by placement of double stents (Tuebergen et al). 2002;56:587–9 (Case report)
Foreign bodies
Cholangitis as a result of hydrophilic guidewire fracture (Fry et al). 2002;56:944–4 (Brief report)
The buried bumper syndrome: a simple management approach in two patients (Venu et al). 2002;56:582–4 (Case report)
Use of the intramural incision technique to retrieve a fractured biliary tube (Zovich and Faigel) (Letter). 2002;56:465
Vegetable stalk a nidus for gallstone formation in a patient with a juxtapapillary duodenal diverticulum (Plath et al). 2002;56:944–6 (Brief report)
Fundoplication
A novel endoscopic full-thickness plicator for treatment of GERD: an animal model study (Chuttani et al). 2002;56:116–22 (New methods & materials)

G

Gabexate
Gabexate or somatostatin administration before ERCP in patients at high risk for post-ERCP pancreatitis: a multicenter, placebo-controlled, randomized clinical trial (Andriulli et al). 2002;56:488–95
Gallbladder neoplasms
The epidemiology of pancreatic, gallbladder, and other biliary tract cancers (Michaud). 2002;56: S195–200
Gastric acid
Evaluation of gastric acid secretion at endoscopy with a modified Congo red test (Tóth et al). 2002;56:254–9
Gastric outlet obstruction
New approaches in interventional EUS (Hawes). 2002;56:S62–5
Gastroenteritis
Multiple ulcerative lesions of the stomach: a rare case of eosinophilic gastroenteritis (Katsumi et al). 2002;56:762–4 (Case report)
Gastroesophageal reflux
A novel endoscopic full-thickness plicator for treatment of GERD: an animal model study (Chuttani et al). 2002;56:116–22 (New methods & materials)
Comparison of inter- and intraobserver consistency for grading of esophagitis by expert and trainee endoscopists (Pandolfino et al). 2002;56: 639–43
Endoscopic diagnosis and classification of reflux esophagitis: are we there yet? (Boyce). 2002;56: 775–8 (Editorial)
Gastrointestinal motility
Attenuation of isolated pyloric pressure waves in gastroparesis in response to botulinum toxin injection: a case report (Gupta and Rao). 2002; 56:770–2 (Brief report)
Gastrointestinal neoplasms
Multiple lymphomatous polyposis of the GI tract: report of a case and review (Vignote et al). 2002;56:579–82 (Case report)
Gastroparesis
Attenuation of isolated pyloric pressure waves in gastroparesis in response to botulinum toxin injection: a case report (Gupta and Rao). 2002; 56:770–2 (Brief report)
Gastrostomy, percutaneous endoscopic (PEG)
Comparison of direct percutaneous endoscopic jejunostomy and PEG with jejunal extension (Fan et al). 2002;56:890–4
Direct percutaneous endoscopic jejunostomy through a mature gastrostomy tract (Baron). 2002;56:946–7 (Brief report)
Endoscopic tunnel vision (Laasch and Martin) (Letter); (Taller et al) (Response). 2002;56: 318–19
Percutaneous-endoscopic suturing of gastrocutaneous fistula: report of 2 cases (Alberti-Flor). 2002;56:751–3 (Case report)
Stridor: a complication of PEG placement (Raju et al). 2002;56:145–7 (Brief report)
The buried bumper syndrome: a simple management approach in two patients (Venu et al). 2002;56:582–4 (Case report)
Genetic diseases, inborn
Hereditary pancreatitis: clinical presentation, ERCP findings, and outcome of endoscopic therapy (Choudari et al). 2002;56:66–71
Glomus tumor
Gastric glomus tumor (Agawa et al). 2002;56:903 (At the focal point)
Glucagon
Paroxysmal supraventricular tachycardia after administration of glucagon during upper endoscopy (Jaca et al). 2002;56:304 (Brief report)
Guidelines *see* ASGE guidelines/technology assessments

H

Hamartoma
Bile duct hamartomas (Alazmi et al). 2002;56: 565–6 (At the focal point)
Brunner's gland hamartoma simulating a pancreatic mass with duodenal obstruction (Mumtaz et al). 2002;56:932–4 (Case report)
Head and neck neoplasms
Endoscopic tunnel vision (Laasch and Martin) (Letter); (Taller et al) (Response). 2002;56:318–19
Stridor: a complication of PEG placement (Raju et al). 2002;56:145–7 (Brief report)
Heat probe coagulation; *see* Thermocoagulation
Helicobacter pylori
EUS in malt lymphoma (Caletti et al). 2002;56: S21–6
False-negative rapid urease test in acute upper GI bleeding: is human plasma alone responsible? (Sougioultzis et al) (Letter); (Houghton and Kim) (Response). 2002;56:162–3
Gastric lymphoma: Is the worldwide incidence rising? (Ben-Khelifa). 2002;56:955–6 (Perspectives)
Hemangioma
Blue rubber bleb nevus syndrome (Beck et al). 2002;56:598–600 (Brief report)
Hematoma
A rare complication of intra-abdominal hematoma after ERCP (Poon et al). 2002;56:307 (Brief report)
Esophageal intramural hematoma: a painful condition that may mimic an esophageal mass (Meininger et al). 2002;56:767–70 (Case report)
Hemobilia
Dissolution of blood clots in the biliary ducts with a thrombolytic agent infused through nasobiliary catheter (Moparty et al). 2002;56:436–8 (Case report)
Hemoclips; *see* Clips
Hemorrhage; *see also* Hemostasis
A new device for measuring esophageal variceal pressure (Miller et al). 2002;56:284–91 (New methods & materials)
Bleeding Dieulafoy's lesion (Fallah and Fallah). 2002;56:115 (At the focal point)
Capsule endoscopy in the evaluation of patients with suspected small intestinal bleeding: results of a pilot study (Lewis and Swain). 2002;56:349–53
Efficacy and safety of balloon-occluded endoscopic injection sclerotherapy as a prophylactic treatment for high-risk gastric fundal varices: a prospective, randomized, comparative clinical trial (Shiba et al). 2002;56:522–8
False-negative rapid urease test in acute upper GI bleeding: is human plasma alone responsible? (Sougioultzis et al) (Letter); (Houghton and Kim) (Response). 2002;56:162–3

Intestinal bleeding due to a stromal tumor in a Meckel's diverticulum (Stolk et al). 2002;56: 147–9 (Brief report)
Localization of colonic origin of obscure bleeding with the capsule endoscope: a case report (Gay G et al). 2002;56:758–62 (Case report)
Prevention of recurrent variceal bleeding: As easy as A.P.C.? (Marrero and Scheiman). 2002;56: 600–3 (Editorial)
Risk factors for complications after performance of ERCP (Vandervoort et al). 2002;56:652–6
Hemostasis
An open pilot study of the effects of a human fibrin glue for endoscopic treatment of patients with acute bleeding from gastric varices (Heneghan et al). 2002;56:422–6 (New methods & materials)
Aortic valve replacement: a last resort for aortic stenosis-associated refractory GI bleeding (Singh et al). 2002;56:139–41 (Case report)
Erythromycin improves the quality of EGD in patients with acute upper GI bleeding: a randomized controlled study (Coffin et al). 2002;56:174–9
Hemostasis of upper GI bleeding (Waye et al). 2002;56:159–61 (Perspectives)
Prospective evaluation of hemoclip application with injection of epinephrine in hypertonic saline solution for hemostasis in unstable patients with shock caused by upper GI bleeding (Goto et al). 2002;56:78–82
Recurrent bleeding from peptic ulcer associated with adherent clot: a randomized study comparing endoscopic treatment with medical therapy (Bleau et al). 2002;56:1–6
Use of detachable snares and elastic bands for endoscopic control of bleeding from large gastric varices (Lee et al). 2002;56:83–8
Histology
Minute findings by magnifying colonoscopy are useful for the evaluation of ulcerative colitis (Fujiya et al). 2002;56:535–42
P53 labeling index in cholangioscopic biopsies is useful for determining spread of bile duct carcinomas (Murata et al). 2002;56:688–95
Hyaluronic acid
Comparative performance in the porcine esophagus of different solutions used for submucosal injection (Conio et al). 2002;56:513–16
Success rate of curative endoscopic mucosal resection with circumferential mucosal incision assisted by submucosal injection of sodium hyaluronate (Yamamoto et al). 2002;56:507–12
Hyperbaric oxygenation
Hyperbaric oxygen treatment for intractable diarrhea caused by pneumatosis coli (Lustberg et al). 2002;56:935–7 (Case report)
Hypertension, portal
Accuracy and reliability of the endoscopic classification of portal hypertensive gastropathy (Yoo et al). 2002;56:675–80
Collateral vessels around the esophageal wall in patients with portal hypertension: comparison of EUS imaging and microscopic findings at autopsy (Irisawa et al). 2002;56:249–53
EUS in portal hypertension (Sung et al). 2002; 56:S35–43
Portal hypertensive enteropathy in a patient with polycystic liver disease: a unique endoscopic finding (Tang et al). 2002;56:924–6 (Case report)
Prevention of recurrent variceal bleeding: As easy as A.P.C.? (Marrero and Scheiman). 2002;56: 600–3 (Editorial)

I

Iatrogenic disease
Efficacy of colonic submucosal saline solution injection for the reduction of iatrogenic thermal injury (Norton et al). 2002;56:95–9
Iatrogenic Chilaiditi's syndrome (Chan et al). 2002;56:447–9 (Case report)
Ileal neoplasms
Primary ileal mucinous adenocarcinoma (Iwasaki et al). 2002;56:111 (At the focal point)
Infection control
Contamination of single-use biopsy forceps: a prospective in vitro analysis (Kinney et al). 2002;56:209–12
Infections, Opportunistic
Endoscopic diagnosis of biliary *Pneumocystis carinii* (Mustafa et al). 2002;56:937–9 (Case report)
Insufflation
Minimizing postcolonoscopy abdominal pain by using CO_2 insufflation: a prospective, randomized, double blind, controlled trial evaluating a new commercially available CO_2 delivery system (Sumanac et al). 2002;56:190–4
Intestinal mucosa
Low sensitivity of endoscopic markers in children with celiac disease (Özçay et al) (Letter); (Ravelli et al) (Response). 2002;56:321–2
Intestinal neoplasms
Primary ileal mucinous adenocarcinoma (Iwasaki et al). 2002;56:111 (At the focal point)
Small intestine Burkitt's lymphoma (Jeen et al). 2002;56:731 (At the focal point)
Intestinal obstruction
Bouveret's syndrome (Barranco et al). 2002;56: 736 (At the focal point)
Bouveret's syndrome (Chilovi and Farris). 2002; 56:112 (At the focal point)
Brunner's gland hamartoma simulating a pancreatic mass with duodenal obstruction (Mumtaz et al). 2002;56:932–4 (Case report)
Palliative colonic stent placement (Sanchez and Baron). 2002;56:735 (At the focal point)
Recurrent sigmoid volvulus (Chiu et al). 2002; 56:419–20 (At the focal point)
Intubation, gastrointestinal
Endoscopic placement of nasojejunal tubes: a randomized, controlled, prospective trial comparing suitability and technical success for two different tubes (Schwab et al). 2002;56:858–63
Use of a super-stiff Amplatz guidewire to intubate the duodenum with a duodenoscope (Fry et al). 2002;56:773–4 (Brief report)
Intubation, intratracheal
Laryngeal mask airway—a novel method of airway protection during ERCP: comparison with endotracheal intubation (Osborn et al). 2002; 56:122–8 (New methods & materials)
Intussusception
Jejunojejunogastric intussusception: a rare intussusception in an adult patient after gastric surgery (Ren et al). 2002;56:296–8 (Case report)

J

Jejunostomy
Comparison of direct percutaneous endoscopic jejunostomy and PEG with jejunal extension (Fan et al). 2002;56:890–4
Direct percutaneous endoscopic jejunostomy through a mature gastrostomy tract (Baron). 2002;56:946–7 (Brief report)

K

Kidney neoplasms
EUS-guided fine-needle aspiration of a renal mass: an alternative method for diagnosis of malignancy (Farrell and Brugge). 2002;56: 450–2 (Case report)

L

Laparoscopy
Surgical management of common bile duct stones (Petelin). 2002;56:S183–9
Laryngeal masks
Laryngeal mask airway—a novel method of airway protection during ERCP: comparison with endotracheal intubation (Osborn et al). 2002;56:122–8 (New methods & materials)
Lavage
Warm water irrigation for dealing with spasm during colonoscopy: simple, inexpensive, and effective (Church). 2002;56:672–4
Leiomyoma
Carcinoma coexisting with esophageal leiomyoma (Fu et al). 2002;56:272–3 (At the focal point)
EUS in submucosal tumors (Chak). 2002;56: S43–8
EUS in the diagnosis of diffuse esophageal leiomyomatosis (Hizawa et al). 2002;56:764–7 (Case report)
Intestinal bleeding due to a stromal tumor in a Meckel's diverticulum (Stolk et al). 2002;56: 147–9 (Brief report)
Leiomyosarcoma
Metastatic uterine leiomyosarcoma involving the pancreas diagnosed by EUS with fine-needle aspiration (Sweeney et al). 2002;56:596–7 (Brief report)
Letters to the Editor
Better tolerance for colonoscopy or intolerance to virtual colonoscopy? (Pineau and Vining) (Letter); (McQuaid and Akerkar) (Response). 2002; 56:609–10
Colonoscopically applied clips to treat postoperative fecal fistula (Marks) (Letter). 2002;56:163
Colonoscopy preparation: Is there still room for senna? (Radaelli and Minoli) (Letter). 2002;56: 463
Combined antegrade and retrograde dilation: a new endoscopic technique in the management of complex esophageal obstruction (McGrath and Brazer) (Letter). 2002;56:163–4
Comparison of sodium phosphate tablets to PEG solution for colonoscopy (Mork) (Letter); (Kastenberg) (Response). 2002;56:610–11
Difficulties encountered when using ERCP-based tissue sampling techniques to establish a diagnosis (Wiersema) (Letter); (Farrell and Pleskow; Pugliese and Saccomanno) (Response). 2002; 56:463–5
Endoscopic drainage of pancreatic abscesses: a word of caution (Venu and Brown) (Letter); (Park et al) (Response). 2002;56:785–6
Endoscopic tunnel vision (Laasch and Martin) (Letter); (Taller et al) (Response). 2002;56: 318–19
Esophageal biopsy: apples and oranges (Zimmon) (Letter); (Schafer et al) (Response). 2002;56: 957–8
False-negative rapid urease test in acute upper GI bleeding: is human plasma alone responsible? (Sougioultzis et al) (Letter); (Houghton and Kim) (Response). 2002;56:162–3
Low sensitivity of endoscopic markers in children with celiac disease (Özçay et al) (Letter); (Ravelli et al) (Response). 2002;56:321–2
Microlithiasis and pancreatitis (Dill and Dill) (Letter); (Levy) (Response). 2002;56:484–5
Retinal ophthalmologic eye damage and instrument light sources (Patterson) (Letter). 2002; 56:956–7
Sessile polyps containing invasive carcinoma mandate colectomy for cure in patients fit for surgery (Cirocco) (Letter); (Togashi et al) (Response). 2002;56:320–1
Treatment of Zenker's diverticulum with the help of a plastic hood attached to the endoscope (Costamagna et al) (Letter); (Sakai et al) (Response). 2002;56:611–12
Use of the intramural incision technique to retrieve a fractured biliary tube (Zovich and Faigel) (Letter). 2002;56:465
White bile: a "clear" misnomer (Yarze) (Letter); (Ahuja et al) (Response)". 2002;56:782–3
Ligation
Argon plasma coagulation prevents variceal recurrence after band ligation of esophageal varices: preliminary results of a prospective randomized trial (Cipolletta et al). 2002;56:467–71
Bleeding Dieulafoy's lesion (Fallah and Fallah). 2002;56:115 (At the focal point)
Ligature closure of the esophagus (Zeldin and Kochman). 2002;56:562–3 (At the focal point)

Use of detachable snares and elastic bands for endoscopic control of bleeding from large gastric varices (Lee et al). 2002;56:83–8
Lipoma
Giant gastric lipoma (Hyun and Coyle). 2002;56:905 (At the focal point)
Lithiasis
Microlithiasis and pancreatitis (Dill and Dill) (Letter); (Levy) (Response). 2002;56:484–5
Peroral cholangioscopic treatment of hepatolithiasis: long-term results (Okugawa et al). 2002;56:366–71
Lithotripsy
Clinical outcomes in patients who undergo extracorporeal shock wave lithotripsy for chronic calcific pancreatitis (Kozarek et al). 2002;56:496–500
Pancreatic duct stones in chronic pancreatitis: criteria for treatment intensity and success (Farnbacher et al). 2002;56:501–6
Liver abscess
Amebic liver abscess with a hepatogastric fistula (Chang et al). 2002;56:906 (At the focal point)
Gastric pancreatic rest leading to pyogenic liver abscess (Friedland et al). 2002;56:438–40 (Case report)
Liver diseases
Peroral cholangioscopic treatment of hepatolithiasis: long-term results (Okugawa et al). 2002;56:366–71
Portal hypertensive enteropathy in a patient with polycystic liver disease: a unique endoscopic finding (Tang et al). 2002;56:924–6 (Case report)
Lung neoplasms
Clinical utility of EUS-guided fine-needle aspiration of mediastinal masses in the absence of known pulmonary malignancy (Devereaux et al). 2002;56:397–401
EUS in lung cancer (Fickling and Wallace). 2002;56:S18–21
Lymphangioma
Esophageal lymphangiomatosis: a case report (Lee et al). 2002;56:589–91 (Case report)
Lymphoma
Diagnostic accuracy of EUS in the local staging of primary gastric lymphoma: results of a prospective, multicenter study comparing EUS with histopathologic stage (Fischbach et al). 2002;56:696–700
EUS in malt lymphoma (Caletti et al). 2002;56:S21–6
Gastric lymphoma: Is the worldwide incidence rising? (Ben-Khelifa). 2002;56:955–6 (Perspectives)
Multiple lymphomatous polyposis of the GI tract: report of a case and review (Vignote et al). 2002;56:579–82 (Case report)
Small intestine Burkitt's lymphoma (Jeen et al). 2002;56:731 (At the focal point)

M

Magnesium citrate
Low-volume oral colonoscopy bowel preparation: sodium phosphate and magnesium citrate (Berkelhammer et al). 2002;56:89–94
Magnetic resonance imaging
CT and magnetic resonance imaging in pancreatic and biliary tract malignancies (Mortele et al). 2002;56:S206–12
MR cholangiography versus cholangioscopy for evaluation of longitudinal extension of hilar cholangiocarcinoma (Lee et al). 2002;56:25–32
MRCP and ERCP in the diagnosis of common bile duct stones (Fulcher). 2002;56:S178–82
Occult regurgitation of pancreatic juice into the biliary tract: diagnosis with secretin injection magnetic resonance cholangiopancreatography (Sai et al). 2002;56:929–32 (Case report)
The variable stiffness colonoscope: assessment of efficacy by magnetic endoscope imaging (Shah et al). 2002;56:195–201
Major duodenal papilla
Safety and outcome of endoscopic snare excision of the major duodenal papilla (Norton et al). 2002;56:239–43
Mallory-Weiss syndrome
Spontaneous intramural rupture of the esophagus: clinical presentation and endoscopic findings (Gluck et al). 2002;56:134–6 (Case report)
Mass screening
Better tolerance for colonoscopy or intolerance to virtual colonoscopy? (Pineau and Vining) (Letter); (McQuaid and Akerkar) (Response). 2002;56:609–10
Screening and surveillance for hereditary pancreatic cancer (Kimmey et al). 2002;56:S82–6
Meckel's diverticulum
Intestinal bleeding due to a stromal tumor in a Meckel's diverticulum (Stolk et al). 2002;56:147–9 (Brief report)
Mediastinal neoplasms
Clinical utility of EUS-guided fine-needle aspiration of mediastinal masses in the absence of known pulmonary malignancy (Devereaux et al). 2002;56:397–401
Melanoma
Metastatic malignant melanoma (Shimamoto et al). 2002;56:416 (At the focal point)
Metaplasia
Unsedated transnasal endoscopy accurately detects Barrett's metaplasia and dysplasia (Saeian et al). 2002;56:472–8
Metastasis; *see* Neoplasm metastasis
Mycoses
Fatal mycotic endocarditis from a primary esophageal aspergilloma (Komanduri et al). 2002;56:577–9 (Case report)
Gastric mucormycosis (Park et al). 2002;56:904–5 (At the focal point)

N

National Institutes of Health (U.S.)
A day in court for ERCP: a plea answered (Hamilton). 2002;56:S154–6
National Institutes of Health State-of-the-Science Conference statement (Cohen et al). 2002;56:803–9
Necrosis
Acute esophageal necrosis: a 1-year prospective study (Soussan et al). 2002;56:213–17
Neoplasm metastasis
Bile duct wall metastasis from micropapillary variant transitional cell carcinoma of the urinary bladder mimicking primary hilar cholangiocarcinoma (Hong et al). 2002;56:756–8 (Case report)
Computer-assisted analysis of lymph nodes detected by EUS in patients with esophageal carcinoma (Loren et al). 2002;56:742–6 (New methods & materials)
Gastric metastases from accessory breast cancer (Kimura et al). 2002;56:566–7 (At the focal point)
Metastatic malignant melanoma (Shimamoto et al). 2002;56:416 (At the focal point)
Metastatic uterine leiomyosarcoma involving the pancreas diagnosed by EUS with fine-needle aspiration (Sweeney et al). 2002;56:596–7 (Brief report)
Rectal carcinoid with lymph node metastasis (Yokomine et al). 2002;56:908 (At the focal point)
Neoplasm staging
Diagnostic accuracy of EUS in the local staging of primary gastric lymphoma: results of a prospective, multicenter study comparing EUS with histopathologic stage (Fischbach et al). 2002;56:696–700
EUS in advanced esophageal cancer (Penman and Shen). 2002;56:S2–6
EUS in lung cancer (Fickling and Wallace). 2002;56:S18–21
EUS in malt lymphoma (Caletti et al). 2002;56:S21–6
EUS in pancreatic cancer (Kochman). 2002;56:S6–12
EUS in rectal cancer (Savides and Master). 2002;56:S12–8
Neoplasms
Embryonal rhabdomyosarcoma in a 3-year-old child diagnosed at ERCP: case report and review (Hunt et al). 2002;56:445–7 (Case report)
EUS in submucosal tumors (Chak). 2002;56:S43–8
Neoplasms, cystic, mucinous, and serous
Accuracy of EUS for detection of intraductal papillary mucinous tumor of the pancreas (Aithal et al). 2002;56:701–7
Intraductal mucinous papillary tumor and pyloric gland adenoma of the pancreas (Amaris). 2002;56:441–4 (Case report)
Nerve block
EUS-guided celiac plexus block/neurolysis (Hoffman). 2002;56:S26–8
EUS in combination with fine-needle injection celiac plexus neurolysis from within a Wallstent stent (Soetikno et al). 2002;56:136–9 (Case report)
Neuroendocrine tumors
Usefulness of EUS-guided fine needle aspiration (EUS-FNA) in the diagnosis of functioning neuroendocrine tumors (Ginès et al). 2002;56:291–6 (Case study)
Nevus, blue
Blue rubber bleb nevus syndrome (Beck et al). 2002;56:598–600 (Brief report)
Nifedipine
Nifedipine for prevention of post-ERCP pancreatitis: a prospective, double-blind randomized study (Prat et al). 2002;56:202–8

P

Pain
A new water instillation method for colonoscopy without sedation as performed by endoscopists-in-training (Hamamoto et al). 2002;56:825–8
Minimizing postcolonoscopy abdominal pain by using CO2 insufflation: a prospective, randomized, double blind, controlled trial evaluating a new commercially available CO2 delivery system (Sumanac et al). 2002;56:190–4
Kalloo AN. Overview of differential diagnoses of abdominal pain. 2002;56:S255–7
Pancreas
Endoscopic drainage of pancreatic abscesses: a word of caution (Venu and Brown) (Letter); (Park et al) (Response). 2002;56:785–6
Heterotopic pancreas with calcification: a lesion mimicking leiomyosarcoma of the stomach (Oka et al). 2002;56:939–42 (Case report)
Occult regurgitation of pancreatic juice into the biliary tract: diagnosis with secretin injection magnetic resonance cholangiopancreatography (Sai et al). 2002;56:929–32 (Case report)
Pancreatic abscess
Endoscopic drainage of pancreatic abscesses: a word of caution (Venu and Brown) (Letter); (Park et al) (Response). 2002;56:785–6
Pancreatic cyst
EUS in cystic lesions of the pancreas (Van Dam). 2002;56:S91–3
Pancreatic diseases
Overview of the role of ERCP in the management of diseases of the biliary tract and the pancreas (Carr-Locke). 2002;56:S157–60
There is no role for ERCP in unexplained abdominal pain of pancreatic or biliary origin (Pasricha). 2002;56:S267–72
What are the determinants of success in utilization of ERCP in the setting of pancreatic and biliary diseases? (Lehman). 2002;56:S291–3
What is the role of ERCP in the setting of abdominal pain of pancreatic or biliary origin (suspected sphincter of Oddi dysfunction)? (Sherman). 2002;56:S258–66

Pancreatic ducts
Clinical outcomes in patients who undergo extracorporeal shock wave lithotripsy for chronic calcific pancreatitis (Kozarek et al). 2002;56:496–500
EUS-guided pancreaticogastrostomy (François et al). 2002;56:128–33 (New methods & materials)
Pancreatic duct stones in chronic pancreatitis: criteria for treatment intensity and success (Farnbacher et al). 2002;56:501–6
Pancreatic endotherapy for pseudocysts and fluid collections (Schutz and Leung). 2002;56:150–2 (Editorial)
Pancreatic stent placement for duct disruption (Telford et al). 2002;56:18–24
Telescoping stents (Axelrad). 2002;56:274 (At the focal point)
Pancreatic neoplasms
Accuracy of EUS for detection of intraductal papillary mucinous tumor of the pancreas (Aithal et al). 2002;56:701–7
CT and magnetic resonance imaging in pancreatic and biliary tract malignancies (Mortele et al). 2002;56:S206–12
Diagnostic and therapeutic uses of ERCP in pancreatic and biliary tract malignancies (Hawes). 2002;56:S201–5
Difficult pancreatic mass FNA: tips for success (Binmoeller and Rathod). 2002;56:S86–91
ERCP and surgical intervention in pancreatic and biliary malignancies (Strasberg). 2002;56:S213–7
EUS in cystic lesions of the pancreas (Van Dam). 2002;56:S91–3
EUS in pancreatic cancer (Kochman). 2002;56:S6–12
Evidence-based assessment of ERCP approaches to managing pancreaticobiliary malignancies (Flamm et al). 2002;56:S218–25
Intraductal EUS (Inui et al). 2002;56:S58–62
Intraductal mucinous papillary tumor and pyloric gland adenoma of the pancreas (Amaris). 2002;56:441–4 (Case report)
Metastatic uterine leiomyosarcoma involving the pancreas diagnosed by EUS with fine-needle aspiration (Sweeney et al). 2002;56:596–7 (Brief report)
Preoperative endoscopic stent placement before pancreaticoduodenectomy: a meta-analysis of the effect on morbidity and mortality (Saleh et al). 2002;56:529–34
Screening and surveillance for hereditary pancreatic cancer (Kimmey et al). 2002;56:S82–6
The epidemiology of pancreatic, gallbladder, and other biliary tract cancers (Michaud). 2002;56:S195–200
Utility of EUS in the evaluation of cystic pancreatic lesions (Sedlack et al). 2002;56:543–7
Pancreatic pseudocyst
EUS in drainage of pancreatic pseudocysts (Fockens). 2002;56:S93–7
Outcome differences after endoscopic drainage of pancreatic necrosis, acute pancreatic pseudocysts, and chronic pancreatic pseudocysts (Baron et al). 2002;56:7–17
Pancreatic endotherapy for pseudocysts and fluid collections (Schutz and Leung). 2002;56:150–2 (Editorial)
Surgery for acute and chronic pancreatitis (Reber). 2002;56:S246–8
Utility of EUS in the evaluation of cystic pancreatic lesions (Sedlack et al). 2002;56:543–7
Pancreaticogastrostomy
EUS-guided pancreaticogastrostomy (François et al). 2002;56:128–33 (New methods & materials)
Pancreatitis
Clinical outcomes in patients who undergo extracorporeal shock wave lithotripsy for chronic calcific pancreatitis (Kozarek et al). 2002;56:496–500
Endoscopic cystenterostomy of nonbulging pancreatic fluid collections (Sanchez Cortes et al). 2002;56:380–6
Epidemiology, natural history, and predictors of disease outcome in acute and chronic pancreatitis (Banks). 2002;56:S226–30
EUS and chronic pancreatitis (Sahai). 2002;56:S76–81
EUS-guided fine-needle aspiration of the pancreas: evaluation of pancreatitis as a complication (Gress et al). 2002;56:864–7
Evidence-based assessment of ERCP in the treatment of pancreatitis (Mark et al). 2002;56:S249–4
Gabexate or somatostatin administration before ERCP in patients at high risk for post-ERCP pancreatitis: a multicenter, placebo-controlled, randomized clinical trial (Andriulli et al). 2002;56:488–95
Hereditary pancreatitis: clinical presentation, ERCP findings, and outcome of endoscopic therapy (Choudari et al). 2002;56:66–71
Management of gallstone pancreatitis: cholecystectomy or ERCP and endoscopic sphincterotomy (Kaw et al). 2002;56:61–5
Microlithiasis and pancreatitis (Dill and Dill) (Letter); (Levy) (Response). 2002;56:484–5
Nifedipine for prevention of post-ERCP pancreatitis: a prospective, double-blind randomized study (Prat et al). 2002;56:202–8
Pancreatic duct stones in chronic pancreatitis: criteria for treatment intensity and success (Farnbacher et al). 2002;56:501–6
Pancreatic tissue sampling guided by EUS, CT/US, and surgery: a comparison of sensitivity and specificity (Mallery et al). 2002;56:218–24
Recurrent acute pancreatitis and duodenal stenosis (Longheval and Devière). 2002;56:584–7 (Case report)
Risk factors for complications after performance of ERCP (Vandervoort et al). 2002;56:652–6
Role of ERCP and other endoscopic modalities in chronic pancreatitis (Lehman). 2002;56:S237–40
Role of ERCP in acute pancreatitis (Kozarek). 2002;56:S231–6
Surgery for acute and chronic pancreatitis (Reber). 2002;56:S246–8
The role of US and CT in pancreatitis (Turner). 2002;56:S241–5
Usefulness of endoscopic observation of the main duodenal papilla in the diagnosis of sclerosing pancreatitis (Unno et al). 2002;56:880–4
Papilloma
Recurrent proximal esophageal stricture associated with dysplasia in squamous cell papillomatosis (Narayani and Young). 2002;56:591–4 (Case report)
Parasitic diseases
Esophageal varices in Sudan (Fedail). 2002;56:781–2 (Perspectives)
Hepatic fascioliasis in the Americas: a new challenge for therapeutic endoscopy (Roig). 2002;56:315–17 (Perspectives)
Infection with a black *Pseudoterranova decipiens* (Shudo et al). 2002;56:110 (At the focal point)
Sclerosing cholangitis caused by *Clonorchis sinensis* (Fry et al). 2002;56:114 (At the focal point)
Vanishing gastric tumor (Fujii et al). 2002;56:421 (At the focal point)
Patient comfort
A new water instillation method for colonoscopy without sedation as performed by endoscopists-in-training (Hamamoto et al). 2002;56:825–8
Colonoscopy preparation: Is there still room for senna? (Radaelli and Minoli) (Letter). 2002;56:463
Patient-controlled sedation versus intravenous sedation for colonoscopy in elderly patients: a prospective randomized controlled trial (Lee et al). 2002;56:629–32
Patient satisfaction
Better tolerance for colonoscopy or intolerance to virtual colonoscopy? (Pineau and Vining) (Letter); (McQuaid and Akerkar) (Response). 2002;56:609–10
Predicting which patients can undergo upper endoscopy comfortably without conscious sedation (Abraham et al). 2002;56:180–9
The safety profile of oral sodium phosphate for colonic cleansing before colonoscopy in adults (Hookey et al). 2002;56:895–902 (Review article)
Pediatric gastroenterology
Embryonal rhabdomyosarcoma in a 3-year-old child diagnosed at ERCP: case report and review (Hunt et al). 2002;56:445–7 (Case report)
Percutaneous endoscopic gastrostomy; *see* Gastrostomy, percutaneous endoscopic (PEG)
Perforation
Colonoscopically applied clips to treat postoperative fecal fistula (Marks) (Letter). 2002;56:163
Endoscopic transpapillary gallbladder drainage for closure of calculous gallbladder perforation and cholecystoduodenal fistula (Baron et al). 2002;56:753–5 (Case report)
Peritonitis
Bile peritonitis after EUS-guided fine-needle aspiration (Chen et al). 2002;56:594–6 (Brief report)
Perspectives
ERCP training and experience (Waye et al). 2002;56:607–8
Esophageal varices in Sudan (Fedail). 2002;56:781–2
Gastric lymphoma: Is the worldwide incidence rising? (Ben-Khelifa). 2002;56:955–6
Hemostasis of upper GI bleeding (Waye et al). 2002;56:159–61
Hepatic fascioliasis in the Americas: a new challenge for therapeutic endoscopy (Roig). 2002;56:315–17
Small bowel endoscopy (Waye et al). 2002;56:461–2
The Chilean Society of Gastroenterology and The Chilean Digestive Endoscopic Association: a brief history (Llorens and Saenz). 2002;56:161–2
Physician-patient relations
Patient preferences for gender of endoscopists (Varadarajulu et al). 2002;56:170–3
Women are different from men (Elta). 2002;56:308–9 (Editorial)
Pneumatosis cystoides intestinalis
Hyperbaric oxygen treatment for intractable diarrhea caused by pneumatosis coli (Lustberg et al). 2002;56:935–7 (Case report)
Pneumocystis carinii *infections*
Endoscopic diagnosis of biliary *Pneumocystis carinii* (Mustafa et al). 2002;56:937–9 (Case report)
Pneumoperitoneum
Iatrogenic Chilaiditi's syndrome (Chan et al). 2002;56:447–9 (Case report)
Polycystic kidney diseases
Portal hypertensive enteropathy in a patient with polycystic liver disease: a unique endoscopic finding (Tang et al). 2002;56:924–6 (Case report)
Polypectomy
Comparative performance in the porcine esophagus of different solutions used for submucosal injection (Conio et al). 2002;56:513–16
Polyps
Endoscopic identification and quantification of aberrant crypt foci in the human colon (Adler et al). 2002;56:657–62
Gastric polypoid signet ring cell carcinoma (Tabaru et al). 2002;56:420 (At the focal point)
Multiple lymphomatous polyposis of the GI tract: report of a case and review (Vignote et al). 2002;56:579–82 (Case report)
Sessile polyps containing invasive carcinoma mandate colectomy for cure in patients fit for surgery (Cirocco) (Letter); (Togashi et al) (Response). 2002;56:320–1
Precancerous conditions
Endoscopic identification and quantification of aberrant crypt foci in the human colon (Adler et al). 2002;56:657–62

Molecular analysis of diminutive, flat, depressed colorectal lesions: are they precursors of polypoid adenoma or early stage carcinoma? (Morita et al). 2002;56:663–71
Protoporphyrins
Detection of high-grade dysplasia in Barrett's esophagus by spectroscopy measurement of 5-aminolevulinic acid-induced protoporphyrin IX fluorescence (Brand et al). 2002;56:479–87
Pseudocysts
Outcome differences after endoscopic drainage of pancreatic necrosis, acute pancreatic pseudocysts, and chronic pancreatic pseudocysts (Baron et al). 2002;56:7–17
Pancreatic endotherapy for pseudocysts and fluid collections (Schutz and Leung). 2002;56:150–2 (Editorial)
Pseudoterranova decipiens
Infection with a black *Pseudoterranova decipiens* (Shudo et al). 2002;56:110 (At the focal point)
Purpura, Schoenlein-Henoch
GI involvement in Henoch-Schönlein purpura (Esaki et al). 2002;56:920–3 (Case study)
Pylorus
Double pylorus (Chiu et al). 2002;56:271 (At the focal point)

Q

Quality assurance, health care
Bacteria-free rinse water for endoscope disinfection (Pang et al). 2002;56:402–6
Quality of life
Palliation of malignant biliary obstruction: a prospective trial examining impact on quality of life (Abraham et al). 2002;56:835–41

R

Rectal neoplasms
EUS for rectal disease (Schwartz et al). 2002;56:100–9 (Review article)
EUS in rectal cancer (Savides and Master). 2002;56:S12–8
Rectal carcinoid with lymph node metastasis (Yokomine et al). 2002;56:908 (At the focal point)
Rectum
Rectal ulcer mimicking mucosal prolapse syndrome (Tatsumi et al). 2002;56:418 (At the focal point)
Rehydration solutions
Carbohydrate-electrolyte rehydration protects against intravascular volume contraction during colonic cleansing with orally administered sodium phosphate (Barclay et al). 2002;56:633–8
Research design
Evidence-based review of endoscopic retrograde cholangiopancreatography: introduction and description of systematic review methods (Flamm et al). 2002;56:S161–4
Respiratory sounds
Stridor: a complication of PEG placement (Raju et al). 2002;56:145–7 (Brief report)
Retinal perforations
Retinal ophthalmologic eye damage and instrument light sources (Patterson) (Letter). 2002;56:956–7
Rhabdomyosarcoma, embryonal
Embryonal rhabdomyosarcoma in a 3-year-old child diagnosed at ERCP: case report and review (Hunt et al). 2002;56:445–7 (Case report)
Rupture, spontaneous
Spontaneous intramural rupture of the esophagus: clinical presentation and endoscopic findings (Gluck et al). 2002;56:134–6 (Case report)

S

Salicylates
Bismuth subsalicylate in the cecum (Hellmig et al). 2002;56:565 (At the focal point)
Schatzki ring
Incision of recurrent distal esophageal (Schatzki) ring after dilation (DiSario et al). 2002;56:244–8
Schistosomiasis
Esophageal varices in Sudan (Fedail). 2002;56:781–2 (Perspectives)
Sclerotherapy
Efficacy and safety of balloon-occluded endoscopic injection sclerotherapy as a prophylactic treatment for high-risk gastric fundal varices: a prospective, randomized, comparative clinical trial (Shiba et al). 2002;56:522–8
Screening; *see* Mass screening
Senna
Colonoscopy preparation: Is there still room for senna? (Radaelli and Minoli) (Letter). 2002;56:463
Shock
Prospective evaluation of hemoclip application with injection of epinephrine in hypertonic saline solution for hemostasis in unstable patients with shock caused by upper GI bleeding (Goto et al). 2002;56:78–82
Small intestine, see also duodenum, jejunum, ileum
Small bowel endoscopy (Waye et al). 2002;56:461–2 (Perspectives)
Sodium phosphate
Carbohydrate-electrolyte rehydration protects against intravascular volume contraction during colonic cleansing with orally administered sodium phosphate (Barclay et al). 2002;56:633–8
Comparison of sodium phosphate tablets to PEG solution for colonoscopy (Mork) (Letter); (Kastenberg) (Response). 2002;56:610–11
Low-volume oral colonoscopy bowel preparation: sodium phosphate and magnesium citrate (Berkelhammer et al). 2002;56:89–94
The safety profile of oral sodium phosphate for colonic cleansing before colonoscopy in adults (Hookey et al). 2002;56:895–902 (Review article)
Somatostatin
Gabexate or somatostatin administration before ERCP in patients at high risk for post-ERCP pancreatitis: a multicenter, placebo-controlled, randomized clinical trial (Andriulli et al). 2002;56:488–95
Spasm
Warm water irrigation for dealing with spasm during colonoscopy: simple, inexpensive, and effective (Church). 2002;56:672–4
Sphincter of Oddi
Sphincter of Oddi injection with botulinum toxin is as effective as endobiliary stent in resolving cystic duct leaks in a canine model (Brodsky et al). 2002;56:849–51
What is the role of ERCP in the setting of abdominal pain of pancreatic or biliary origin (suspected sphincter of Oddi dysfunction)? (Sherman). 2002;56:S258–66
Stents
A through-the-scope device for suturing and tissue approximation under EUS control (Fritscher-Ravens et al). 2002;56:737–42 (New methods & materials)
Biliary decompression by nasobiliary catheter or biliary stent in acute suppurative cholangitis: a prospective randomized trial (Lee et al). 2002;56:361–5
Effects of adherence factors and human bile on bacterial attachment and biliary stent blockage: an in vitro study (Leung et al). 2002;56:72–7
Endoscopic palliation of patients with biliary obstruction caused by nonresectable hilar cholangiocarcinoma: efficacy of self-expandable metallic Wallstents (Cheng et al). 2002;56:33–9
EUS in combination with fine-needle injection celiac plexus neurolysis from within a Wallstent stent (Soetikno et al). 2002;56:136–9 (Case report)
Palliative colonic stent placement (Sanchez and Baron). 2002;56:735 (At the focal point)
Pancreatic endotherapy for pseudocysts and fluid collections (Schutz and Leung). 2002;56:150–2 (Editorial)
Pancreatic stent placement for duct disruption (Telford et al). 2002;56:18–24
Preoperative endoscopic stent placement before pancreaticoduodenectomy: a meta-analysis of the effect on morbidity and mortality (Saleh et al). 2002;56:529–34
Successful closure of a postsurgical benign esophagomediastinal fistula by temporary placement of a polyester, expandable stent: case report and review (Repici et al). 2002;56:747–50 (Case report)
Successful treatment of an aorto-gastric-bronchial fistula after esophagectomy by placement of double stents (Tuebergen et al). 2002;56:587–9 (Case report)
Telescoping stents (Axelrad). 2002;56:274 (At the focal point)
Stomach
Overtube-assisted ERCP in patients with altered gastric and esophageal anatomy (Nawras et al). 2002;56:426–30 (New methods & materials)
Use of a super-stiff Amplatz guidewire to intubate the duodenum with a duodenoscope (Fry et al). 2002;56:773–4 (Brief report)
Stomach diseases
Accuracy and reliability of the endoscopic classification of portal hypertensive gastropathy (Yoo et al). 2002;56:675–80
Gastric mucormycosis (Park et al). 2002;56:904–5 (At the focal point)
Stomach neoplasms
Clinical outcome of endoscopic aspiration mucosectomy for early stage gastric cancer (Tanabe et al). 2002;56:708–13
Diagnostic yield of upper endoscopy in Asian patients presenting with dyspepsia (Wai et al). 2002;56:548–51
EUS in the detection of early gastric cancer (Yasuda). 2002;56:S68–75
Gastric glomus tumor (Agawa et al). 2002;56:903 (At the focal point)
Gastric lymphoma: Is the worldwide incidence rising? (Ben-Khelifa). 2002;56:955–6 (Perspectives)
Giant gastric lipoma (Hyun and Coyle). 2002;56:905 (At the focal point)
Heterotopic pancreas with calcification: a lesion mimicking leiomyosarcoma of the stomach (Oka et al). 2002;56:939–42 (Case report)
Novel magnified endoscopic findings of microvascular architecture in intramucosal gastric cancer (Yao et al). 2002;56:279–84 (New methods & materials)
Primary amyloidosis of the stomach: EUS appearances (Goulding et al). 2002;56:305–6 (Brief report)
Success rate of curative endoscopic mucosal resection with circumferential mucosal incision assisted by submucosal injection of sodium hyaluronate (Yamamoto et al). 2002;56:507–12
Strictures/stenosis
Evaluation of indeterminate bile duct strictures by intraductal ultrasonography (Vazquez-Sequeiros et al). 2002;56:372–9
Intraductal US is a useful adjunct to ERCP for distinguishing malignant from benign biliary strictures (Farrell et al). 2002;56:681–7
Recurrent acute pancreatitis and duodenal stenosis (Longheval and Devière). 2002;56:584–7 (Case report)
Recurrent proximal esophageal stricture associated with dysplasia in squamous cell papillomatosis (Narayani and Young). 2002;56:591–4 (Case report)
Tissue sampling at endoscopic retrograde cholangiopancreatography in suspected malignant biliary strictures (Part 1) (de Bellis et al). 2002;56:552–61 (Review article)
Tissue sampling at ERCP in suspected malignant biliary strictures (Part 2) (de Bellis et al). 2002;56:720–30 (Review article)
Wire-guided intraductal US in the assessment of bile duct strictures with Mirizzi syndrome-like features at ERCP (Moon et al). 2002;56:873–9

Suture techniques
A through-the-scope device for suturing and tissue approximation under EUS control (Fritscher-Ravens et al). 2002;56:737–42 (New methods & materials)
Percutaneous-endoscopic suturing of gastrocutaneous fistula: report of 2 cases (Alberti-Flor). 2002;56:751–3 (Case report)

T

Tachycardia
Paroxysmal supraventricular tachycardia after administration of glucagon during upper endoscopy (Jaca et al). 2002;56:304 (Brief report)
Tattooing
Tattoo of colonic neoplasms in 113 patients with a new sterile carbon compound (Askin et al). 2002;56:339–42
Terminology
White bile: a "clear" misnomer (Yarze) (Letter); (Ahuja et al) (Response)". 2002;56:782–3
Thermocoagulation
Argon plasma coagulation prevents variceal recurrence after band ligation of esophageal varices: preliminary results of a prospective randomized trial (Cipolletta et al). 2002;56:467–71
Efficacy of colonic submucosal saline solution injection for the reduction of iatrogenic thermal injury (Norton et al). 2002;56:95–9
Recurrent bleeding from peptic ulcer associated with adherent clot: a randomized study comparing endoscopic treatment with medical therapy (Bleau et al). 2002;56:1–6
Thrombolytic therapy
Dissolution of blood clots in the biliary ducts with a thrombolytic agent infused through nasobiliary catheter (Moparty et al). 2002;56:436–8 (Case report)
Tomography
Colonic adenomas detected by ^{18}F-FDG PET (Felig et al). 2002;56:734 (At the focal point)
Comparative optical coherence tomography imaging of human esophagus: how accurate is localization of the muscularis mucosae? (Çilesiz et al). 2002;56:852–7
CT and magnetic resonance imaging in pancreatic and biliary tract malignancies (Mortele et al). 2002;56:S206–12
The role of US and CT in pancreatitis (Turner). 2002;56:S241–5
Triamcinolone
Usefulness of intralesional triamcinolone in treatment of benign esophageal strictures (Kochhar and Makharia). 2002;56:829–34

U

Ulcer
Double pylorus (Chiu et al). 2002;56:271 (At the focal point)
Gastric mucormycosis (Park et al). 2002;56:904–5 (At the focal point)
Multiple ulcerative lesions of the stomach: a rare case of eosinophilic gastroenteritis (Katsumi et al). 2002;56:762–4 (Case report)
Rectal ulcer mimicking mucosal prolapse syndrome (Tatsumi et al). 2002;56:418 (At the focal point)
Recurrent bleeding from peptic ulcer associated with adherent clot: a randomized study comparing endoscopic treatment with medical therapy (Bleau et al). 2002;56:1–6
Ultrasonography; *see also* Endoscopic ultrasonography (EUS)
Evaluation of indeterminate bile duct strictures by intraductal ultrasonography (Vazquez-Sequeiros et al). 2002;56:372–9
Initial experience with an electronic radial array echoendoscope: randomized comparison with a mechanical sector scanning echoendoscope in humans (Anderson and Scheiman). 2002;56:573–7 (New methods & materials)
Intraductal US is a useful adjunct to ERCP for distinguishing malignant from benign biliary strictures (Farrell et al). 2002;56:681–7
The role of US and CT in pancreatitis (Turner). 2002;56:S241–5
Wire-guided intraductal US in the assessment of bile duct strictures with Mirizzi syndrome-like features at ERCP (Moon et al). 2002;56:873–9
Urease
False-negative rapid urease test in acute upper GI bleeding: is human plasma alone responsible? (Sougioultzis et al) (Letter); (Houghton and Kim) (Response). 2002;56:162–3
Ureterostomy
Ureterosigmoidostomy (Huang et al). 2002;56:272 (At the focal point)

V

Varices; *see* Esophageal and gastric varices
Variceal pressure
A new device for measuring esophageal variceal pressure (Miller et al). 2002;56:284–91 (New methods & materials)
Vater's ampulla *see* Major duodenal papilla

Z

Zenker diverticulum
Treatment of Zenker's diverticulum with the help of a plastic hood attached to the endoscope (Costamagna et al) (Letter); (Sakai et al) (Response). 2002;56:611–12